### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



## The Bay State Nurseries

J. S. Department

WINDSOR H. WYMAN, Proprietor

North Abington, Massachusetts.

# WHOLESALE PRICE LIST SPRING 1916

FOR NURSERYMEN, DEALERS, FLORISTS AND LANDSCAPE ARCHITECTS ONLY.



Trees, Shrubs, Evergreens, Vines, Roses and Herbaceous Perennials.

Long Distance Telephone, Rockland 26.

Cable Address, "Nursery," Boston.

Telegraphic Address, North Abington, Mass.

#### Location of Nurseries

The Bay State Nurseries are located in North Abington, Mass., 18 miles south of Boston, on the Plymouth division of the N. Y., N. H. & H. R. R.—half way from Boston to Plymouth. Trains leave the South Station at frequent intervals during the day. Visitors are always welcome. Our office is ten minutes' walk from the station. If notified, we gladly meet visitors at the station and take them about the nurseries.

#### The Shipping Season

We begin digging about March 20th, and continue usually until early in June. Evergreens and Herbaceous Perennials can be successfully transplanted until the middle of June.

#### Directions for Shipping

Parties ordering are requested to state explicitly the mode of conveyance by which they desire their stock forwarded.

When no route is designated, we exercise our judgment; but in no case do we assume any responsibility after packages are shipped, unless for our own mistakes. When losses occur by detention, claims should at once be made on the TRANSPORTATION COMPANY.

## INSPECTOR'S CERTIFICATE ACCOMPANIES EVERY SHIPMENT

#### CONDITIONS OF SALE

First—The articles on the following list will be furnished at the annexed prices only when the quantity specified shall be taken. Five hundred will be furnished at the thousand rate; fifty at the hundred rate and five at the ten rate.

Second—We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell. No complaints will be considered that are not made within ten days after receipt of stock.

Third—The prices annexed do not include the boxes or bales. A charge for the actual cost of the boxes or the material used in baling is made. No charge for conveyance to freight station.

Our terms are cash, unless by special agreement. We can ship by express C. O. D., when desired, with charges for collection added to the bill—provided 20 per cent of the amount of the order accompanies the same as a guarantee. Said guarantee will be required only from parties with whom we have no business acquaintance. All bills remaining unpaid December 1st in fall, and June 1st in spring, will be subject to sight draft without further notice.



PACKING HOUSE ADJOINING RAILROAD SIDING

#### ORNAMENTAL DEPARTMENT

NOTE—In compiling this list, we have endeavored to include only such varieties of stock as we have now in our nurseries, in sizes and quantities offered. In filling orders we shall grade stock according to these specifications. Should orders be received for sizes not found in this list, or should any specified grade be exhausted, we will send the nearest size we have in stock at the time the order is received and charge accordingly; unless otherwise advised.

#### DECIDUOUS TREES

ACER (Maple)	Each	Per 10	Per 100
Campestre (English Cork-bark Maple) 6 to 8 ft	\$ 60	\$5 00	\$40 00
8 to 10 ft	85	6 50	50 00
10 to 12 ft	1 00	8 50	
colchicum rubrum 8 to 10 ft	1 00		
dasycarpum (Silver-leaved Maple) 8 to 10 ft	50	4 00	30 00
10 to 12 ft. $1\frac{1}{2}$ to $1\frac{3}{4}$ in	75	6 00	50 00
10 to 12 ft. 1¾ to 2 in	1 00	8 00	75 00
12 to 14 ft. 2 to $2\frac{1}{2}$ in	1 25	10 00	
Specimens 16 to 20 ft. 2½ to 3 in\$2 00 to	5 00		
d. var. Wierii (Wier's Cut-leaved Maple)			
8 to 10 ft	75	6 00	
10 to 12 ft	1 25	10 00	90 00
12 to 14 ft	1 75		
Specimens 14 to 18 ft., 4 to 6 in\$5 00 to	15 00		
Negundo (Ash-leaved Maple) 6 to 8 ft	50	3 50	
12 to 14 ft	1 00	9 00	

ACER—continued	Each	Per 10	Per 100
platanoides (Norway Maple)			
8 to 10 ft., 1 to 1¼ in	60	5 50	40 00
10 to 12 ft., 1¼ to 1½ in	90	7 50	65 00
12 to 14 ft., 1½ to 1¾ in	1 25	10 00	90 00
12 to 16 ft., 13/4 to 2 in	1 75	15 00	140 00
12 to 16 ft., 2 to 2½ in	2 50	22 50	200 00
Specimens 16 to 20 ft. $2\frac{1}{2}$ to $3\frac{1}{2}$ in\$3 50 to	10 00		
Large sizes in car lots at special prices.			
p. var. Schwedlerii (Purple-leaved Norway Maple)			
8 to 10 ft	1 00	8 50	75 00
10 to 12 ft	1 50	12 50	100 00
Specimens 12 to 14 ft\$3 00 to	7 50		
polymorphum (Japanese Maple) 3 to 4 ft	1 00	9 00	
4 to 5 ft	1 50	12 50	
5 to 6 ft	2 25		
6 to 8 ft. (bushy specimens)	3 00		
p. var atropurpureum (Blood-leaved Japan Maple)			
2 to 3 ft	1 25	10 00	90 00
2 to 3 ft. bushy specimens	2 00		
3 to 4 ft	2 00	17 50	
4 to 5 ft. specimens	3 50	30 00	
5 to 6 ft. specimens\$5 00 to	7 50		
p. var. atro-dissectum (Cut-leaved Purple Japan			
Maple) $2\frac{1}{2}$ to 3 ft. spread	2 50		
3 to 4 ft. spread	3 50	30 00	
p. var. aureum (Golden-leaved Japan Maple)			
2 to 3 ft	2 00	17 50	
3 to 4 ft	2 75		
p. var. palmatum 2 to 3 ft	2 00		
3 to 4 ft	2 50		
pseudo platanus (Sycamore Maple) 8 to 10 ft	75	6 00	
p. p. var. purpurea (Purple-leaved Sycamore Maple)	4 00	0 0	
8 to 10 ft	1 00	8 50	20.00
rubrum (Red or Scarlet Maple) 8 to 10 ft	75	6 50	60 00
10 to 12 ft. specimens	1 00	8 50	75 00
12 to 15 ft. specimens\$2 00 to	5 00		
saccharum (Sugar or Rock Maple) 8 to 10 ft., 1 to 1¼ in	75	F F0	45.00
10 to 12 ft., 1 1/4 to 1 1/2 in.	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	5 50 8 50	45 00
10 - 14 6 17/ - 12/	1 50	12 50	75 00 100 00
12 to 14 it., 1½ to 1¼ in	1 75	15 00	140 00
14 to 16 ft., 2 to 2½ in.	2 50	22 50	200 00
15 to 18 ft., 2½ to 3 in.	4 00	35 00	200 00
Specimens \$5 00 to \$25 00 according to size.	1 00	99 00	
spicatum (Mountain Maple) 3 to 4 ft.	50	4 00	
4 to 5 ft	60	5 00	
5 to 6 ft	75	6 00	
6 to 8 ft	1 00		

ACER—continued	Each	Per 10	Per 100
Tataricum var. ginnala (Tartarian Maple)	Басп	1 er 10	rer 100
4 to 5 ft	35	3 00	25 0 <b>0</b>
5 to 6 ft	50	4 00	
6 to 8 ft	75	6 50	55 0 <b>0</b>
8 to 10 ft	1 00	9 00	
AESCULUS (Horse Chestnut)			
Hippocastanum (European Horse Chestnut)6 to 8 ft.	75	6 50	
8 to 10 ft	1 00	9 00	75 00
10 to 12 ft	1 50	12 50	
2½ to 3 in. specimens	2 50	$22 \ 50$	
3 to 4 in. specimens	7 50		
H. var. alba flora plena (Double White) 5 to 6 ft	90	7 50	
8 to 10 ft	1 25	10 00	
10 to 12 ft	1 50	00. 70	
2½ to 3 in. specimens	2 50	22 50	
3 to 4 in. specimens	7 50	6 50	
rubicunda (Red-flowering) 5 to 6 ft	75 85	$\begin{array}{ccc} 6 & 50 \\ 7 & 50 \end{array}$	
6 to 8 ft	1 50	7 30	
10 to 12 ft	1 50		
glandulosa 6 to 8 ft.	50	4 00	
ALNUS glutinosa (Black Alder) 6 to 8 ft	50	4 00	35 00
8 to 10 ft	75	6 00	50 00
ARALIA spinosa (Hercules Club) 3 to 4 ft	30	3 00	25 00
4 to 5 ft	40	3 50	30 00
BETULA alba (European White Birch) 6 to 8 ft	50	4 00	30 00
8 to 10 ft	75	6 50	50 00
10 to 12 ft	1 00	8 50	70 00
alba var. atropurpureum (Purple-leaved)			
6 to 8 ft	1 50		
lutea (Yellow Birch) 6 to 8 ft	60	5 00	
8 to 10 ft	75	6 00	50 00
10 to 12 ft	1 00	8 50	
12 to 15 ft	1 50	14 00	00.00
papyracea (Paper or Canoe Birch) 6 to 8 ft	50 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00 30 00
10 to 12 ft	1 00	6 50	30 00
The Betula papyracea are fine trees.	1 00	0 00	
populifolia (American Gray Birch) 5 to 6 ft	40	3 00	25 00
6 to 8 ft	60	5 00	20 00
8 to 10 ft	75	6 00	40 00
10 to 12 ft	1 25	10 00	
rubra or nigra (Red or River Birch) 5 to 6 ft	50	4 00	
6 to 8 ft	75	6 50	
CARPINUS (Hornbeam)			
Americana 4 to 5 ft	50	4 00	
6 to 8 ft	60	5 00	
8 to 10 ft	75	7 00	60 00

	Each	Per 10	Per 100
CARPINUS—continued	230011	10110	101100
Betulus 5 to 6 ft.	50	4 00	30 00
6 to 8 ft	75	5 00	35 00
8 to 10 ft	1 00	7 50	60 00
CASTANEA Americana (Am. Sweet Chestnut)			
6 to 8 ft	60	5 00	40 00
8 to 10 ft	1 00	7 50	50 00
var. Sober Paragon 5 to 6 ft	1 50	12 50	
CATALPA (Indian Bean)			
Bungei (Chinese) 2 yr. heads	1 75	15 00	
3 yr. heads	2 00	17 50	
4 yr. heads XX	3 00		
Kaempferi (Japan) 8 to 10 ft	75	6 00	45 00
10 to 12 ft	1 00	8 00	
speciosa (Western Catalpa) 6 to 8 ft	40	3 00	
8 to 10 ft	50	4 50	40 00
10 to 12 ft	80	7 50	
12 to 14 ft	1 25	4 00	
var. aurea (Golden leaved) 5 to 6 ft	50 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
		10 00	
CELTIS occidentalis (Nettle Tree) 6 to 8 ft 8 to 10 ft	$\begin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$	10 00	
10 to 12 ft. heavy	2 00	14 00	
CERASUS Japonica	2 00		
var. Jas. Henry Veitch (dark pink) 4 to 5 ft	1 50	12 50	
var. rosea fl. pl. (Red flg. Cherry) 2 to 3 ft	1 00	9 00	
var. Sherofugan (white) 4 to 5 ft	1 50	12 50	
var. Watereri (pink) 4 to 5 ft	1 50	$12 \ 50$	
J. var. Sieboldii alba plena 4 to 5 ft	1 50	12 50	
6 to 8 ft	2 50		
CERCIDIPHYLLUM Japonicum 4 to 5 ft	75	6 50	
6 to 7 ft	1 25		
CERCIS (Judas Tree or Red Bud)			
Canadensis (American Judas Tree) 3 to 4 ft	50	4 00	30 00
4 to 5 ft	60	5 00	40 00
5 to 6 ft	75 1 00	6 00	
6 to 7 ft	1 00	9 00	
CHIONANTHUS (Fringe Tree)	20	2 50	90.00
Virginica (White Fringe) $2\frac{1}{2}$ to 3 ft	30 40	$\begin{array}{ccc} 2 & 50 \\ 3 & 50 \end{array}$	20 00 30 00
4 to 5 ft.	60	5 00	45 00
5 to 6 ft. bushy	1 25	10 00	75 00
6 to 7 ft. bushy	1 50	12 50	
CLADRASTIS (Yellow Wood)			
tinctoria syn. Virgilia lutea 4 to 5 ft	75	6 00	
5 to 6 ft	1 00		

CORNUS (Dogwood)	Each	Per 1	Per 100
florida (White Flg. Dogwood) 2 to 3 ft	30	0 2 50	,
3 to 4 ft			
4 to 4½ ft	. 6	5 6 00	)
4½ to 5 ft	. 8	5 7 50	)
5 to 6 ft	. 12	5	
6 to 8 ft. specimens	3 0	0 25 00	)
6 to 8 ft. pyramids	3 50	)	
f. var. rubra (Red Flg. Dogwood)			
2 to 3 ft	. 8	5 7 50	)
3 to 4 ft	. 13	5 12 50	)
4 to 4½ ft	2 0	0 17 50	)
4½ to 5 ft	. 25	0 22 50	)
CRATAEGUS (Thorn)			
Azarolus var. Carriere 5 to 6 ft	. 7	5 6 50	)
6 to 8 ft	. 10	0	
8 to 10 ft	. 12	5 10 00	)
Coccinea (American White Thorn) 4 to 5 ft	. 6	0 5 00	)
5 to 6 ft		5 6 50	)
cordata (Washington Thorn) 3 to 4 ft.	. 5	0 4 50	)
4 to 5 ft		0   5   00	)
5 to 6 ft	. 7	5 6 00	50 00
6 to 7 ft	. 10	0 8 50	)
Crus-Galli (Cockspur Thorn) 18 to 24 in			15 00
2 to 3 ft		2 50	18 00
3 to 4 ft	. 5	0 3 50	25 00
4 to 5 ft		$5 \qquad 6  00$	50 00
5 to 6 ft	. 9	0 8 00	)
Oxyacantha (Common Hawthorn) 3 to 4 ft	. 3	0 . 2 50	)
4 to 5 ft	. 4	0 3 50	30 00
5 to 6 ft	. 6	0 5 00	40 00
Oxy. var. flora plena Pauli (Paul's Dbl. Scarlet Thor	rn)		
4 to 5 ft			
5 to 6 ft			
6 to 8 ft			)
10 to 12 ft	. 25	0	
Oxy. var. flora alba plena (Double White Thorn)	_		
4 to 5 ft		0 4 50	
5 to 6 ft			
6 to 8 ft			)
8 to 10 ft			
CYTISUS Laburnum (Golden Chain) 6 to 8 ft			)
var. rosea (Red flg. Laburnum) 6 to 8 ft FAGUS (Beech)	. 12	5	
ferruginea (American Beech) 4 to 5 ft	. 10	0 8 00	70 00
5 to 6 ft			
6 to 8 ft			

	Each	Per 10	Per 100
FAGUS—continued	<b>~</b> 0		
sylvatica (European Beech) 4 to 5 ft	50	4 00	30 00
5 to 6 ft	60	5 00	40 00
6 to 8 ft	1 00	9 00	
8 to 10 ft	2 00	15 00	
4 to 5ft	1 50	12 50	100 00
5 to 6 ft	1 75	15 00	125 00
6 to 8 ft. specimens \$4 00 to	7 50	10 00	120 00
The above are all fine specimens.	7 50		
s. var. asplenifolia (Fern-leaved Beech)			
5 to 6 ft. specimens	3 00		
s. var. purpurea (Purple-leaved Beech) 4 to 5 ft	85	7 50	
5 to 6 ft	1 00	8 50	75 00
6 to 8 ft	1 50	12 50	100 00
8 to 10 ft	2 00	17 50	200 00
s. var. Riversii (River's Purple Beech) 5 to 6 ft	1 50	12 50	
6 to 7 ft	1 75	15 00	
7 to 8 ft	2 25		
8 to 10 ft. specimens with ball\$5 00 to	12 00		
FRAXINUS Americana (Am. White Ash)			
8 to 10 ft	50	4 50	30 00
14 to 16 ft	1 25	10 00	90 00
18 to 20 ft \$2 00 to	3 50		
excelsior (European Ash) 8 to 10 ft	50	4 50	40 00
10 to 12 ft	75	6 00	50 00
12 to 16 ft	1 00	8 50	75 00
lanceolata (Green Ash) 8 to 10 ft	60	5 50	
10 to 12 ft	75	6 50	
nigra (Black Ash) 8 to 10 ft.	60	5 00	40 00
10 to 12 ft	1 00	7 50	60 00
GLEDITSCHIA (Honey Locust)	0.0	0.00	1 5 00
triacanthos 3 to 4 ft.	30	2 00	15 00
4 to 5 ft	40	3 00	25 00
5 to 6 ft	60 75	4 50 5 50	35 00 50 00
6 to 8 ft	1 00	8 50	30 00
8 to 10 ft	60	5 00	
Canadensis 5 to 6 ft.	75	0 00	
7 to 8 ft	1 00		
JUGLANS (Walnut)	1 00		
cinerea (Butternut) 5 to 6 ft.	60	5 00	
6 to 8 ft	75	6 50	
8 to 10 ft	1 00	8 50	
nigra (Black Walnut) 5 to 6 ft	60	5 00	
6 to 8 ft	75 	6 00	
regia (English Walnut) 5 to 6 ft.	<b>7</b> 5	6 00	
KOELREUTERIA (Varnish Tree)	CO	4 70	
paniculata 3 to 4 ft. 7 to 8 ft	60 1 00	$\begin{array}{ccc} 4 & 50 \\ 8 & 50 \end{array}$	
1 00 0 10	1 00	0 00	

	Each	Per 10	Per 100
LARIX Europea (European Larch) 3 to 4 ft	30	2 50	20 00
8 to 10 ft	90	7 50	
10 to 12 ft	1 25	10 00	
12 to 16 ft. specimens	2 50		
Kaempferi (Japanese Larch) 4 to 5 ft	40	3 50	
LINDEN (See Tilia)		• • • • • • • • • • • • • • • • • • • •	
LIQUIDAMBAR styraciflua (Sweet Gum)			
5 to 6 ft	75	6 00	
LIRIODENDRON Tulipifera (Tulip Tree)	10	0 00	
6 to 8 ft	75	6 00	
8 to 10 ft	1 00	8 50	
		12 50	
10 to 12 ft	1 50	12 50	
12 to 16 ft\$2 00 to	3 50		
MAGNOLIA	1 00	0.00	
acuminata (Cucumber Tree) 6 to 8 ft	1 00	8 00	
alba superba 4 to 5 ft.	1 50	12 50	
Alexandrina 3 to 4 ft	1 25	10 00	
4 to 5 ft	1 50	12 50	
5 to 6 ft	2 00		
glauca (Sweet Bay) 2 to 3 ft.	1 50	12 50	
3 to 4 ft	2 00	17 50	
Lennei (Dark purple) 4 to 5 ft	2 00	15 00	
purpurea (purple) 3 to 4 ft	1 25	10 00	
<b>4</b> to 5 ft	1 50	12 50	
Soulangeana (Soulange's Magnolia) 3 to 4 ft	1 25	10 00	
4 to 5 ft	1 50	12 50	
5 to 6 ft	2 00		
speciosa 3 to 4 ft	1 25	10 00	
4 to 5 ft	1 50	12 50	
Stellata (Halleana) 2½ to 3 ft	2 00		
tripetela (Umbrella Tree) 4 to 5 ft	1 25		
MALUS (Pyrus)			
Angustifolia (Bechtel's Dbl. flg. Crab) 3 to 4 ft	60	5 00	
4 to 5 ft	75	6 00	
coronaria (Wild Crab) 4 to 5 ft	75	6 00	
5 to 6 ft	90	8 00	
floribunda 4 to 5 ft.	75	6 00	
5 to 6 ft	90	8 00	
var. atrosanguinea 4 to 5 ft.	75	6 00	
5 to 6 ft	1 00	8 50	
6 to 8 ft	1 50	0 50	
Niedzwetzkyana (Purple flg.) 5 to 6 ft.	90	8 00	
6 to 7 ft	1 25	0 00	
Parkmanni (Holliana) 3 to 4 ft.	75	6 00	
	1 25	10 00	
5 to 6 ft	1 50	13 50	
P. var. Scheideckeri 4 to 5 ft	75	6 00	
5 to 6 ft	1 00	9 00	
6 to 7 ft	1 25		

MALUS—continued	Each	Per 10	Per 100
spectabilis 3 to 4 ft.	60	5 00	
4 to 5 ft	75	6 00	
5 to 6 ft	1 00	9 00	
MORUS alba (White Mulberry) 4 to 5 ft	50	4 00	
var. Downing 5 to 6 ft.	60	5 00	
tatarica Globe Headed 5 ft. stems	2 50		
5 to 6 ft	75		
var. tatarica rubra (Russian Mulberry) 4 to 6ft	40	3 00	
10 to 12 ft. extra heavy	1 25		
MOUNTAIN ASH (See Sorbus)			
PAVIA macrostachya (Dwf Horse Chestnut)			
1½ to 2 ft	40	3 50	
PERSICA (Dbl. flg. Peach)			
alba plena 4 to 5 ft	50		
rosea plena 4 to 5 ft	50		
PLATANUS (Plane Tree)			
occidentalis 8 to 10 ft	1 00		
orientalis 8 to 10 ft.	90	8 00	
10 to 12 ft.	1 25	10 00	
POPULUS (Poplar)			
alba var. Bolleana (Bolles' Poplar)			
6 to 8 ft	50	4 00	30 00
8 to 10 ft	60	5 00	40 00
alba var. canescens (Grey Poplar)	00	0 00	10 00
	50	4 00	35 00
8 to 10 ft		4 00	55 00
	16612.		
balsamifera (Balsam or Balm of Gilead)	60	F 00	
8 to 10 ft	60	5 00	
10 to 12 ft	75	6 50	
12 to 15 ft	1 00	7 50	
$2\frac{1}{2}$ to 5 in. specimens\$1 50 to	4 50		×0.00
certinensis or laurifolia 8 to 10 ft.	75	6 50	50 00
deltoides var. Carolinensis (Carolina Poplar)			
6 to 8 ft		2 00	15 00
8 to 10 ft		2 50	20 00
d. var. aurea (Golden Poplar) 6 to 8 ft			
fastigiata (Lombardy Poplar) 6 to 8 ft. low branched		2 50	20 00
8 to 10 ft. low branched		4 00	35 00
10 to 12 ft. low branched	75	6 50	50 00
12 to 14 ft. low branched	1 25	10 00	
14 to 16 ft. low branched	1 75	15 00	
tremuloides (American Aspen) 8 to 10 ft	60	5 00	
tricocarpa 8 to 10 ft.		6 50	50 00
PRUNUS Padus (Bird Cherry) 5 to 6 ft		3 50	
6 to 8 ft		4 50	
Pissardi (Purple-leaved Plum) 4 to 5 ft	30	2 50	
5 to 6 ft		3 50	
6 to 8 ft	60		
serotina (Wild Black Cherry) 3 to 4 ft	30	2 50	20 00

	Each	Per 10	Per 100
PTELEA trifoliata (Hop Tree) 4 to 5 ft	20	1 80	15 00
5 to 6 ft	25	2 00	
6 to 8 ft	35	2 50	20 00
8 to 10 ft	50	4 00	
PYRUS (Flowering Crab) (See Malus)			
QUERCUS alba (White Oak) 5 to 6 ft	1 25		
6 to 8 ft			
coccinea (Scarlet Oak) 6 to 8 ft		-10 00	90 00
8 to 10 ft	1 50	12 50	00 00
macrocarpa (Mossy Cup or Burr Oak) 6 to 8 ft		10 00	
palustris (Pin Oak) 6 to 8 ft.		9 00	80 00
8 to 10 ft	1 50	12 50	
12 to 15 ft	3 00	27 50	
Specimens 2½ to 5 in\$3 00 to	10 00	_, _,	
Robur (English Oak) 6 to 8 ft.	1 25	10 00	
var. pedunculata 8 to 10 ft		20 00	
10 to 12 ft	$\frac{1}{2} \frac{1}{25}$		
rubra (Red Oak) 6 to 8 ft		8 50	70 00
8 to 10 ft		10 00	90 00
10 to 12 ft	2 50	22 50	• • • • •
Specimens 12 to 15 ft\$3 00 to	7 50		
velutina (Black Oak) 8 to 10 ft	1 50		
10 to 12 ft	2 00		
ROBINIA (Locust)			
Pseud-acacia (Black or Yellow Locust) 8 to 10 ft	1 00	8 00	
SALISBURIA (Maidenhair Tree, or Ginkgo)			
adiantifolia 6 to 8 ft	75	7 00	60 00
8 to 10 ft	1 00	9 00	00 00
10 to 12 ft	1 50	0 00	
SALIX alba (Common White Willow) 5 to 6 ft	25	2 00	15 00
6 to 8 ft	30	$\begin{array}{c} 2 & 00 \\ 2 & 50 \end{array}$	20 00
8 to 10 ft	50 50	3 50	20 00
var. caerulea 6 to 8 ft.		6 00	
var. regalis 4 to 5 ft.	20	1 50	10 00
pentandra (Laurel-leaved Willow) 3 to 4 ft	20	1 20	8 00
4 to 5 ft	25	1 50	10 00
5 to 6 ft	35	2 50	20 00
6 to 8 ft	50	4 00	30 00
purpurea (Purple Osier) 6 to 8 ft.	50	4 00	30 00
8 to 10 ft			
	60	5 00	40.00
vitellina aurea (Golden-barked Willow) 5 to 6 ft	20	1 50	10 00
6 to 8 ft	30	2 50	20 00
SASSAFRAS officinale 3 to 4 ft	60	5 00	
SOPHORA Japonica (Japan Pagoda Tree)			
4 to 5 ft	60	5 50	50 0 <b>0</b>
5 to 6 ft	75	7 00	60 00
6 to 8 ft	1 00	8 50	75 00

	Each	Per 10	Per 100
SORBUS (Mountain Ash)			
Aucuparia (European Mountain Ash) 6 to 8 ft	40	3 00	25 00
8 to 10 ft	60	5 00	
10 to 12 ft	1 00	8 50	
quercifolia (Oak-leaved) 5 to 6 ft	50	3 50	
6 to 8 ft	60		
8 to 10 ft	75		
12 to 14 ft	1 50		
SYRINGA Japonica (Japan Tree Lilac)			
5 to 6 ft	60	5 00	40 00
6 to 8 ft	1 00	8 50	55 00
8 to 10 ft. specimens	1 50	12 50	
TAXODIUM distichum (Deciduous Cypress)			
6 to 8 ft	1 50	12 50	
TILIA Americana (Linden-Basswood)			
8 to 10 ft	1 00	8 50	75 00
10 to 12 ft		10 00	90 00
12 to 14 ft. specimens $2\frac{1}{2}$ to 3 in	3 00	25 00	
14 to 15 ft. specimens 3 to 4 in\$5 00 to	10 00		
argentea or alba (White or Silver Linden)			
8 to 10 ft	1 00		
dasystyla (Crimean Linden)			
8 to 10 ft	1 00	8 50	
10 to 12 ft	1 50		
12 to 14 ft			
Europaea (European Linden)			
8 to 10 ft	1 00	8 50	75 0 <b>0</b>
10 to 12 ft	1 50	12 50	100 00
12 to 14 ft. 2 to 2½ in	2 00	17 50	150 00
Specimens 3 to 4 in. caliper\$5 00 to	10 00		
platyphyllos (Large-leaved Linden) 6 to 8 ft	. 75	6 50	
8 to 10 ft	1 00	8 50	75 00
10 to 12 ft	1 50	12 50	
12 to 18 ft. specimens\$2 50 to	7 50		
var. laciniata (Fern-leaved Linden) 8 to 10 ft	1 25		
spectabilis (White or Silver Linden) 8 to 10 ft		8 50	
10 to 12 ft	1 25	10 00	
ULMUS Americana (Am. White Elm)			
8 to 10 ft	. 75	6 00	50 00
10 to 12 ft		8 50	75 00
12 to 14 ft. $2\frac{1}{2}$ to 3 in. caliper		20 00	175 00
Specimens 3 to 4 in. caliper\$3 50 to			
campestris (English Elm) 8 to 10 ft.		9 00	80 00
10 to 12 ft		10 00	
12 to 14 ft	. 1 75	15 00	
c. var. Huntingdoni (Huntingdon Elm)			
8 to 10 ft	1 00	9 00	

ULMUS—Continued	Each	Per 10	Per 100
c. var. Wheatleyii (Cornish Elm) 8 to 10 ft  10 to 12 ft	85 1 25	7 50	
Dumont (Rapid grower, fastigiate form, valuable for		e planting)	
8 to 10 ft	1 25	10 00	
montana (Scotch or Wych Elm) 8 to 10 ft	$\begin{array}{ccc} 1 & 00 \\ 1 & 25 \end{array}$	9 00	80 00
Presthans (Broad leaf, pyramidial rapid growing Eup. 8 to 10 ft	Elm) 1 50		
VIRGILIA (See Cladrastis)			
DECIDUOUS WEEPING T	`REES		
BETULA alba var. laciniata (Cut-leaved Birch)			
5 to 6 ft	75	6 50	55 <b>00</b>
6 to 8 ft	1 00	9 00	75 <b>00</b>
8 to 10 ft	$\begin{array}{cccc} 1 & 25 \\ 1 & 75 \end{array}$	11 00	100 00
10 to 12 ft	1 70		
sinensis rosea plena var. pendula (Pink Japan			
Wpg. Cherry) 3 year heads	1 50		
4 year heads	2 00		
FAGUS sylvatica var. pendula (Eup. Weeping Beech)			
5 to 6 ft	1 50		
6 to 8 ft	2 00		
16 to 18 ft. extra specimens	25 00		
MORUS tatarica pendula (Tea's Weeping Mulberry)			
3 year heads	1 50	12 50	
4 year heads	1 75	15 00	
SALIX			
Babylonica 6 to 8 ft.	85	6 50	
8 to 10 ft	1 00	7 50	
B. var. aurea (Golden Wpg. Willow) 6 to 8 ft	50	3 50	25 0 <b>0</b>
8 to 10 ft	75	4 50	35 <b>00</b>
Wisconsin (Weeping Willow) 8 to 10 ft	1 00	7 50	
Thurlow's Weeping 6 to 8 ft.	75	6 50	
8 to 10 ft	1 00	8 50	



A partial view of our Evergreens in the Nursery.

## MEDAL OF HONOR awarded us at the Panama-Pacific Exposition in 1915 for Evergreens

#### **EVERGREEN TREES**

These Evergreens are all thrifty and heavily rooted, and have been several times transplanted. We have a number of large specimen Evergreens in variety not listed, also choice sorts recently imported. They can be seen at the nursery when prices will be given. It will pay you to come and see them.

Roots burlapped at an additional expense of 5 cents each for trees up to 3 feet, all over this size 10 cents each; unless otherwise specified we will burlap and charge for same.

	Each	Per 10	Per 100
ABIES balsamea (Balsam Fir) 2 to 3 ft	50	4 00	30 00
3 to 4 ft	75	6 00	
7 to 8 ft	2 00		
b. var. Hudsonia (dwarf, choice)			
15 to 18 in. spread	3 00		
Canadensis (Hemlock) (See Tsuga Canadensis)			
concolor (White Fir) 3 to 4 ft.	3 00	27 50	250 00
4 to 5 ft	4 00	35 00	300 00
5 to 6 ft. specimens	6 00	55 00	500 00
6 to 7 ft. specimens	7 00	65 00	
7 to 10 ft. specimens \$8 00 to	20 00		
Fraseri 6 to 8 ft \$2 00 to	2 50		
Nordmanniana (Nordman's Fir) 2 to 2½ ft	1 50	12 50	
2½ to 3 ft	1 75	15 00	
3 to 4 ft	2 50	20 00	
4 to 5 ft	4 00	37 50	
5 to 6 ft	6 00		
Specimens 6 to 8 ft \$7 00 to	12 00		

ABIES—continued	Each	Per 10	Per 100
Veitchii (Japanese) 3 to 4 ft	1 50	12 50	
4 to 5 ft	2 00	17 50	
5 to 6 ft	2 50	22 50	
6 to 8 ft. specimens \$4 00 to	7 00		
BIOTA Orientalis var. elegantissima 2 to 3 ft	1 00	8 00	
CEDRUS Atlantica glauca 3 to 4 ft	2 00		
CHAMAECYPARIS (See Retinospora)			
JUNIPERUS (Juniper) Chinensis (Chinese) 2 to 2½ ft	1 25	11 00	
2½ to 3 ft.	1 50	14 00	
3 to 4 ft.	2 00	17 50	
C. var. argentea variegata 18 to 24 in.	1 00	9 00	
2 to 3 ft	1 25	10 00	
3 to 3½ ft.	1 75	10 00	
C. var aurea 2 to 3 ft.	2 00	17 50	
3 to 4 ft.	2 50	22 50	
communis (Common Juniper) 15 to 18 in. spread	75	6 00	50 00
18 to 24 in. spread	85	7 50	65 00
com. var. aurea 18 to 24 in. spread	1 25	10 00	
2 to 3 ft. spread specimens	2 00	17 50	
com. var. Cracovia 2 to $2\frac{1}{2}$ ft	1 50	12 50	
com. var. Hibernica (Irish Juniper) 2 to 2½ ft	40	3 50	30 00
$2\frac{1}{2}$ to 3 ft	50	4 50	40 00
$3\frac{1}{2}$ to 4 ft	1 25		
com. var. Suecica (Swedish Juniper) 2 to 2½ ft	60	5 00	
$2\frac{1}{2}$ to 3 ft	75	7 00	60 <b>0</b> 0
3 to 4 ft	1 50	12 50	
4 to 5 ft. specimens	2 50	$22 \ 50$	
Douglasii aurea 2 to $2\frac{1}{2}$ ft	2 50	22 50	
excelsa var. stricta 15 to 18 in	75	6 50	60 00
18 to 24 in	1 00	9 00	85 <b>00</b>
24 to 30 in	1 50	12 50	
Japonica 24 x 20 in.	2 00	10.50	
var. aurea 18 to 24 in.	1 50	12 50	
24 to 30 in	2 00	17 50	
3 to 4 ft	3 00	25 00	
macrocarpa (neaboriensis) 18 to 24 in	1 50 1 75	12 50 15 00	
Pfitzeriana 18 to 24 in.	1 50	$\frac{15}{12} \frac{60}{50}$	
2 to 3 ft.	2 00	17 50	
3 to 4 ft. specimens	3 50	17 00	
Sabina (Savin Juniper) 18 to 24 in. spread	1 00	8 50	
2 to 2½ ft. spread	1 50	12 50	
2½ to 3 ft. spread	2 00	17 50	
S. var. procumbens $2\frac{1}{2}$ to 3 ft. spread	1 50	12 50	
S. var tamaricifolia 12 to 15 in. spread	1 25	10 00	
15 to 18 in. spread	1 50	12 50	
18 to 24 in. spread	1 75	15 00	

HINDEDIIO (* 1	T3 1	70 10	D 400
JUNIPERUS—continued	Each	Per 10	Per 100
Virginalis var. globosa (Globe form) 12 to 15 in	2 75	<b>25</b> 00	050 00
15 to 18 in	3 00	27 50	250 <b>00</b>
Virginiana (Red Cedar) 2 to 3 ft	75	6 00	50 <b>0</b> 0
4 to 5 ft	2 00	17 50	
5 to 6 ft	4 00	30 00	
6 to 7 ft. Large specimens 8 to 14 ft. prices on application.	5 00	45 00	
V. var. Connarti 4 to 5 ft.	3 50		
V. var. elegantissima 2 to 3 ft.	1 50	12 50	
3 to 4 ft	2 50	22 50	
4 to 5 ft \$3 00 to		0= 00	
V. var. glauca 3 to 4 ft	3 00	25 00	
4 to 5 ft	3 50	30 00	
5 to 6 ft	5 00	45 00	
6 to 7 ft. specimens \$7 00 to			
V. var. Leei elegantissima 3 to 3½ ft	2 50	<b>1 = 0</b> 0	
V. var. nana compacta 8 to 10 in. spread	1 75	15 00	
V. var. Schotti 18 to 24 in.	1 25	10 <b>0</b> 0	
2 to 2½ ft	1 50	12 50	
4 to 5 ft	3 50		
PICEA (Spruce)			
alba (White Spruce) 2 to 3 ft.	60	5 00	
3 to 4 ft	1 00	7 50	60 <b>00</b>
4 to 5 ft	1 50	12 50	
5 to 6 ft	2 00	17 50	
6 to 7 ft	2 50		
7 to 10 ft. specimens \$4 00 to	8 00		
alba var. glauca 18 to 24 in. spread	1 50		
Alcockiana (Alcock's Spruce) 3 to 4 ft	2 25	20 00	
4 to 5 ft	2 75	25 00	
5 to 6 ft	3 50		
Engelmanni (Engelmann's Spruce)			
2 to 2½ ft	75	6 00	50 00
2½ to 3 ft	1 00	9 00	75 00
3 to 4 ft.	1 50	12 50	
	12 00		
excelsa (Norway Spruce) 2 to 3 ft	50	4 00	25 00
3 to 4 ft	75	6 00	45 00
4 to 5 ft	1 00	7 50	60 0 <b>0</b>
5 to 6 ft.	1 50	12 50	100 00
6 to 7 ft	2 00	17 50	125 00
7 to 8 ft	3 00	25 00	200 00
8 to 10 ft	4 00	35 00	2 <b>7</b> 5 <b>00</b>
10 to 12 ft.	5 00	45 00	
Special low prices for car lots			
ex. var. Barryi (Dwarf) 8 to 10 in.	2 00		
ex. var. Clanbrasiliana 8 to 12 in.	2 00	17 50	
We call special attention to our large variety of Dwa	arf Spru	ces.	

18 to 24 in.				
ex. var. conica 12 to 15 in.	PICEA—continued	Each	Per 10	Per 100
8 to 24 in	18 to 24 in	3 <b>0</b> 0		
8x var. dumosa 15 to 18 in. 250 27 50 28 var. dumosa 15 to 18 in. 250 27 50 2 to 2½ ft. 400 37 50 ex. var. Gregoryan (Gregory Spruce)  12 to 15 in. spread 250 22 50 18 to 24 in. spread 350 32 50 22 50 18 to 24 in. spread 350 32 50 22 50 18 to 24 in. spread 350 32 50 22 50 4 4 to 5 ft. 450 4 5 ft. 450 ex. var. Hudsonica glauca 3 to 4 ft. 300 25 00 4 to 5 ft. 450 6 ft. 275 25 00 6 to 7 ft. 840 0 to 6 00 ex. var. inverta (Weeping Spruce) 4 to 5 ft. 250 22 50 22 50 5 to 6 ft. 275 25 00 6 to 7 ft. 840 0 to 6 00 ex. var. Maxwelli 15 to 18 in. spread 250 22 50 22 50 24 in. spread specimens 50 0 3 ft. specimens 10 00 ex. var. microsperma 12 to 15 in. 200 17 50 ex. var. parviformis 18 to 24 in. 22 50 2	ex. var. conica 12 to 15 in.	2 00	17 50	
ex. var. dumosa 15 to 18 in.		2 50		
2 to 2½ ft.       4 00       37 50         ex. var. Gregoryana (Gregory Spruce)       12 to 15 in. spread       2 50       22 50         18 to 24 in. spread       3 50       32 50         2 to 3 ft. spread       5 00         ex. var. Hudsonica glauca 3 to 4 ft.       3 00       25 00         4 to 5 ft.       4 50         ex. var. inverta (Weeping Spruce) 4 to 5 ft.       2 50       22 50         5 to 6 ft.       2 75       25 00         6 to 7 ft.       \$4 00 to 6 00       60         ex. var. Maxwelli 15 to 18 in. spread       2 50       22 50         24 in. spread specimens       5 00       3 ft. specimens       10 00         ex. var. microsperma 12 to 15 in.       2 00       17 50         ex. var. procumbens 10 to 12 in.       2 00       17 50         ex. var. procumbens 10 to 12 in.       2 00       17 50         ex. var. pymeal 12 to 15 in. spread       2 50       22 50         Specimens 2 to 3½ ft. spread       \$5 00 to 10 00         ex. var. pymeal 12 to 15 in. spread       2 50       22 50         15x15 inch.       3 00       17 50         ex. var. pyramidalis 2 to 2½ ft.       2 00       17 50         ex. var. pyramidalis 2 to 15 in.       1 00				
ex. var. Gregoryana (Gregory Spruce)   12 to 15 in. spread				
12 to 15 in. spread		7 00	37 30	
18 to 24 in. spread		0 80	00 =0	
2 to 3 ft. spread				
ex, var. Hudsonica glauca 3 to 4 ft			32 50	
4 to 5 ft.       4 50         ex. var. inverta (Weeping Spruce) 4 to 5 ft.       2 50       22 50         5 to 6 ft.       2 75       25 00         6 to 7 ft.       \$4 00 to 6 00         ex. var. Maxwelli 15 to 18 in. spread       2 50       22 50         24 in. spread specimens       5 00       3 ft. specimens       10 00         ex. var. microsperma 12 to 15 in.       2 00       17 50         ex. var. parviformis 18 to 24 in.       2 25         ex. var. procumbens 10 to 12 in.       2 00       17 50         ex. var. pumila 15 to 18 in. spread       2 25       20 00         18 to 24 in. spread       3 50       32 50         Specimens 2 to 3½ ft. spread       \$5 00 to 10 00         ex. var. pygmea 12 to 15 in. spread       2 50       22 50         15x15 inch.       3 00         ex. var. pyramidalis 2 to 2½ ft.       2 00         ex. var. pyramidalis 2 to 2½ ft.       2 00         ex. var. Remonti 18 to 24 in.       1 50         15x15 inch.       1 50         ex. var. pyramidalis 2 to 5½ ft.       2 00         ex. var. pyramidalis 2 to 5½ ft.       2 00         ex. var. pyramidalis 2 to 2½ ft.       2 00         15x15 inch.       150				
ex, var, inverta (Weeping Spruce) 4 to 5 ft		3 00	25 00	
5 to 6 ft.				
6 to 7 ft.	ex. var. inverta (Weeping Spruce) 4 to 5 ft	2 50	$22 \ 50$	
ex. var. Maxwelli 15 to 18 in. spread 2 50 22 50  24 in. spread specimens 5 00  3 ft. specimens 10 00  ex. var. microsperma 12 to 15 in. 2 00 17 50  ex. var. parviformis 18 to 24 in. 2 25  ex. var. procumbens 10 to 12 in. 2 00 17 50  ex. var. pumila 15 to 18 in. spread 2 25 20 00  18 to 24 in. spread 5 50 to 10 00  ex. var. pygmea 12 to 15 in. spread 2 50 22 50  Specimens 2 to 3½ ft. spread 5 00 to 10 00  ex. var. pygmea 12 to 15 in. spread 2 50 22 50  15x15 inch. 3 00  ex. var. pyramidalis 2 to 2½ ft. 2 00  ex. var. pyramidalis 2 to 2½ ft. 2 00  ex. var. Remonti 18 to 24 in. 1 50  2 to 2½ ft. 1 00 9 00 80 00  5 to 6 ft. 1 50 12 50  6 to 7 ft. 1 75 15 00 135 00  7 to 8 ft. 2 50 22 50 210 00  8 to 10 ft. 3 50 30 00  nigra var. brevifolia 12 to 15 in. 2 50 22 50  15x16 ft. 5 ft. 5 pecimens 5 5 00 to 10 00  Ohlendorfi 15 to 18 in. 2 50 22 50  Omorika (Servian Spruce) 2 to 3 ft. 3 50  3 to 4 ft. 3 50  orientalis (Eastern Spruce) 2 to 3 ft. 3 50  5 to 8 ft. 5 specimens 54 00 to 12 00  orientalis gracilis 18 x 18 in. 2 50  24 x 24 in. 3 00  orientalis gracilis 18 x 18 in. 2 50  24 x 24 in. 3 00  orientalis gracilis 18 x 18 in. 2 50  24 x 24 in. 3 00  orientalis gracilis 18 x 18 in. 2 50  24 x 24 in. 3 00  orientalis gracilis 18 x 18 in. 2 50  24 x 24 in. 3 00	5 to 6 ft	2 75	25 00	
24 in, spread specimens       5 00         3 ft. specimens       10 00         ex. var. microsperma 12 to 15 in.       2 00       17 50         ex. var. parviformis 18 to 24 in.       2 25         ex. var. procumbens 10 to 12 in.       2 00       17 50         ex. var. pumila 15 to 18 in. spread       2 25       20 00         18 to 24 in. spread       3 50       32 50         Specimens 2 to 3½ ft. spread       \$5 00 to 10 00         ex. var. pygmea 12 to 15 in. spread       2 50       22 50         15x15 inch.       3 00         ex. var. Remonti 18 to 24 in.       1 50       22 50         15x15 inch.       3 00       9 00       80 00         ex. var. Remonti 18 to 24 in.       1 50       2 50       22 50         nigra (Black Spruce) 4 to 5 ft.       2 00       17 50       17 50         nigra (Black Spruce) 4 to 5 ft.       1 00       9 00       80 00         5 to 6 ft.       1 50       12 50       135 00         7 to 8 ft.       2 50       22 50       210 00         8 to 10 ft.       3 50       30 00         nigra var. brevifolia 12 to 15 in.       2 50       22 50         nigra var. brevifolia 12 to 15 in.       2 50       22 50	6 to 7 ft \$4 00 to	6 00		
3 ft. specimens       10 00         ex. var. microsperma 12 to 15 in.       2 00       17 50         ex. var. parviformis 18 to 24 in.       2 25         ex. var. procumbens 10 to 12 in.       2 00       17 50         ex. var. pumila 15 to 18 in. spread       2 25       20 00         18 to 24 in. spread       3 50       32 50         Specimens 2 to 3½ ft. spread       \$5 00 to 10 00         ex. var. pygmea 12 to 15 in. spread       2 50       22 50         15x15 inch.       3 00         ex. var. pyramidalis 2 to 2½ ft.       2 00       20         ex. var. Remonti 18 to 24 in.       1 50       2 50       22 50         15x15 inch.       3 00       9 00       80 00         ex. var. Remonti 18 to 24 in.       1 50       2 50       22 50         15x15 inch.       2 00       17 50       17 50         nigra (Black Spruce) 4 to 5 ft.       1 00       9 00       80 00         5 to 6 ft.       1 50       12 50       12 50         6 to 7 ft.       1 75       15 00       135 00         7 to 8 ft.       2 50       22 50       210 00         8 to 10 ft.       3 50       30 00         nigra var. brevifolia 12 to 15 in.       2 50 </td <td>ex. var. Maxwelli 15 to 18 in. spread</td> <td>2 50</td> <td>22 50</td> <td></td>	ex. var. Maxwelli 15 to 18 in. spread	2 50	22 50	
ex. var. microsperma 12 to 15 in.	24 in. spread specimens	5 00		
ex. var. parviformis 18 to 24 in. 2 25 ex. var. procumbens 10 to 12 in. 2 00 17 50 ex. var. procumbens 10 to 12 in. 2 00 17 50 ex. var. pumila 15 to 18 in. spread 2 25 20 00 18 to 24 in. spread 3 50 32 50 Specimens 2 to 3½ ft. spread \$5 00 to 10 00 ex. var. pygmea 12 to 15 in. spread 2 50 22 50 15x15 inch. 3 00 ex. var. pyramidalis 2 to 2½ ft. 2 00 ex. var. pyramidalis 2 to 2½ ft. 2 00 ex. var. Remonti 18 to 24 in. 1 50 2 to 2½ ft. 2 00 17 50 nigra (Black Spruce) 4 to 5 ft. 1 00 9 00 80 00 5 to 6 ft. 1 50 12 50 6 to 7 ft. 1 75 15 00 135 00 7 to 8 ft. 2 50 22 50 210 00 8 to 10 ft. 3 50 30 00 nigra var. brevifolia 12 to 15 in. 2 50 22 50 nigra var. Doumetti 3 to 4 ft. specimens 3 00 25 00 4 to 5 ft. specimens 5 00 to 10 00 Ohlendorfi 15 to 18 in. 2 50 22 50 Omorika (Servian Spruce) 2 to 3 ft. 2 50 3 to 4 ft. 3 50 0 rientalis (Eastern Spruce) 2 to 3 ft. 2 50 3 to 4 ft. 3 50 0 rorientalis (Eastern Spruce) 2 to 3 ft. 3 50 5 to 8 ft. 5 specimens \$4 00 to 12 00 orientalis gracilis 18 x 18 in. 2 50 22 50 0 22 50 22 50 0 rientalis gracilis 18 x 18 in. 2 50 22 50 0 22 50 22 50 0 rientalis gracilis 18 x 18 in. 2 50 22 50 0 22 50 22 50 0 22 50 0 22 50 22 50 0 22 50 0 22 50 0 22 50 0 22 50 0 23 50 30 00 0 5 5 to 8 ft. specimens \$4 00 to 12 00 0 rientalis gracilis 18 x 18 in. 2 50 22 50	3 ft. specimens	10 00		
ex. var. procumbens 10 to 12 in.	ex. var. microsperma 12 to 15 in	2 00	17 50	
ex. var. pumila 15 to 18 in. spread	ex. var. parviformis 18 to 24 in.	2 25		
ex. var. pumila 15 to 18 in. spread	ex. var. procumbens 10 to 12 in	2 00	<b>17</b> 50	
18 to 24 in. spread       3 50       32 50         Specimens 2 to 3½ ft. spread       \$5 00 to 10 00         ex. var. pygmea 12 to 15 in. spread       2 50       22 50         15x15 inch.       3 00       22 50         ex. var. pyramidalis 2 to 2½ ft.       2 00       20         ex. var. Remonti 18 to 24 in.       1 50       2 50         2 to 2½ ft.       2 00       17 50         nigra (Black Spruce) 4 to 5 ft.       1 00       9 00       80 00         5 to 6 ft.       1 50       12 50         6 to 7 ft.       1 75       15 00       135 00         7 to 8 ft.       2 50       22 50       210 00         8 to 10 ft.       3 50       30 00         nigra var. brevifolia 12 to 15 in.       2 50       22 50         nigra var. Doumetti 3 to 4 ft. specimens       3 00       25 00         4 to 5 ft. specimens       3 50       32 50       300 00         5 to 6 ft. specimens       \$5 00 to 10 00         Ohlendorfi 15 to 18 in.       2 50       22 50         Omorika (Servian Spruce) 2 to 3 ft.       2 50         3 to 4 ft.       3 50       30 02         5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18		2 25	20 00	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		3 50	32 50	
ex. var. pygmea 12 to 15 in, spread       2 50       22 50 $15x15$ inch.       3 00         ex. var. pyramidalis 2 to $2\frac{1}{2}$ ft.       2 00         ex. var. Remonti 18 to 24 in.       1 50         2 to $2\frac{1}{2}$ ft.       2 00       17 50         nigra (Black Spruce) 4 to 5 ft.       1 00       9 00       80 00         5 to 6 ft.       1 50       12 50         6 to 7 ft.       1 75       15 00       135 00         7 to 8 ft.       2 50       22 50       210 00         8 to 10 ft.       3 50       30 00         nigra var. brevifolia 12 to 15 in.       2 50       22 50         nigra var. Doumetti 3 to 4 ft. specimens       3 00       25 00         4 to 5 ft. specimens       3 50       32 50       300 00         5 to 6 ft. specimens       4 50       42 50       400 00         6 to 7 ft. specimens       \$5 00 to 10       00         Ohlendorfi 15 to 18 in.       2 50       22 50         Omorika (Servian Spruce) 2 to 3 ft.       2 50       25 00         3 to 4 ft.       3 50       30 00         5 to 8 ft. specimens       \$4 00 to 12 00       00         orientalis gracilis 18 x 18 in.       2 50       22 50 </td <td></td> <td>10 00</td> <td></td> <td></td>		10 00		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			22 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		3 00		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		2 00		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
nigra (Black Spruce) 4 to 5 ft.       1 00       9 00       80 00         5 to 6 ft.       1 50       12 50       12 50         6 to 7 ft.       1 75       15 00       135 00         7 to 8 ft.       2 50       22 50       210 00         8 to 10 ft.       3 50       30 00         nigra var. brevifolia 12 to 15 in.       2 50       22 50         nigra var. Doumetti 3 to 4 ft. specimens       3 00       25 00         4 to 5 ft. specimens       3 50       32 50       300 00         5 to 6 ft. specimens       4 50       42 50       400 00         6 to 7 ft. specimens       \$5 00 to 10 00         Ohlendorfi 15 to 18 in.       2 50       22 50         Omorika (Servian Spruce) 2 to 3 ft.       2 50       22 50         3 to 4 ft.       3 50       30 00         4 to 5 ft.       3 50       30 00         5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18 in.       2 50       22 50         24 x 24 in.       3 00			17 50	
5 to 6 ft.       1 50       12 50         6 to 7 ft.       1 75       15 00       135 00         7 to 8 ft.       2 50       22 50       210 00         8 to 10 ft.       3 50       30 00         nigra var. brevifolia 12 to 15 in.       2 50       22 50         nigra var. Doumetti 3 to 4 ft. specimens       3 00       25 00         4 to 5 ft. specimens       3 50       32 50       300 00         5 to 6 ft. specimens       4 50       42 50       400 00         6 to 7 ft. specimens       \$5 00 to 10 00         Ohlendorfi 15 to 18 in.       2 50       22 50         Omorika (Servian Spruce) 2 to 3 ft.       2 50         3 to 4 ft.       3 50         orientalis (Eastern Spruce) 2 to 3 ft.       2 00       17 50       125 00         4 to 5 ft.       3 50       30 00       30 00       5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18 in.       2 50       22 50         24 x 24 in.       3 00       3 00				80.00
6 to 7 ft.       1 75       15 00       135 00         7 to 8 ft.       2 50       22 50       210 00         8 to 10 ft.       3 50       30 00         nigra var. brevifolia 12 to 15 in.       2 50       22 50         nigra var. Doumetti 3 to 4 ft. specimens       3 00       25 00         4 to 5 ft. specimens       3 50       32 50       300 00         5 to 6 ft. specimens       4 50       42 50       400 00         6 to 7 ft. specimens       \$5 00 to 10 00         Ohlendorfi 15 to 18 in.       2 50       22 50         Omorika (Servian Spruce) 2 to 3 ft.       2 50         3 to 4 ft.       3 50         orientalis (Eastern Spruce) 2 to 3 ft.       2 00       17 50       125 00         4 to 5 ft.       3 50       30 00       5 to 8 ft. specimens       \$4 00 to 12 00       90         orientalis gracilis 18 x 18 in.       2 50       22 50       22 50         24 x 24 in.       3 00       3 00       3 00				00 00
7 to 8 ft.       2 50       22 50       210 00         8 to 10 ft.       3 50       30 00         nigra var. brevifolia 12 to 15 in.       2 50       22 50         nigra var. Doumetti 3 to 4 ft. specimens       3 00       25 00         4 to 5 ft. specimens       3 50       32 50       300 00         5 to 6 ft. specimens       4 50       42 50       400 00         6 to 7 ft. specimens       \$5 00 to 10 00         Ohlendorfi 15 to 18 in.       2 50       22 50         Omorika (Servian Spruce) 2 to 3 ft.       2 50         3 to 4 ft.       3 50         orientalis (Eastern Spruce) 2 to 3 ft.       2 00       17 50       125 00         4 to 5 ft.       3 50       30 00       5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18 in.       2 50       22 50         24 x 24 in.       3 00       25 50				135 00
8 to 10 ft.       3 50       30 00         nigra var. brevifolia 12 to 15 in.       2 50       22 50         nigra var. Doumetti 3 to 4 ft. specimens       3 00       25 00         4 to 5 ft. specimens       3 50       32 50       300 00         5 to 6 ft. specimens       4 50       42 50       400 00         6 to 7 ft. specimens       \$5 00 to 10 00         Ohlendorfi 15 to 18 in.       2 50       22 50         Omorika (Servian Spruce) 2 to 3 ft.       2 50         3 to 4 ft.       3 50         orientalis (Eastern Spruce) 2 to 3 ft.       2 00       17 50       125 00         3 to 4 ft.       3 00       25 00         4 to 5 ft.       3 50       30 00         5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18 in.       2 50       22 50         24 x 24 in.       3 00				
nigra var. brevifolia 12 to 15 in.       2 50       22 50         nigra var. Doumetti 3 to 4 ft. specimens       3 00       25 00         4 to 5 ft. specimens       3 50       32 50       300 00         5 to 6 ft. specimens       4 50       42 50       400 00         6 to 7 ft. specimens       \$5 00 to 10 00         Ohlendorfi 15 to 18 in.       2 50       22 50         Omorika (Servian Spruce) 2 to 3 ft.       2 50         3 to 4 ft.       3 50         orientalis (Eastern Spruce) 2 to 3 ft.       2 00       17 50       125 00         4 to 5 ft.       3 50       30 00         5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18 in.       2 50       22 50         24 x 24 in.       3 00				210 00
nigra var. Doumetti 3 to 4 ft. specimens       3 00       25 00         4 to 5 ft. specimens       3 50       32 50       300 00         5 to 6 ft. specimens       4 50       42 50       400 00         6 to 7 ft. specimens       \$5 00 to 10 00         Ohlendorfi 15 to 18 in       2 50       22 50         Omorika (Servian Spruce) 2 to 3 ft       2 50         3 to 4 ft       3 50         orientalis (Eastern Spruce) 2 to 3 ft       2 00       17 50       125 00         3 to 4 ft       3 00       25 00         4 to 5 ft       3 50       30 00         5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18 in       2 50       22 50         24 x 24 in       3 00	• • • • • • • • • • • • • • • • • • • •			
4 to 5 ft. specimens       3 50       32 50       300 00         5 to 6 ft. specimens       4 50       42 50       400 00         6 to 7 ft. specimens       \$5 00 to 10 00         Ohlendorfi 15 to 18 in       2 50       22 50         Omorika (Servian Spruce) 2 to 3 ft       2 50       22 50         3 to 4 ft       3 50       17 50       125 00         3 to 4 ft       3 00       25 00       17 50       125 00         4 to 5 ft       3 50       30 00       5 to 8 ft. specimens       \$4 00 to 12 00       90         orientalis gracilis 18 x 18 in       2 50       22 50       22 50         24 x 24 in       3 00       3 00       3 00		_ ••		
5 to 6 ft. specimens       4 50       42 50       400 00         6 to 7 ft. specimens       \$5 00 to 10 00       20         Ohlendorfi 15 to 18 in       2 50       22 50         Omorika (Servian Spruce) 2 to 3 ft       2 50         3 to 4 ft       3 50         orientalis (Eastern Spruce) 2 to 3 ft       2 00       17 50       125 00         3 to 4 ft       3 00       25 00         4 to 5 ft       3 50       30 00         5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18 in       2 50       22 50         24 x 24 in       3 00				300.00
6 to 7 ft. specimens       \$5 00 to 10 00         Ohlendorfi 15 to 18 in.       2 50       22 50         Omorika (Servian Spruce) 2 to 3 ft.       2 50       3 50         3 to 4 ft.       3 50       17 50       125 00         3 to 4 ft.       3 00       25 00       25 00         4 to 5 ft.       3 50       30 00       30 00         5 to 8 ft. specimens       \$4 00 to 12 00       00         orientalis gracilis 18 x 18 in.       2 50       22 50         24 x 24 in.       3 00	*			
Ohlendorfi 15 to 18 in.       2 50       22 50         Omorika (Servian Spruce) 2 to 3 ft.       2 50         3 to 4 ft.       3 50         orientalis (Eastern Spruce) 2 to 3 ft.       2 00       17 50       125 00         3 to 4 ft.       3 00       25 00         4 to 5 ft.       3 50       30 00         5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18 in.       2 50       22 50         24 x 24 in.       3 00	•		42 00	400 00
Omorika (Servian Spruce) 2 to 3 ft.       2 50         3 to 4 ft.       3 50         orientalis (Eastern Spruce) 2 to 3 ft.       2 00       17 50       125 00         3 to 4 ft.       3 00       25 00         4 to 5 ft.       3 50       30 00         5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18 in.       2 50       22 50         24 x 24 in.       3 00			22 50	
3 to 4 ft.       3 50         orientalis (Eastern Spruce) 2 to 3 ft.       2 00       17 50       125 00         3 to 4 ft.       3 00       25 00         4 to 5 ft.       3 50       30 00         5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18 in.       2 50       22 50         24 x 24 in.       3 00			22 30	
orientalis (Eastern Spruce) 2 to 3 ft.       2 00       17 50       125 00         3 to 4 ft.       3 00       25 00         4 to 5 ft.       3 50       30 00         5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18 in.       2 50       22 50         24 x 24 in.       3 00				
3 to 4 ft.       3 00       25 00         4 to 5 ft.       3 50       30 00         5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18 in.       2 50       22 50         24 x 24 in.       3 00			17 50	10" 00
4 to 5 ft.       3 50       30 00         5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18 in.       2 50       22 50         24 x 24 in.       3 00	The state of the s			125 00
5 to 8 ft. specimens       \$4 00 to 12 00         orientalis gracilis 18 x 18 in.       2 50       22 50         24 x 24 in.       3 00				
orientalis gracilis 18 x 18 in			30 00	
24 x 24 in 3 00			20. *0	
			22 50	
ATTIME and analytical attention to any large variety of December Comment		3 00		

We call special attention to our large variety of Dwarf Spruces.

PICEA—continued	Each	Per 10	Per 100
o var. nana gracilis 18 to 24 in	2 50		
3 to 4 ft	5 00		
polita (Tiger Tail Spruce) 18 to 24 in	1 25	10 00	
2 to 3 ft.	1 50	12 50	
pungens (Green Colorado Spruce) 2 to 3 ft	$\begin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$	$12 00 \\ 14 00$	
4 to 5 ft. specimens	3 00	25 00	
7 to 8 ft. specimens	5 00		
pungens var. glauca (Colorado Blue Spruce)			
3 to 3½ ft. specimens	3 50	30 00	
3½ to 4 ft. specimens	4 00 5 00	35 00 45 00	
5 to 6 ft. specimens	6 00	55 00	400 <b>0</b> 0
6 to 7 ft. specimens	8 00	75 00	600 <b>C</b> 0
	10 00	85 00	
8 to 10 ft. specimens			,
We have a fine stock of Colo. Blue Spruce in large several times transplated so that they will transplan			
and see them.	it casily	and timive	. 001116
p. var. Kosteriana (Koster's Blue Spruce)			
2 to 2½ ft	2 00	17 50	150 00
3 to 3½ ft. specimens	4 00	35 00	
3½ to 4 ft. specimens	5 00	45 00	400 00
4 to 5 ft. specimens	6 00 7 50	50 00 70 00	450 00 650 00
6 to 7 ft.	9 00	85 00	000 00
7 to 10 ft\$10 00 to	25 00		
PINUS (Pine)			
Austriaca (Austrian or Black Pine) 2 to 2½ ft	90	8 00	75 00
2½ to 3 ft	1 25	10 00	
3 to 3½ ft	2 00	17 50	150 00
3½ to 4 ft. 4 to 5 ft.	2 50 3 50	22 50	
5 to 6 ft			
densiflora (Japanese Red Pine) 2 to 2½ ft	1 25	10 00	90 <b>0</b> 0
divaricata or banksiana (Jack Pine) 4 to 5 ft	1 00	9 00	80 00
5 to 6 ft	1 25	11 00	100 00
6 to 7 ft	1 75	15 00	
7 to 8 ft	2 25	20 00	
montana (Swiss Mountain Pine) 2 to 2½ ft 2½ to 3 ft.	2 50 3 00	22 50 $27 50$	
var. Mughus (Dwarf Mountain Pine) 12 to 15 in.	85	7 50	70 00
15 to 18 in. spread	1 00	8 50	80 00
18 to 24 in. spread	1 50	12 50	
2 to 2½ ft. spread	2 50		
2½ to 3 ft. spread	3 50		

PINUS—continued	Each	Per 10	Per 100
resinosa (Red Pine) 12 to 18 in \$120 00 per 1000		4 00	15 00
1½ to 2 ft		4 00	25 00
2 to 2½ ft	75	6 50	60 00
2½ to 3 ft	1 00	9 00	80 00
3 to 4 ft	1 50	12 50	110 00
4 to 5 ft	2 50		
rigida (Pitch Pine) 2 to 3 ft	50	4 50	35 00
3 to 4 ft	75	6 50	50 00
4 to 5 ft	1 25	10 00	
Strobus (White Pine) 2 to 3 ft	75	6 00	
3 to 4 ft	1 00	8 00	
4 to 5 ft	1 50	$12 \ 50$	
5 to 6 ft	2 50	22 50	200 00
6 to 7 ft	3 00	27 50	250 00
7 to 8 ft	3 50	32 50	300 00
8 to 9 ft	4 00	37 50	350 <b>0</b> 0
9 to 10 ft \$5 00 to	8 00		
sylvestris 2 to 3 ft	40	3 00	25 <b>00</b>
3 to 4 ft	60	5 00	40 00
4 to 5 ft.	1 00	9 00	75 00
5 to 6 ft.	1 50	12 50	100 00
6 to 8 ft. specimens \$2 50 to	7 50		
Wateriana (Dwarf Pine) 12 to 15 in	1 75	15 00	
18 to 24 in	2 50		
PSEUDOTSUGA Douglasi (Douglas Spruce)			
2 to 3 ft	75	6 50	60 00
3 to 4 ft.	1 50	12 50	00 00
4 to 5 ft.	2 50	22 50	
5 to 6 ft.	3 50	30 00	
6 to 7 ft.	4 50	42 50	
7 to 10 ft. specimens		12 00	
RETINOSPORA (Japan Cypress)	10 00		
filifera (Thread branched Japan Cypress)			
2 to 3 ft.	2 25	20 00	
3 to 4 ft. specimens	4 00	37 50	
4 to 5 ft. specimens	6 00	55 00	
5 to 6 ft	7 50	70 00	
6 to 8 ft. specimens		70 00	
-	2 00	17 50	
filifera var. aurea 12 to 15 in. spread			
15 to 18 in. spread	2 50	22 50	
18 to 24 in. spread	3 50 5 00	32 50	
2 x 2½ ft. 2½ x 3 ft.	5 00 7 00	45 00 60 00	
3 to 4 ft. specimens	10 00	00 00	
leptoclada 2½ to 3 ft	1 50		
obtusa 2 to 2½ ft	2 00	17 50	
$2\frac{1}{2}$ to 3 ft	2 50	$\frac{1}{22} \frac{1}{50}$	
3 to 4 ft	5 00		
obtusa var. filicoides 3 to 4 ft	2 25	20 00	
4 to 5 ft	3 00		

DETINOODODA L' L	T) 1	D 10	D 400
RETINOSPORA—continued	Each	Per 10	Per 100
obtusa var. gracilis 2 to $2\frac{1}{2}$ ft	$\begin{array}{ccc} 2 & 25 \\ 2 & 50 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 22 & 50 \end{array}$	
	3 00	27 50	
		21 30	
4 to 5 ft	4 00		
5 to 8 ft		19 50	
· · ·	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$	12 50	
3 to 4 ft	1 75	15 00	
12 to 15 in.	2 00	10 00	
obtusa var. nana aurea 2 to 3 ft	2 50	22 50	
3 to 4 ft.	3 00	22 00	
obtusa var. pygmaea 18 to 24 in.	2 00	17 50	
pisifera 2 to 3 ft.	1 25	10 00	
3 to 4 ft.	2 00	17 50	
4 to 5 ft. specimens	3 00	1, 00	
5 to 6 ft. specimens	5 00		
6 to 10 ft. specimens \$6 00 to			
pisifera var. aurea 3 to 4 ft.	2 00	17 50	
4 to 5 ft.	2 50	22 50	
5 to 6 ft.	3 25	30 00	275,00
6 to 7 ft.	4 00	37 50	
7 to 8 ft. specimens	6 00		
8 to 10 ft. specimens \$7 50 to	15 00		
plumosa (Plume like Japan Cypress) 1½ to 2 ft	75	6 00	50 00
2 to $2\frac{1}{2}$ ft. sheared specimens	1 25	10 00	90 00
2½ to 3 ft. sheared specimens	1 50	12 50	110 00
3 to 4 ft	2 50	22 50	
4 to 5 ft	4 00	37 50	
plumosa aurea (A golden form of pulmosa)			
2 to 2½ ft	1 25	10 00	
$2\frac{1}{2}$ to 3 ft. sheared specimens	1 50	12 50	
3 to 4 ft. sheared specimens	3 00	27 50	250 00
4 to 5 ft. sheared specimens	4 50	40 00	375 00
5 to 6 ft. sheared specimens	6 00	55 00	525 00
6 to 8 ft. sheared specimens \$7 00 to	12 00		
plu. var. aurea elegantissima 2 to 3 ft.	2 50	20 00	
3 to 4 ft. bushy specimens	3 50	30 00	
4 to 5 ft. bushy specimens	7 50		
squarrosa (Veitchii) 3 to 4 ft. sheared specimens	4 00	35 00	
4 to 5 ft. sheared specimens	5 00	45 00	
5 to 8 ft. sheared specimens \$6 00 to		10 00	
SCIADOPITYS verticillata (Umbrella Pine)	• "		
15 to 18 in. specimens	2 50	22 50	
18 to 24 in. specimens	3 50	30 00	
2 to 3 ft. specimens	6 00	00 00	
3 to 4 ft. specimens			
4 to 5 ft. specimens			
5 to 6 ft. specimens			
1			

	Each	Per 10	Per 10 <b>0</b>
TAXUS baccata (English Yew) 1½ to 2 ft	1 50	rer 10	rer 10 <b>0</b>
2 to 2½ ft	2 00		
2½ to 3 ft.	2 50	22 50	
b. var. adpressa 15 to 18 in.	1 50	12 50	
18 to 24 in	1 75	15 00	
2 to 3 ft.	2 50	20 00	
b. var. adpressa stricta 12 to 15 in.	1 50	12 50	
b. var. erecta $2\frac{1}{2}$ to 3 ft	2 00	17 50	
b. var. erecta aurea 15 to 18 in.	1 50	17 30	
18 to 24 in	2 00		
b. var. horizontalis $2\frac{1}{2}$ to 3 ft. spread	3 00		
	5 00		
b. var. horizontalis variegata (dwarf)	1 25	10 00	
15 to 18 in. spread	1 50	10 00	
18 to 24 in. spread		12 30	
2½ to 3 ft. spread	3 00		
b. var. semper aurea 18 to 24 in	1 50	12 50	
b. var. Washingtoni 12 to 15 in	1 25	10 00	
18 to 24 in	2 00	17 50	
Canadensis (American Yew) 12 to 15 in	75	7 00	65 00
18 to 24 in.	1 25		
cuspidata 18 to 24 in.	1 50	12 50	
2 to 2½ ft.	2 00	17 50	
2½ to 3 ft.	2 50	22 50	
3 to 3½ ft.	3 50	22 30	
4 to 5 ft. specimens	5 00	45 00	
•			
c. var brevifolia 12 to 18 in.	1 25	10 00	
18 to 24 in	2 00	17 50	
2 to 2½ ft	3 00	27 50	
2½ to 3 ft	5 00		
Absolutely hardy—one of the best yews			
repandens (Spreading Yew) 15 in. spread	1 50	12 50	110 00
18 to 24 in. spread	2 00	17 50	
2 x 2 ft. specimens	2 50		
3 x 2½ft	4 00		
THUYA occidentalis (American Arbor Vitae)			
2 to 3 ft	35	3 00	25 00
3 to 4 ft	60	5 00	45 00
4 to 5 ft.	1 00	8 00	70 00
5 to 6 ft	1 50	12 50	100 00
6 to 7 ft.	2 00	17 50	150 00
7 to 8 ft	2 50	20 00	180 00
8 to 8½ ft. specimens	4 00	35 00	300 00
8½ to 9 ft. specimens	5 00	45 00	400 00
10 to 11 ft. specimens \$7 50 to			
Note:—We will give 10 per cent off these price		Inad Inte	of Thurs
accidentation	on car	1040 1018	or muya

oc. var. alba spica 8 to 9 ft. specimens..... \$4 00 to 6 00

occidentalis.

THUYA—continued	Each	Per 10	Per 100
oc. var. aurea (Geo. Peabody's Arbor Vitae)			
3 to 4 ft	1 00	9 00	
4 to 5 ft	1 50	12 50	110 00
5 to 6 ft. specimens	2 00	17 50	150 00
oc. var. compacta (Parson's Dwarf) 12 to 15 in	1 00		
oc. var. Douglasii pyramidalis 3 to 4 ft	2 00		
4 to 5 ft	3 00		
oc. var. Ellwangeriana 12 to 15 in	60	5 00	40 00
1½ to 2 ft. bushy	1 25	10 00	75 00
2 to 3 ft. bushy	1 50		
3 to 4 ft. bushy	2 50		
4 to 5 ft. bushy	3 50		
5 to 6 ft. bushy	4 50		
oc. var. globosa (Globe Arbor Vitae) 15 to 18 in		4 50	40 00
18 to 24 in		6 50	60 0 <b>0</b>
oc. var. Hoveyi (Hovey's Arbor Vitae) 12 to 15 in		3 00	25 00
15 to 18 in	50	4 00	35 00
18 to 24 in	75	6 00	50 00
2 to 3 ft.	1 00	9 00	75 00
3 to 4 ft. bushy specimens		22 50	
4 to 5 ft. bushy specimens		35 00	
oc. var. pyramidalis (Pyramidal Arbor Vitae)			
2 to 3 ft	60	5 50	50 <b>00</b>
3 to 3½ ft	75	7 00	60 <b>00</b>
3½ to 4 ft		9 00	75 00
4 to 5 ft.	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	12 50 $22 50$	
5 to 6 ft	3 25	30 00	
oc. var. Siberica (Siberian Arbor Vitae) 15 to 18 in.	50	4 00	35 00
18 to 24 in	11.	5 00	45 00
2 to 2½ ft	<b>7</b> 5	6 50	60 00
2½ to 3 ft	1 00	9 00	
3 to 4 ft	2 00	17 50	
oc. var. Spaethii (Dwarf, for rockery)			
oc. var. Vervaeneana 2 to 3 ft.	50	4 00	30 00
3 to 4 ft	$\begin{array}{ccc} 1 & 00 \\ 2 & 00 \end{array}$	7 50 17 50	60 00
5 to 6 ft. specimens, 4 ft. broad at base	3 00	27 50	250 00
6 to 7 ft. specimens	4 00	37 50	350 00
7 to 8 ft. specimens	7 50		
Our stock is all fine, bushy plants.			
orientalis var. gracilis aurea 12 to 15 in. spread	1 00		
15 in. spread	1 25		

	TCl-	D 10	D 100
TOUGA Considerate (Hereleyle) 94 to 20 to	Each 90	Per 10	Per 100
TSUGA Canadensis (Hemlock) 24 to 30 in.	$\frac{90}{1.25}$	8 50 10 00	80 00
30 to 36 in.			90 00
3 to 4 ft.	1 75	15 00	135 00
4 to 5 ft. bushy	3 00	25 00	225 00
5 to 6 ft. bushy	4 00	35 00	
6 to 7 ft. bushy	6 00		
7 to 12 ft. specimens			
Sieboldii 2 to $2\frac{1}{2}$ ft	1 50		
3 to 4 ft	3 00		
EVERGREEN SHRUB	s		
ANDROMEDA axillaris (see Leucothoe)	Each	Per 10	Per 100
A. floribunda 12 to 15 in. spread	1 25	11 00	100 00
15 to 18 in. spread	1 50	12 50	100 00
18 to 24 in. spread	2 00	17 50	
A. Japonica 15 to 18 in.	1 50	12 50	
18 to 24 in	2 00	17 50	
$2 \text{ to } 2\frac{1}{2}$ ft. specimens	3 00	1, 00	
AZALEA amoena 12 to 15 in.	1 00	9 00	85 00
Japonica var. Hinode-giri (Dark Red)	1 00	0 00	00 00
12 x 15 in. bushy	1 25	12 00	100 00
Jap. var. Yodogawa (Choice, double pink)12 to 18 in.	1 25	10 00	90 00
18 to 24 in	1 50	13 50	00 00
2 to 3 ft. bushy	2 50	10 00	
Kaempferi 15 to 18 in.	1 25	10 00	
BERBERIS (Barberry)		20 00	
aquifolia or Mahonia (Ashberry) 12 to 15 in	20	1 50	
15 to 18 in.	25	1 80	
18 to 24 in	30	2 50	
ilicifolia 2 to 3 ft.	60	5 00	
BUXUS Arborescens			
Tree Box. Bush form 15 to 18 in	75	6 50	60 00
18 to 24 in	1 25	10 00	90 00
2 to 2½ ft	1 75	15 00	
3 ft	5 00		
3½ to 4 ft	9 00		
Round Bush Form 3½ ft. specimens	15 00		
4 to 5 ft. specimens	25 00	200 00	
Globe Form 18 in.	4 00		
2 ft	8 00		
Tree Box. Pyramid form.			
2 to 2½ ft	2 00	17 50	
$2\frac{1}{2}$ to 3 ft	2 50	22 50	
3 to 4 ft	3 50	32 50	
4 to 5 ft	5 00	45 00	
5 to 5½ ft	6 50		
5½ to 6 ft	9 00		
6 to 6½ ft	12 50		

BUXUS—continued Tree Box. Standard form.	Each	Per 10	Per 100
2½ to 3 ft. stems, 15 to 18 in. heads	2 50		
var. Handsworthii 4 to $4\frac{1}{2}$ ft	5 00	47 50	
suffruticosa (Dwarf Box) 4 to 5 in.	0 00	1 00	6 00
5 to 6 in		1 20	8 00
6 to 8 in		1 50	10 00
8 to 10 in		2 50	
CALLUNA vulgaris alba (Wh. Heather) 6 to 8 in	25	2 00	
var. aurea 6 to 8 in.	25	2 00	
var. carnea 6 to 8 in	25	2 00	
15 to 18 in	40	3 00	
CHAMAE DAPHNE calyculata 12 to 15 in	30	2 50	
##A desirable dwarf spreading border plant.		2 00	
DAPHNE Cneorum (Pink) 6 to 8 in	30	2 50	20 00
8 to 10 in	35	3 00	25 00
10 to 12 in., bushy	60	5 00	
collina (Purple) 8 to 12 in.	40	3 50	
12 to 15 in	60	5 00	
ENKIANTHUS Japonicus 2 to 3 ft	1 00		
EUONYMUS radicans (Creeping Euonymus) 3 yrs	15	1 00	8 00
4 yrs	20	1 50	12 00
var. variegata 3 yrs	15	1 20	8 00
4 yrs	20	1 50	12 00
var. vegetus (Broad leaf) 3 yrs	20	1 50	12 00
4 yrs	25	2 00	
HEDERA Hibernica arborea 12 x 15 in	1 00		
18 to 24 in. bushy	1 50		
$2 \text{ to } 2\frac{1}{2} \text{ ft. bushy}$	2 00		
ILEX crenata (Japanese Holly) 12 to 15 in	1 25	10 00	
15 to 18 in	1 50	12 50	
2 to 2½ ft	2 50		
c. aurea variegata 18 to 24 in. spread	1 50	12 50	
2 to 2½ ft. spread	2 00	15 00	
2½ to 3 ft. spread	2 50		
3 to 4 ft. specimens	5 00		
opaca (American Holly) 2 to 3 ft	1 50		
KALMIA (Laurel)		· 0 F0	
angustifolia (Sheep Laurel) 12 to 15 in	75	6 50	
18 to 24 in	1 00	9 00	85 00
2 to 2½ ft. bushy clumps	2 50	22 50	200 00
2½ ft. bushy clumps	3 00	25 00	_00 00
LEUCOTHOE Catesbaei 12 to 15 in	40	3 50	30 00
15 to 18 in. bushy	50	4 50	40 00
18 to 24 in. bushy	85	7 50	70 00
•			
2 to 3 ft. bushy	1 50		



Partial view of Rhododendrons, Kalmias and Buxus in our Nurseries.

#### RHODODENDRONS

We are growing 'and importing many thousand Broad Leaved Evergreens, increasing our plantings from year to year. Our stock comprises the best Hybrids of the most hardy sort, and the native Catawbiense Maximum, and Alpine varieties; also Mountain Laurel (Kalmia latifolia). If you want nursery grown natives, we have them by the carload. If you require collected Maximums, we can furnish them by the thousand or any number required.

#### RHODODENDRONS—HARDY HYBRID VARIETIES

	Each	Per 10	Per 100
Abraham Lincoln (fine red) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
Album elegans (Large white) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	2 50	22 50	
3 to 3½ ft. specimens	4 00	37 50	
$3\frac{1}{2}$ to 4 ft. specimens	5 00	47 50	
4 to 4½ ft. specimens	7 50		
album grandiflorum (blush white) 18 to 14 in	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	2 50	22 50	
3 to 3½ ft. specimens	4 00	$37 \ 50$	
album novum (White) 18 to 24 in	1 00	9 00	
30 to 36 in	2 50	22 50	
3 to 3½ ft	4 00	37 50	
3½ to 4 ft	5 00	47 50	
4 to $4\frac{1}{2}$ ft	7 50		

RHODODENDRONS—Hardy Hybrids—continuted	Each	Per 10	Per 100
atrosauguineum (Scarlet) 24 to 30 in.	1 50	12 50	
Bicolor (Rose changing to white) 3 to $3\frac{1}{2}$ ft	4 00		
Boule de Niege (Very Dwarf) Pure white			
12 x 15 in	1 00	900	
18 x 18 in	1 25	11 00	100 00
24 x 24 in.	2 00	17 50	
24 x 30 in.	2 25	20 00	
Catawbiense grand. alba (White) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	2 50	22 50	
3 to 3½ ft. specimens	5 00		
Charles Bagley (Red) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	2 50	$22 \ 50$	
3 to 3½ ft	4 00		
Charles Dickens (Rich Crimson) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
3 to 3½ ft. specimens	4 00	37 50	
Candidissimum (White) 24 to 30 in.	1 50		
30 to 36 in.	2 50		
Caractacus (Rich purplish crimson) 18 to 24 in	1 00	9 00.	
24 to 30 in	1 50	12 50	
30 to 36 in.	2 50	$\frac{22}{37} = 50$	
3 to 3½ ft. specimens	$\frac{4}{5} \frac{00}{00}$	$37 50 \\ 45 00$	
3½ to 4 ft. specimens	7 50	40 00	
Delicatissimum (Blush White) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	$\frac{1}{2} \frac{50}{50}$	22 50	
3 to 3½ ft. specimens	4 00	37 50	•
3½ to 4 ft. specimens	5 00		
Everestianum (Rose Lilac, crimped)			
18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	2 50	22 50	
3 ft. specimens	4 00	37 50	
General Grant (Red) 30 to 36 in.	2 50	$22 \ 50$	
Hanna Felix (light red) 3 to 3½ ft. specimens	4 00	37 50	
Herbert Parsons (Red) 3 to 4 ft.	5 00		
H. H. Hunnewell (Dark crimson) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	2 50	22 50	
H. W. Sargent (Crimson) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in.	2 50	$22 \ 50$	
3 to 3½ ft. specimens	4 00		

RHODODENDRONS—Hardy Hybrids—continued	Each	Per 10	Per 100
Kettledrum (crimson) 18 to 24 in.	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	2 50	22 50	
3½ to 4 ft	5 00	47 50	
4 to 4½ ft. specimens	7 50		
Lady Armstrong (Pale rose, spotted) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	2 50	22 50	
3 to $3\frac{1}{2}$ ft. specimens	4 00	37 50	•
Lady Clermont (Dark Red) 18 to 24 in.	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	2 50	22 50	
3 to $3\frac{1}{2}$ ft. specimens	4 00	37 50	
Lady Grey Egerton (Blush) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
Lady Eleonore Cathcart (Pink with dark center)			
3 to 3½ ft. specimens	4 00		
Mme. Carvalho (White) 18 to 24 in.	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	2 50	22 50	
3 to $3\frac{1}{2}$ ft. specimens	4 00	37 50	
Mme. Masson (Pure white, green spotted)			
3 to $3\frac{1}{2}$ ft. specimens	4 00		
Mrs. H. Ingersoll (Rosy-lilac) 18 to 24 in.	1 00		
24 to 30 in	1 50	12 50	
30 to 36 in	2 50		
Mrs. Milner (Rich crimson) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
Mrs. S. Rand (Rich crimson) 24 to 30 in.	1 50		
Mrs. S. Simpson (Soft rose) 18 to 24 in.	1 00		
24 to 30 in	1 50	$12 \ 50$	
30 to 36 in	2 50	0.00	
Old Port (Dark red) 18 to 24 in.	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	2 50	$22 \ 50$	
3 to 3½ ft. specimens	4 00		
Parsons' Gloriosum (Large blush) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in.	2 50	22 50	
3 to 3½ ft. specimens	4 00	37 50	
3½ to 4 ft. specimens	5 00	47 50	
4 to 4½ ft. specimens	7 50		
Parsons' grandiflorum (Red) 30 to 36 in	2 50		
3 to $3\frac{1}{2}$ ft. specimens	4 00	0.00	
President Lincoln (Rose) 18 to 24 in	$\begin{array}{ccc} 1 & 00 \\ 1 & 50 \end{array}$	$\begin{array}{cc} 9 & 00 \\ 12 & 50 \end{array}$	
24 to 30 in. 30 to 36 in.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{12}{22} \frac{50}{50}$	
3 to $3\frac{1}{2}$ ft. specimens	4 00	37 50	
$3\frac{1}{2}$ to 4 ft. specimens	5 00	47 50	
4 to $4\frac{1}{2}$ ft. specimens	7 50		

	Each	Per 10	Per 100
RHODODENDRONS—Hardy Hybrids—continued		202 20	
Purpureum crispum (Purple) 18 to 24 in	1 00	9 00	
Purpureum elegans (Purple) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
Roseum elegans (Fine rose) 18 to 24 in	1 00	9 00	
24 to 30 in	1 50	12 50	
30 to 36 in	2 50	22 50	
3 to $3\frac{1}{2}$ ft. specimens	4 00	37 50	
3½ to 4 ft. specimens	5 00	47 50	
Roseum superbum (Rose) 18 to 24 in.	1 00	9 00	
30 to 36 in	2 50 4 00		
3 to 3½ it. specimens	4 00		
RHODODENDRON CATAWBIENSE GRANDIFLOR As hardy as the native Catawbiense.	UM		
18 to 24 in. bushy	1 00	9 00	
24 to 30 in. bushy	1 50	12 50	
30 to 36 in. bushy	2 00		
3 to $3\frac{1}{2}$ ft. specimens	3 00		
RHODODENDRON ALPINE (Dwf. Hybrid varieties)			
ferrugineum (Pink) 12 x 15 in.	1 25	10 00	
18 x 18 in.	1 50	12 50	
hirsutum (Scarlet) 12 x 15 in	1 25	10 00	
myrtifolium (Red) 15 to 18 in	1 25	10 00	
18 to 24 in	1 50	12 50	
praecox (Lilac) 15 to 18 in	1 25	10 00	
18 to 24 in	1 50	$12 \ 50$	
Wilsoni (Pink) 12 to 15 in	1 00	9 00	
15 to 18 in	1 25	10 00	
18 to 24 in	1 50	12 50	
RHODODENDRON CATAWBIENSE (Native) Transplanted nursey stock, with good balls			
24 x 30 in. bushy specimens	1 50	14 00	
$2\frac{1}{2}$ x 3 ft. bushy specimens	2 50	22 50	
3 to $3\frac{1}{2}$ ft. bushy specimens	3 00		
RHODODENDRON MAXIMUM (Native Trans-			
planted, with good balls 2 to 3 ft.	1 25	11 00	100 00
3 to 4 ft.	2 00	17 50	150 0 <b>0</b>
4 to 5 ft.	3 00	27 50	100 00
The above are fine specimens all transplanted.		-, -00	
Special quotations by the car load for collected plan	its.		

#### AUTO-TRUCK DELIVERY

We make deliveries by auto-truck within reasonable distances from the nurseries when desired, and charge according to mileage and size of truck used. We are located 18 miles south of Boston.

#### DECIDUOUS SHRUBS

### MEDAL OF HONOR awarded us at the Panama-Pacific Exposition in 1915 for Deciduous Shrubs.

Our shrubs are grown with plenty of space in the nursery rows to insure good, vigorous growth, and they lift with strong roots; they are healthy and make quick development after planting.

ACANTHODANAY (G. A. II.)	Eac	ch	Pe	r 10	Per	100
ACANTHOPANAX (See Aralia)						
ALMOND (See Prunus sinensis)						
ALTHEA (See Hibiscus)						
AMELANCHIER Botryapium (Dwf. Juneberry)2 to 3 ft		20	1	20	9	00
3 to 4 ft		25	1	50	12	00
vulgaris 3 to 4 ft.		25	1	80	15	00
AMORPHA canescens (Lead Plant) 15 to 18 in		15	1	00	8	00
fruticosa (False Indigo) 18 to 24 in		15	1	00	8	00
3 to 4 ft		20				
5 to 6 ft		40	3	50		
6 to 8 ft		50	4	50		
8 to 10 ft		70	6	00		
ANDROMEDA arborea syn. oxydendron (Sorrel Tree)						
2 to 3 ft		<b>5</b> 0	3	50		
3 to 4 ft		60				
paniculata 2 to 3 ft.		15	1	20	10	00
pulverulenta or dealbata 1½ to 2 ft		30	2	50	20	00
Desirable for shady places.						
ARALIA pentaphylla (The five-leaved Aralia)						
2 to 3 ft			1	20	10	00
3 to 4 ft		20	1	50	12	00
4 to 5 ft		30	2	50	<b>2</b> 0	00
spinosa (See Deciduous Trees)						
AZALEA (See General Catalogue for varieties)						
amoena (See Evergreen Shrubs)						
arborescens (Fragrant White Azalea)						
15 to 18 in		75	•	50		00
18 to 24 in	1	00		00	75	00
2 to 3 ft. bushy		50	12			
calendulacea (Flame Azalea) 18 to 24 in	1	00	9	00		
ghent hybrids, named per list following:—						
5 yrs. 18 to 24 in. broad and bushy	_	25	10			00
5 yrs. 24 to 30 in. broad and bushy		50	12	-	110	
Varieties:—Admiral de Ruyter—blood red; Auguste	Med	hely	/nck—	whit	e; Bea	ute

Varieties:—Admiral de Ruyter—blood red; Auguste Mechelynck—white; Beaute Celeste—lively rose; Byou des Amateurs—bright rose; Coccinea speciosa—orange red; [Daviesi—white, sweet scented; Gloria mundi—vermillion; Heureuse surprise—milk white; Ignaea nova—carmine; Josephine Klinger—rose and yellow; Minerva—salmon rose; Nancy Waterer—yellow; Queen Victoria—rose, white center; Reine Louise—orange red; Raphael de Smet—white shaded red; Sang de Gandbruges—crimson.

AZALEA—continued	Each	Per 10	Per 100
ghent hybrids, mixed, 18 to 24 in	1 00	8 50	
2 to 2½ ft	1 25	10 00	
Japonica (See Evergreen Shrubs)	4.0		~~ ~~
mollis 12 to 15 in. red and yellow	40	3 50	25 00
15 to 18 in. pink, red and yellow	50	4 50	40 00
18 to 20 in. bushy, pink, red and yellow	1 00	9 00	75 00
mollis (mixed colors) 12 to 15 in	30	2 50	20 00
15 to 18 in	40	3 00	25 00
mollis Standards			
nudiflora (Pinxter Flower) 15 to 18 in	75	6 50	50 00
18 to 24 in	1 00	9 00	
Vaseyi (Southern Azalea) 15 to 18 in	1 25	10 00	
18 to 24 in	1 50	12 50	
Viscosa (Swamp Pink) 18 to 24 in	1 00	9 00	80 00
2 to 2½ ft	1 50	12 50	100 00
3 to 4 ft	2 00		
4 to 5 ft	250		
5 to 6 ft.	3 50		
BACCHARIS (Groundsel Tree)			
halimifolia 2 to 3 ft	20	1 50	12 00
3 to 4 ft	30	2 00	
4 to 5 ft	40		
BAYBERRY (See Myrica)	10		
BENZOIN (See Lindera Benzoin)			
BERBERIS (Barberry)			
Sieboldii 2½ to 3 ft.	25	1 80	15 00
3 to 4 ft	30	2 50	10 00
	90	2 00	
Foliage and berries larger than vulgaris.			
Thunbergii (Japanese Barberry)			
Seedlings 2 years 12 to 18 in\$20 per M.			C 0
12 to 15 in			6 00
15 to 18 in	20	4 ₩0	7 00
18 to 24 in	20	1 50	8 00
2 to 2½ ft	25	2 00	15 00
$2\frac{1}{2}$ to 3 ft	35	3 00	
vulgaris (Common Barberry) 2 to 3 ft\$80 per M.		1 20	9 00
3 to 4 ft		1 50	12 0
4 to 5 ft	40	3 00	
vulgaris var. purpurea (Purple-leaved Barberry)			
2 to 3 ft	15	1 20	8 0
3 to 4 ft	20	1 50	10 0
4 to 5 ft	25	2 00	15 00
5 to 6 ft	35	3 00	25 00
BUDDLEIA variabilis magnifica (Butterfly Bush) 2 yr		3 00	25 0
var. Veitchianna 1 yr		2 50	20 <b>0</b>
CALYCANTHUS (Sweet Shrub)			
- L. C. III I I O ( C II COT CIII US)	20	1 50	9 0
floridus (Carolina Allsnice) 216 to 3 ft	ZU		
floridus (Carolina Allspice) $2\frac{1}{2}$ to 3 ft		2 00	12 0

OADAOANA (CIL. III D.)	Each	Per 10	Per 1 00
CARAGANA (Siberian Pea)	1 ~	1 00	0.00
arborescens 2 to 3 ft	15	1 20	8 00
3 to 4 ft	25		
pygmaea Standards 5 to 6 ft. stems	1 00		
15 to 18 in	20	1 80	
18 to 24 in	25	2 00	15 00
CEANOTHUS (New Jersey Tea)			
Americanus (Red Root) 18 to 24 in	25	2 00	
CELTIS (See Deciduous Trees)			
CEPHALANTHUS (Button Bush)	20	1 00	0.00
occidentalis 2 to 3 ft	20	1 00	8 00
3 to 4 ft	25	1 20	10 00
CERCIS (See Deciduous Trees)			
CHIONANTHUS (See Deciduous Trees)			
CLETHRA (White Alder)	00	1 50	10.00
alnifolia (Sweet Pepper Bush) 18 to 24 in	20	1 50	10 00
2 to 3 ft	25	1 80	15 00
COLUTEA (Bladder Senna)	20	1 50	
arborescens 2 to 3 ft	$\begin{array}{c} 20 \\ 40 \end{array}$	1 50 3 00	
5 to 6 ft	$\frac{40}{25}$	2 00	
CORNUS (Cornel or Dogwood)	20	2 00	
alba or Siberica (Siberian Dogwood) 2 to 3 ft	15	1 20	8 00
3 to 4 ft	20	1 50	10 00
4 to 5 ft	$\frac{20}{25}$	2 00	15 00
a. var. elegantissima variegata 2 to 3 ft.	25	2 00	15 00
3 to 4 ft	35	2 50	10 00
6 to 7 ft. pyramids	1 00	_ 00	
a. var. Spaethi aurea (Golden Leaved) 2 to 3 ft	25	2 00	18 00
3 to 4 ft	30	2 50	
4 to 5 ft	40	3 50	
alternifolia (Blue Dogwood) 3 to 4 ft	25	1 50	10 00
4 to 5 ft	30	1 80	12 00
5 to 6 ft	40	3 00	25 00
6 to 8 ft. extra	60	5 00	
circinata (Round leaved Dogwood) 2 to 3 ft	20	1 50	10 00
3 to 3½ ft	25	1 80	-
Mascula (Cornelian Cherry) 2 to 3 ft	20	1 50	12 00
3 to 4 ft	25	2 00	
4 to 5 ft	30	2 50	
5 to 6 ft	40	3 00	
6 to 8 ft	75	6 50	
paniculata (Gray Dogwood) 2 to 3 ft	20	1 50	12 00
3 to 4 ft	25	2 00	15 00
4 to 5 ft	50	4 00	
5 to 6 ft. bushy	75	6 50	
sanguinea (Red Osier) 2 to 3 ft	20	1 50	12 00
3 to 4 ft	25	2 00	

CORNUS—continued	Each	Per 10	Per 100
sericea (Silky Cornel) 2 to 3 ft		1 00	6 00
3 to 4 ft		1 20	8 00
4 to 5 ft	20	1 50	10 00
5 to 6 ft	25	2 00	15 00
6 to 8 ft	50	4 00	
stolonifera (Spreading Dogwood) 3 to 4 ftstolonifera var. aurea (Golden barked Dogwood)	20	1 50	12 00
2 to 3 ft	20	1 80	<b>15</b> 00
3 to 4 ft	30	2 50	
CORYLUS Americana (Common Hazel) 3 to 4 ft	25	2 00	15 <b>0</b> 0
4 to 5 ft	50	4 00	
maxima var. purpurea (Purple Hazel)			
3 to 4 ft	35	3 00	25 <b>0</b> 0
5 to 6 ft	75	6 00	
CYDONIA (Japan Quince)			
Japonica 2 to 3 ft	20	1 20	9 00
3 to 4 ft	25	1 50	
Japonica var. rubra 2 to 3 ft	20	1 50	
DESMODIUM (See Lespedeza)			
DEUTZIA crenata (Single Pink) 2 to 2½ ft	15	1 20	6 00
2½ to 3 ft	<b>2</b> 0	1 50	8 00
3 to 4 ft	25	1 80	10 00
4 to 5 ft	50	4 00	
c. var. Pride of Rochester (Dbl. white) 3 to 4 ft	25	1 80	10 00
4 to 5 ft	35	2 50	20 00
c. var. Watereri (Dbl. pink) 2½ to 3 ft	15	1 00	6 00
3 to 4 ft	20	1 20	8 00
gracilis (Dwarf white) 12 to 15 in	20	1 50	12 00
15 to 18 in	25	1 80	15 00
18 to 24 in	30	2 00	18 00
g. var. aurea (Dwf., Golden leaf) 18 to 24 in	25	1 80	
g. var. rosea 18 to 24 in	25	1 80	
Lemoinei (Pure white) 1½ to 2 ft	15	1 20	10 00
2 to 2½ ft	20	1 50	12 00
2½ to 3 ft	25	1 80	15 00
3 to 4 ft	30	2 50	20 00
4 to 5 ft	60	5 00	
scabra 4 to 5 ft	25	2 00	
alba (White) 2 to 3 ft	25	1 50	12 00
3 to 4 ft	25	2 00	15 00
hybrida Desboisi (Deep Rose) 2 to 3 ft	20	1 50	12 00
3 to 4 ft	25	2 00	15 00
4 to 5 ft	35	3 00	
h. Eva Rathke (Dark Red) 1½ to 2 ft	20	1 80	12 00
2 to 2½ ft	25	2 00	15 00
rosea (Rose-colored Weigela) 3 to 4 ft	25	2 00	15 00
4 to 5 ft	35	3 00	
5 to 6 ft		0 00	

var. aurea (Golden leaved) 18 to 24 in.       20       1 20       10 00         2 to 2½ ft.       25       1 80         var. fioribunda (Dark Red) 2 to 3 ft.       25       1 50         3 to 4 ft.       30       2 00       15 00         var. rosea variegata (Variegated leaved Weigela)       18 to 24 in.       20       1 50       12 00         2 to 2½ ft.       25       1 80       15 00       3 to 4 ft. X X       30       2 50       to 12 00         3 to 4 ft.       X X       30       2 50       to 15 00       to 12 00       8 00         ELEAGNUS (Oleaster)       angustifolia 2 to 3 ft.       20       1 20       10 00       argentea (Silver-leaved Oleaster) 2 to 3 ft.       20       1 20       10 00       argentea (Silver-leaved Oleaster) 18 to 24 in.       15 1 00       8 00       3 to 4 ft.       25 1 80       1 50       10 00       3 to 4 ft.       20       1 20       10 00       3 to 4 ft.       25 1 80       1 50       1 50       1 00       3 to 4 ft.       25 2 00       4 to 5 ft.       20       1 50       10 00       3 to 4 ft.       25 2 00       4 to 5 ft.       20       1 50       10 00       2 to 3 ft.       1 50       10 00       2 to 3 ft.       1 50       10 00       2 t	DIERVILLA—continued	Each	Per 10	Per 100
var. floribunda (Dark Red) 2 to 3 ft.       25       1 50         3 to 4 ft.       30       2 00       15 00         var. rosea variegata (Variegated leaved Weigela)       18 to 24 in.       20       1 50       12 00         2 to 2½ ft.       25       1 80       15 00         3 to 4 ft. X X       30       2 50       trifida (Dwf., yellow flowers)2½ to 3 ft.       15       1 20       8 00         ELEAGNUS (Oleaster)       angustifolia 2 to 3 ft.       20       1 20       10 00       argentea (Silver-leaved Oleaster) 2 to 3 ft.       20       1 20       10 00         argentea (Silver-leaved Oleaster) 18 to 24 in.       25       1 80       to 10 00         3 to 4 ft.       25       1 80       to 30       2 50         EUONYMUS alatus (Cork-barked Euonymus)       18 to 24 in.       15       1 00       2 50         2 to 3 ft.       30       2 0       1 50       10 00       2 to 3 ft.       30       2 0       1 50       10 00         2 to 3 ft.       40       3 0       2 0       1 50       10 00       2 0       1 50       10 00       2 0       1 50       10 00       2 0       1 50       10 00       2 0       1 50       10 00       2 0       1 50       <	var. aurea (Golden leaved) 18 to 24 in	20	1 20	10 00
3 to 4 ft.   30   2 00   15 00	2 to 2½ ft	25	1 80	
var. rosea variegata (Variegated leaved Weigela)       18 to 24 in.       20       1 50       12 00         2 to 2½ ft.       25       1 80       15 00         3 to 4 ft. XX       30       2 50         trifida (Dwf., yellow flowers)2½ to 3 ft.       15       1 20       8 00         ELEAGNUS (Oleaster)       angustifolia 2 to 3 ft.       20       1 20       10 00         argentea (Silver-leaved Oleaster) 2 to 3 ft.       20       1 20       10 00         3 to 4 ft.       25       1 80         longipes (Japanese Oleaster) 18 to 24 in.       15       1 00       8 00         4 to 5 ft.       30       2 50         EUONYMUS alatus (Cork-barked Euonymus)       18 to 24 in.       25       2 00         4 to 5 ft.       30       2 50       1 50       10 00         2 to 3 ft.       30       2 50       1 50       10 00         2 to 3 ft.       40       3 0       20 01       1 50         3 to 4 ft.       40       3 0       20 00       1 50         3 to 4 ft.       40       3 0       20 00       1 50         5 to 6 ft. specimens       2 50       22 50       22 50         12 to 18 in. 3 yrs. for lining out.       \$75 0	var. floribunda (Dark Red) 2 to 3 ft	25	1 50	
18 to 24 in	3 to 4 ft	30	2 00	15 00
2 to 2½ ft.	var. rosea variegata (Variegated leaved Weigela)			
trifida (Dwf., yellow flowers) 2½ to 3 ft. 15 1 20 8 00  ELEAGNUS (Oleaster) angustifolia 2 to 3 ft. 20 1 20 10 00 argentea (Silver-leaved Oleaster) 2 to 3 ft. 25 1 80  longipes (Japanese Oleaster) 18 to 24 in. 15 1 00 8 00 3 to 4 ft. 25 2 2 00 4 to 5 ft. 30 2 50  EUONYMUS alatus (Cork-barked Euonymus) 18 to 24 in. 20 1 50 10 00 2 to 3 ft. 30 2 50  EUONYMUS alatus (Cork-barked Euonymus) 18 to 24 in. 20 1 50 10 00 3 to 4 ft. 40 3 00 20 00 4 to 5 ft. 30 2 20 15 00 3 to 4 ft. 40 3 00 20 00 4 to 5 ft. 50 6 ft. specimens 150 12 50 100 00  ★★★ The above is a rare shrub of exceeding beauty.  Europaeus (Strawberry Tree) 4 to 5 ft. 35 3 00 25 00  ★★ To 6 ft. 50 4 00 35 00 5 to 6 ft. 50 6 50 latifolius 3 to 4 ft. 30 2 00 4 to 5 ft. 40 3 00 25 00  ★★ To 6 to 8 ft. 50 4 00 35 00 5 to 6 ft. 50 5 0 00 5 to 6 ft. 50 5 00	18 to 24 in	20	1 50	12 00
### Trifida (Dwf., yellow flowers)2½ to 3 ft.				15 0 <b>0</b>
ELEAGNUS (Oleaster)  angustifolia 2 to 3 ft		30	2 50	
angustifolia 2 to 3 ft. 20 1 20 10 00 argentea (Silver-leaved Oleaster) 2 to 3 ft. 20 1 20 10 00 3 to 4 ft. 25 1 80  longipes (Japanese Oleaster) 18 to 24 in. 15 1 00 8 00 3 to 4 ft. 25 2 00 4 to 5 ft. 30 2 50  EUONYMUS alatus (Cork-barked Euonymus) 18 to 24 in. 20 1 50 10 00 2 to 3 ft. 30 2 00 15 00 3 to 4 ft. 40 3 00 25 00  2 to 3 ft. 30 2 00 15 00 3 to 4 ft. 40 3 00 25 00  5 to 6 ft. specimens 1 5 0 12 50 100 00 5 to 6 ft. specimens 2 5 0 22 50 12 to 18 in. 3 yrs. for lining out 575 00 per 1000 10 00  The above is a rare shrub of exceeding beauty.  Europaeus (Strawberry Tree) 4 to 5 ft. 50 4 00 35 00 5 to 6 ft. 50 4 00 35 00 6 to 8 ft. 50 4 00 35 00 6 to 8 ft. 50 4 00 35 00  A to 5 ft. 40 3 00 25 00  Europaeus (Strawberry Tree) 4 to 5 ft. 30 2 00 4 to 5 ft. 50 4 00 35 00  Sy A decorative variety with handsome foliage and large fronds.  nanus (Dwarf for rocky slopes) 18 to 24 in. 30 2 50 20 00 obovatus 18 to 24 in. spread 20 1 50 12 00  FExcellent for covering banks.  EXOCHORDA grandiflora (Pearl Bush) 2 to 3 ft. 20 1 50 3 to 4 ft. 25 2 00 4 to 5 ft. 35 5 to 6 ft. 50  FORSYTHIA (Golden Bell)  Fortunei 2 to 3 ft. (light) \$35 per M. 30 4 ft. 20 1 20 7 00 4 to 5 ft. 35 2 00 15 00 5 to 6 ft. 35 2 00 15 00 6 to 7 ft. 30 3 to 4 ft. 35 2 00 15 00 6 to 7 ft. 30 3 to 4 ft. 35 2 00 15 00 6 to 7 ft. 30 3 to 4 ft. 35 2 00 15 00 6 to 7 ft. 15 1 00 6 00 3 to 4 ft. 15 1 00 6 00 3 to 4 ft. 15 1 00 6 00 3 to 4 ft. 15 1 00 6 00 3 to 4 ft. 15 1 00 6 00 3 to 4 ft. 15 1 00 6 00 3 to 4 ft. 15 1 00 6 00	trifida (Dwf., yellow flowers)2½ to 3 ft	15	1 20	8 00
argentea (Silver-leaved Oleaster) 2 to 3 ft. 20 1 20 10 00 3 to 4 ft. 25 1 80 10ngipes (Japanese Oleaster) 18 to 24 in. 15 1 00 8 00 3 to 4 ft. 25 2 00 4 to 5 ft. 30 2 50 EUONYMUS alatus (Cork-barked Euonymus) 18 to 24 in. 20 1 50 10 00 2 to 3 ft. 30 2 50 15 00 3 to 4 ft. 30 2 50 15 00 3 to 4 ft. 30 2 50 15 00 3 to 4 ft. 30 2 50 15 00 3 to 4 ft. 30 2 50 15 00 3 to 4 ft. 30 2 50 22 50 100 00 4 to 5 ft. 50 50 6 ft. 5 pecimens 2 50 22 50 100 00 15	ELEAGNUS (Oleaster)			
3 to 4 ft.       25       1 80         tongipes (Japanese Oleaster) 18 to 24 in.       15       1 00       8 00         3 to 4 ft.       25       2 00       4 to 5 ft.       30       2 50         EUONYMUS alatus (Cork-barked Euonymus)       18 to 24 in.       20       1 50       10 00         2 to 3 ft.       30       2 00       15 00         3 to 4 ft.       40       3 00       20 00         4 to 5 ft. specimens       1 50       12 50       100 00         4 to 5 ft. specimens       2 50       22 50       100 00         5 to 6 ft. specimens       2 50       22 50       10 00         12 to 18 in. 3 yrs. for lining out       \$75 00 per 1000       10 00         15 to 6 ft.       35       3 00       25 00         5 to 6 ft.       50       4 00       35 00         6 to 8 ft.       75       6 50       4 00       35 00         6 to 8 ft.       30       2 00       25 00         4 to 5 ft.       30       2 00       25 00         4 to 5 ft.       30       2 50       25 00         A decorative variety with handsome foliage and large fronds.       20       1 50       12 00         Excellent	angustifolia 2 to 3 ft.	20	1 20	10 00
3 to 4 ft.       25       1 80         longipes (Japanese Oleaster) 18 to 24 in.       15       1 00       8 00         3 to 4 ft.       25       2 00       4 to 5 ft.       30       2 50         EUONYMUS alatus (Cork-barked Euonymus)       8       1 50       10 00       10 00       2 to 3 ft.       30       2 00       15 00       30       2 00       15 00       3 to 4 ft.       40       3 00       20 00       4 to 5 ft. specimens       1 50       12 50       100 00       4 to 5 ft. specimens       2 50       22 50       22 50       100 00       25 00       100 00       25 00       100 00       25 00       100 00       25 00       100 00       25 00       100 00       25 00       100 00       25 00       100 00       25 00       100 00       25 00       100 00       25 00       100 00       25 00       100 00       25 00       10 00       25 00       10 00       25 00       10 00       25 00       10 00       25 00       10 00       25 00       10 00       25 00       10 00       25 00       10 00       25 00       25 00       25 00       25 00       25 00       25 00       25 00       25 00       25 00       25 00       25 00       20 00       25 00 <td>argentea (Silver-leaved Oleaster) 2 to 3 ft</td> <td>20</td> <td>1 20</td> <td>10 00</td>	argentea (Silver-leaved Oleaster) 2 to 3 ft	20	1 20	10 00
longipes (Japanese Oleaster) 18 to 24 in.       15       1 00       8 00         3 to 4 ft.       25       2 00       4 to 5 ft.       30       2 50         EUONYMUS alatus (Cork-barked Euonymus)         18 to 24 in.       20       1 50       10 00         2 to 3 ft.       30       2 00       15 00         3 to 4 ft.       40       3 00       20 00         4 to 5 ft. specimens       1 50       12 50       100 00         5 to 6 ft. specimens       2 50       22 50       12 50       100 00         5 to 6 ft. specimens       2 50       22 50       12 50       100 00         5 to 6 ft. specimens       875 00 per 1000       10 00       10 00         10 to 18 in. 3 yrs. for lining out.       875 00 per 1000       10 00         10 to 6 to 8 ft.       35       3 00       25 00         10 to 6 to 8 ft.       50       4 00       35 00         10 to 6 to 8 ft.       30       2 00       4 to 5 ft.       30       2 00         4 to 5 ft.       30       2 50       25 00       25 00         4 to 5 ft.       30       2 50       20 00         0 bovatus 18 to 24 in. spread       20       1 50       12		25	1 80	
3 to 4 ft		15	1 00	8 00
EUONYMUS alatus (Cork-barked Euonymus)  18 to 24 in.	· ·			
18 to 24 in.		30	2 50	
18 to 24 in.	EUONYMUS alatus (Cork-barked Euonymus)			
2 to 3 ft	,	20	1 50	10 00
4 to 5 ft. specimens		30	2 00	15 00
5 to 6 ft. specimens       2 50       22 50         12 to 18 in. 3 yrs. for lining out       \$75 00 per 1000       10 00         The above is a rare shrub of exceeding beauty.       Europaeus (Strawberry Tree) 4 to 5 ft.       35       3 00       25 00         5 to 6 ft.       50       4 00       35 00         6 to 8 ft.       75       6 50         latifolius 3 to 4 ft.       30       2 00         4 to 5 ft.       40       3 00       25 00         A decorative variety with handsome foliage and large fronds.       nanus (Dwarf for rocky slopes) 18 to 24 in.       30       2 50       20 00         obovatus 18 to 24 in. spread       20       1 50       12 00         EXOCHORDA grandiflora (Pearl Bush) 2 to 3 ft.       20       1 50         3 to 4 ft.       25       2 00         4 to 5 ft.       35       5 to 6 ft.         5 to 6 ft.       50         FORSYTHIA (Golden Bell)         Fortunei 2 to 3 ft. (light)       \$35 per M.       4 00         3 to 4 ft.       20       1 20       7 00         4 to 5 ft.       25       1 50       9 00         5 to 6 ft.       35       2 00       15 00         6 to 7 ft.       40 </td <td>3 to 4 ft</td> <td>. 40</td> <td>3 00</td> <td>20 00</td>	3 to 4 ft	. 40	3 00	20 00
12 to 18 in. 3 yrs. for lining out \$75 00 per 1000  The above is a rare shrub of exceeding beauty.  Europaeus (Strawberry Tree) 4 to 5 ft	4 to 5 ft. specimens	1 50	$12 \ 50$	100 00
Europaeus (Strawberry Tree) $4$ to $5$ ft. $35$ $3$ 00 $25$ 00 $5$ to $6$ ft. $50$ $4$ 00 $35$ 00 $6$ to $8$ ft. $75$ $6$ 50 latifolius $3$ to $4$ ft. $30$ $2$ 00 $4$ to $5$ ft. $30$ $2$ 00 $4$ to $5$ ft. $40$ $3$ 00 $25$ 00 $4$ to $5$ ft. $40$ $3$ 00 $25$ 00 A decorative variety with handsome foliage and large fronds. In anus (Dwarf for rocky slopes) $18$ to $24$ in. $30$ $2$ 50 $20$ 00 obovatus $18$ to $24$ in. spread $20$ $1$ 50 $12$ 00 $12$ Excellent for covering banks, EXOCHORDA grandiflora (Pearl Bush) $2$ to $3$ ft. $20$ $1$ 50 $3$ to $4$ ft. $25$ $2$ 00 $4$ to $5$ ft. $35$ $5$ to $6$ ft. $50$ FORSYTHIA (Golden Bell)  Fortunei $2$ to $3$ ft. (light) $35$ per M. $4$ 00 $3$ to $4$ ft. $20$ $1$ 20 $7$ 00 $4$ to $5$ ft. $25$ $1$ 50 $9$ 00 $5$ to $6$ ft. $35$ $2$ 00 $15$ 00 $6$ to $7$ ft. $40$ $3$ 50 $25$ 09 intermedia $2\frac{1}{2}$ to $3$ ft. $15$ $1$ 00 $6$ 00 $3$ to $4$ ft. $15$ $1$ 00 $6$ 00 $3$ to $4$ ft. $15$ $1$ 00 $6$ 00 $3$ to $4$ ft. $15$ $1$ 00 $6$ 00 $3$ to $4$ ft. $15$ $1$ 00 $6$ 00 $3$ to $4$ ft. $15$ $1$ 00 $6$ 00 $3$ to $4$ ft. $15$ $1$ 00 $6$ 00 $3$ to $4$ ft. $15$ $1$ 00 $6$ 00 $3$ to $4$ ft. $15$ $1$ 00 $6$ 00 $3$ to $4$ ft. $15$ $1$ 00 $6$ 00 $3$ to $4$ ft. $15$ $1$ 00 $6$ 00 $3$ to $4$ ft. $15$ $1$ 00 $15$	5 to 6 ft. specimens	2 50	22 50	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		r 1000		10 00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	The above is a rare shrub of exceeding beauty.			
6 to 8 ft.       75       6 50         latifolius 3 to 4 ft.       30       2 00         4 to 5 ft.       40       3 00       25 00         Image: A decorative variety with handsome foliage and large fronds.       30       2 50       20 00         obovatus 18 to 24 in. spread       20       1 50       12 00         Image: Excellent for covering banks.       20       1 50       12 00         EXOCHORDA grandiflora (Pearl Bush) 2 to 3 ft.       20       1 50       20         3 to 4 ft.       25       2 00       4 to 5 ft.       35       5 to 6 ft.         FORSYTHIA (Golden Bell)       \$35 per M.       4 00       7 00       4 to 5 ft.       20       1 20       7 00       4 to 5 ft.       25       1 50       9 00       5 to 6 ft.       35       2 00       15 00       6 to 7 ft.       40       3 50       25 09       intermedia 2½ to 3 ft.       15       1 00       6 00       3 to 4 ft.       20       1 20       8 00	• • • •			25 00
latifolius 3 to 4 ft.       30       2 00         4 to 5 ft.       40       3 00       25 00         A decorative variety with handsome foliage and large fronds.         2 50       20 00         obovatus 18 to 24 in. spread       20       1 50       12 00       1 50       12 00         Excellent for covering banks.       EXOCHORDA grandiflora (Pearl Bush) 2 to 3 ft.       20       1 50       3 to 4 ft.       25       2 00       4 to 5 ft.       35       5 to 6 ft.       50       50       FORSYTHIA (Golden Bell)       Fortunei 2 to 3 ft. (light)       \$35 per M.       4 00       4 00       3 to 4 ft.       20       1 20       7 00       4 to 5 ft.       25       1 50       9 00       5 to 6 ft.       35       2 00       15 00       6 to 7 ft.       40       3 50       25 09       intermedia 2½ to 3 ft.       15       1 00       6 00       3 to 4 ft.       20       1 20       8 00				35 00
4 to 5 ft	6 to 8 ft	75	6 50	
A decorative variety with handsome foliage and large fronds.  nanus (Dwarf for rocky slopes) 18 to 24 in. 30 2 50 20 00 obovatus 18 to 24 in. spread 20 1 50 12 00				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				25 00
obovatus 18 to 24 in. spread       20       1 50       12 00         Excellent for covering banks.       20       1 50       3 to 4 ft.       25       2 00       4 to 5 ft.       35       5 to 6 ft.       50       5		_		
EXOCHORDA grandiflora (Pearl Bush) 2 to 3 ft 20				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		20	1 50	12 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	· · · · · · · · · · · · · · · · · · ·			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			2 00	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		90		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				1.00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		20	1 20	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				
3 to 4 ft				
4 to 5 ft		20	1 20	8 00
	4 to 5 ft	25	1 80	12 00

FORSYTHIA—continued	Each	Per 10	Per 100
suspensa (Weeping Forsythia) 2 to 3 ft	. 15	1 00	6 00
3 to 4 ft		1 20	7 00
4 to 5 ft	25	2 00	15 00
5 to 6 ft	. 35	3 00	25 00
var. Sieboldi 3 to 4 ft	. 20	1 20	8 00
4 to 5 ft		1 50	10 00
viridissima 3 to 4 ft	. 20	1 20	7 00
4 to 5 ft		1 80	12 00
GENISTA (Broom)			
tinctoria (Dyer's Broom) 2 to 3 ft	. 15	1 20	10 00
3 to 4 ft		1 50	12 00
GLEDITSCHIA (Honey-Locust) See under Trees			
HALESIA (SiIver Bell)			
	20	9 50	20.00
tetraptera 2 to 3 ft		$\begin{array}{ccc} 2 & 50 \\ 3 & 00 \end{array}$	20 00 $25 00$
4 to 5 ft		3 50	30 00
5 to 6 ft		5 00	40 00
6 to 8 ft. extra		6 50	40 00
	. 10	0 30	
HAMAMELIS Virginica (Witch Hazel)	90	1 50	
2 to 3 ft		1 50	
HEDYSARUM multijugum 12 to 15 in		1 50	
HIBISCUS (Althea, or Rose of Sharon) 3 to 4 ft		2 00	
Varieties:—Amplissima—dbl. red, Anemonae florus- white, Monstrosus—dbl. white, Rubis—single re single violet, Totus albus—dwarf, single white.	•	, Jean de Charles	
single violet, Totas arous—awari, single write: $4\frac{1}{2} \text{ to 5 ft.}$	. 50	4 00	
Varieties:—Amplissima—dbl. red, Boule de Feu—db		_ • •	a-violet,
Rubis—single red.	,	·	Í
Standards—red, $4\frac{1}{2}$ to 5 ft	. 60	5 00	
HIPPOPHAE (Sea Buckthorn)			
rhamnoides 1½ to 2 ft	. 15	1 00	8 00
2 to 3 ft	. 20	1 50	
HYDRANGEA arborescens 2 to 3 ft	. 20	1 50	10 00
3 to 4 ft	05	2 00	18 00
	$\sim 25$	<i>∠</i> 00	10 00
arborescens grand, alba (New Snowball Hydrg.)	. 25	2 00	10 00
arborescens grand. alba (New Snowball Hydrg.) 1½ to 2 ft.		1 50	12 00
1½ to 2 ft	. 20		
1½ to 2 ft	. 20 . 25	1 50	12 00
1½ to 2 ft	. 20 . 25 . 30	1 50 1 80	12 00
1½ to 2 ft. 2 to 3 ft. 3 to 3½ ft. nivea or radiata 3 to 4 ft.	. 20 . 25 . 30 . 25	1 50 1 80 2 50	12 00 15 00
1½ to 2 ft. 2 to 3 ft. 3 to 3½ ft.	. 20 . 25 . 30 . 25 . 20	1 50 1 80 2 50 1 80	12 00 15 00 15 00
1½ to 2 ft. 2 to 3 ft. 3 to 3½ ft. nivea or radiata 3 to 4 ft. paniculata (type) 2 to 3 ft.	. 20 . 25 . 30 . 25 . 20 . 25	1 50 1 80 2 50 1 80 1 50	12 00 15 00 15 00
1½ to 2 ft. 2 to 3 ft. 3 to 3½ ft. nivea or radiata 3 to 4 ft. paniculata (type) 2 to 3 ft. 3 to 4 ft.	. 20 . 25 . 30 . 25 . 20 . 25 . 50	1 50 1 80 2 50 1 80 1 50	12 00 15 00 15 00
$1\frac{1}{2}$ to $2$ ft. 2 to $3$ ft. $3$ to $3\frac{1}{2}$ ft. nivea or radiata $3$ to $4$ ft. paniculata (type) $2$ to $3$ ft. 3 to $4$ ft. 4 ft. specimens paniculata var. grandiflora $2$ to $2\frac{1}{2}$ ft. $2\frac{1}{2}$ to $3$ ft.	. 20 . 25 . 30 . 25 . 20 . 25 . 50 . 15	1 50 1 80 2 50 1 80 1 50 2 00	12 00 15 00 15 00 12 00
1½ to 2 ft. 2 to 3 ft. 3 to 3½ ft. nivea or radiata 3 to 4 ft. paniculata (type) 2 to 3 ft. 3 to 4 ft. 4 ft. specimens paniculata var. grandiflora 2 to ½ ft.	. 20 . 25 . 30 . 25 . 20 . 25 . 50 . 15 . 20	1 50 1 80 2 50 1 80 1 50 2 00	12 00 15 00 15 00 12 00 8 00

### A STATE OF THE PRINCE OF T		Each	Per 10	Per 100
2½ to 3 ft.	HYPERICUM (St. John's Wort)	134011	10110	101 100
Moserianum 2 yrs.   25	aureum $2$ to $2\frac{1}{2}$ ft	20	1 20	8 00
3 yrs.   30   2 00   15 00     ILEX verticillata (Winterberry) 2 to 3 ft.   25   2 0   15 0 0     3 to 4 ft.   35   2 50   20 00     4 to 5 ft.   50   4 00     ITEA Virginica 2 to 2½ ft.   30   2 50     KERRIA Japonica (Globe Flower—single) 1½ to 2 ft.   20   1 50     2 to 3 ft.   25   1 80     Jap. var. flora plena (double) 1½ to 2 ft.   20   1 50     Jap. var. variegata 12 to 15 in.   20   1 50     Jap. var. variegata 12 to 15 in.   20   1 50     Jis to 18 in.   25   1 80   15 00     LESPEDEZA (Desmodium)     bicolor 4 to 5 ft.   20   1 50     5 to 6 ft.   25   2 00   15 00     Sieboldi (Penduliflorum) 3 years   25   2 00     LIGUSTRUM (Privet)   2 to 3 ft.   15   1 00   8 00     3 to 4 ft.   20   1 20   1 00     4 to 5 ft.   25   1 80     6 to 8 ft.   25   1 80     6 to 8 ft.   25   1 80     6 to 8 ft.   15   1 20   8 00     3 to 4 ft.   20   1 50   12 00     2½ to 3 ft.   15   1 20   8 00     3 to 4 ft.   20   1 50   12 00     var. Regelianum 12 to 18 in. (for lining out) \$25.03 per M   4 00     18 to 24 in.   15   1 20   10 00     2½ to 3 ft.   15   1 20   10 00     2½ to 3 ft.   20   1 50     var. Regelianum (2 to 18 in. (for lining out) \$25.03 per M   4 00     18 to 24 in.   15   1 20   1 50     ovalifolium (California Privet) 1½ to 2 ft.   20   1 50     ovalifolium (California Privet) 1½ to 2 ft.   20   1 50     oval. var. aurea 18 to 24 in. (Golden Privet)   20   1 50     vulgare (European Privet) 2 to 3 ft.   15   1 20   6 00     vulgare (European Privet) 2 to 3 ft.   25   1 80   12 00     A to 5 ft.   25   2 00    LINDERA Benzoin (Benzoin) 18 to 24 in.   20   1 50     2 to 3 ft.   20   1 50   20     A to 5 ft.   20   1 50   20     Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)   15   1 20   10 00     4 to 5 ft.   20   1 50   12 00     Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)   15   1 20   10 00     4 to 5 ft.   20   1 50   12 00     Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)   15   1 20   10 00     4 to 5 ft.   20   1 50   12 00     Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)   15				10 00
ILEX verticillata (Winterberry) 2 to 3 ft.	-			
3 to 4 ft	•			
A to 5 ft.	ILEX verticillata (Winterberry) 2 to 3 ft			
ITEA Virginica 2 to 2½ ft.	3 to 4 ft			20 00
KERRIA Japonica (Globe Flower—single) 1½ to 2 ft. 20				
2 to 3 ft				
Jap. var. flora plena (double) 1½ to 2 ft.       20       1 50       Jap. var. variegata 12 to 15 in.       20       1 50       12 00         15 to 18 in.       25       1 80       15 00         LESPEDEZA (Desmodium)       bicolor 4 to 5 ft.       20       1 50         5 to 6 ft.       25       2 00       15 00         6 to 8 ft.       50       3 50         Sieboldi (Penduliflorum) 3 years       25       2 00         LIGUSTRUM (Privet)       amurense (Amoor River Privet) 2 to 3 ft.       15       1 00       8 00         3 to 4 ft.       20       1 20       10 00         4 to 5 ft.       25       1 80       6 to 8 ft.       15       1 00       8 00         1bota (Chinese Privet) 2 to 2½ ft.       1 00       7 00       2½ to 3 ft.       15       1 20       8 00         3 to 4 ft.       20       1 50       12 00       var. Regelianum 12 to 18 in. (for lining out) \$25.03 per M       4 00       4 00         18 to 24 in.       15       1 20       1 50       1 50       1 00         2 to 2½ ft.       20       1 50       1 50       1 00         2 to 2½ ft.       20       1 50       1 50       1 00         2 to 3½ ft.				
Jap. var. variegata 12 to 15 in.				
15 to 18 in.				
Discolor 4 to 5 ft.		20		12 00
bicolor 4 to 5 ft.		25	1 80	15 00
5 to 6 ft.       25       2 00       15 00         6 to 8 ft.       50       3 50         Sieboldi (Penduliflorum) 3 years       25       2 00         LIGUSTRUM (Privet)       amurense (Amoor River Privet) 2 to 3 ft.       15       1 00       8 00         3 to 4 ft.       20       1 20       10 00       4 to 5 ft.       25       1 80       6 to 8 ft.       75       6 00         Ibota (Chinese Privet) 2 to 2½ ft.       1 00       7 00       7 00       2½ to 3 ft.       15       1 20       8 00       3 to 4 ft.       20       1 50       12 00       var. Regelianum 12 to 18 in. (for lining out) \$25.00 per M       4 00       18 to 24 in.       15       1 20       10 00       2 to 2½ ft.       20       1 50       12 00       10 00       2 to 2½ ft.       20       1 50       12 00       10 00       20       2 to 2½ ft.       80       4 00       3 00       5 00       3 to 3½ ft.       12       1 00       5 00       3 to 3½ ft.       12       1 00       5 00       3 to 3½ ft.       15       1 20       6 00       3 to 3½ ft.       15       1 20       8 00				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	bicolor 4 to 5 ft.			
Sieboldi (Penduliflorum) 3 years   25   2 00		25	2 00	15 00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		50	3 50	
amurense (Amoor River Privet) 2 to 3 ft.       15       1 00       8 00         3 to 4 ft.       20       1 20       10 00         4 to 5 ft.       25       1 80         6 to 8 ft.       75       6 00         Ibota (Chinese Privet) 2 to 2½ ft.       1 00       7 00         2½ to 3 ft.       15       1 20       8 00         3 to 4 ft.       20       1 50       12 00         var. Regelianum 12 to 18 in. (for lining out) \$25.03 per M       4 00       4 00         18 to 24 in.       15       1 20       10 00         2 to 2½ ft.       20       1 50       12 00         media 3 to 4 ft.       20       1 50       12 00         ovalifolium (California Privet) 1½ to 2 ft.       3 00       3 00         2 to 2½ ft.       80       4 00         2½ to 3 ft.       12       100       5 00         3 to 3½ ft.       15       1 20       6 00         oval. var. aurea 18 to 24 in. (Golden Privet)       20       1 50         vulgare (European Privet) 2 to 3 ft.       15       1 20       8 00         3 to 4 ft.       20       1 50       10 00         4 to 5 ft.       25       2 00 <t< td=""><td></td><td>25</td><td>2 00</td><td></td></t<>		25	2 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	amurense (Amoor River Privet) 2 to 3 ft	15	1 00	8 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 to 4 ft	20	1 20	10 00
Ibota (Chinese Privet) 2 to $2\frac{1}{2}$ ft.	4 to 5 ft	25	1 80	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		75	6 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1 00	7 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1 20	8 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		_	1 50	12 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				4 00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			1 20	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2 to 2½ ft	20	1 50	12 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		20	1 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	ovalifolium (California Privet) 1½ to 2 ft			3 00
3 to 3½ ft.       15       1 20       6 00         oval. var. aurea 18 to 24 in. (Golden Privet)       20       1 50         vulgare (European Privet) 2 to 3 ft.       15       1 20       8 00         3 to 4 ft.       20       1 50       10 00         4 to 5 ft.       25       1 80       12 00         LINDERA Benzoin (Benzoin) 18 to 24 in.       20       1 50         2 to 3 ft.       25       2 00         LONICERA (Upright Honeysuckle)       40       3 00         fragrantissima (Chinese Fragrant) 2 to 3 ft.       20       1 50       12 00         Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)       15       1 20       10 00         4 to 5 ft.       20       1 50       12 00         5 to 6 ft.       25       2 00	2 to 2½ ft		80	4 00
oval. var. aurea 18 to 24 in. (Golden Privet)       20       1 50         vulgare (European Privet) 2 to 3 ft.       15       1 20       8 00         3 to 4 ft.       20       1 50       10 00         4 to 5 ft.       25       1 80       12 00         LINDERA Benzoin (Benzoin) 18 to 24 in.       20       1 50         2 to 3 ft.       25       2 00         LONICERA (Upright Honeysuckle)       40       3 00         fragrantissima (Chinese Fragrant) 2 to 3 ft.       20       1 50       12 00         Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)       15       1 20       10 00         4 to 5 ft.       20       1 50       12 00         5 to 6 ft.       25       2 00	2½ to 3 ft	12	1 00	5 00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		15	1 20	6 00
3 to 4 ft.       20       1 50       10 00         4 to 5 ft.       25       1 80       12 00         LINDERA Benzoin (Benzoin) 18 to 24 in.       20       1 50         2 to 3 ft.       25       2 00         LONICERA (Upright Honeysuckle)       25       2 00         bella albida 5 to 6 ft.       40       3 00         fragrantissima (Chinese Fragrant) 2 to 3 ft.       20       1 50       12 00         3 to 4 ft.       25       2 00         Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)       15       1 20       10 00         4 to 5 ft.       20       1 50       12 00         5 to 6 ft.       25       2 00	oval. var. aurea 18 to 24 in. (Golden Privet)	20	1 50	
4 to 5 ft.       25       1 80       12 00         LINDERA Benzoin (Benzoin) 18 to 24 in.       20       1 50         2 to 3 ft.       25       2 00         LONICERA (Upright Honeysuckle)       25       2 00         bella albida 5 to 6 ft.       40       3 00         fragrantissima (Chinese Fragrant) 2 to 3 ft.       20       1 50       12 00         3 to 4 ft.       25       2 00         Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)       15       1 20       10 00         4 to 5 ft.       20       1 50       12 00         5 to 6 ft.       25       2 00	vulgare (European Privet) 2 to 3 ft	15	1 20	8 00
LINDERA Benzoin (Benzoin) 18 to 24 in.       20       1 50         2 to 3 ft.       25       2 00         LONICERA (Upright Honeysuckle)       40       3 00         bella albida 5 to 6 ft.       40       3 00         fragrantissima (Chinese Fragrant) 2 to 3 ft.       20       1 50       12 00         3 to 4 ft.       25       2 00         Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)       15       1 20       10 00         4 to 5 ft.       20       1 50       12 00         5 to 6 ft.       25       2 00		20	1 50	10 0.0
2 to 3 ft       25       2 00         LONICERA (Upright Honeysuckle)       40       3 00         bella albida 5 to 6 ft       40       3 00         fragrantissima (Chinese Fragrant) 2 to 3 ft.       20       1 50       12 00         3 to 4 ft.       25       2 00         Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)       15       1 20       10 00         4 to 5 ft       20       1 50       12 00         5 to 6 ft       25       2 00		25	1 80	12 00
LONICERA (Upright Honeysuckle)         bella albida 5 to 6 ft       40       3 00         fragrantissima (Chinese Fragrant) 2 to 3 ft.       20       1 50       12 00         3 to 4 ft       25       2 00         Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)       15       1 20       10 00         4 to 5 ft       20       1 50       12 00         5 to 6 ft       25       2 00		20	1 50	
bella albida 5 to 6 ft.       40       3 00         fragrantissima (Chinese Fragrant) 2 to 3 ft.       20       1 50       12 00         3 to 4 ft.       25       2 00         Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)       15       1 20       10 00         4 to 5 ft.       20       1 50       12 00         5 to 6 ft.       25       2 00		25	2 00	
fragrantissima (Chinese Fragrant) 2 to 3 ft.       20       1 50       12 00         3 to 4 ft.       25       2 00         Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)       15       1 20       10 00         4 to 5 ft.       20       1 50       12 00         5 to 6 ft.       25       2 00				
3 to 4 ft.       25       2 00         Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)       15       1 20       10 00         4 to 5 ft.       20       1 50       12 00         5 to 6 ft.       25       2 00		40	3 00	
Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)       15       1 20       10 00         4 to 5 ft.       20       1 50       12 00         5 to 6 ft.       25       2 00			1 50	12 00
4 to 5 ft.       20       1 50       12 00         5 to 6 ft.       25       2 00				
5 to 6 ft	Morrowii 3 to 4 ft. (Japanese Bush Honeysuckle)			10 00
				12 00
6 to 8 ft. bushy specimens				
	6 to 8 ft. bushy specimens	60	5 00	

LONICERA—continued	Each	Per 10	Per 100
Ruprechtiana (Manchurian Honeysuckle) 2½ to 3 ft	15	1 00	6 00
3 to 4 ft	20	1 20	8 00
4 to 5 ft	25	1 50	12 00
5 to 6 ft	40	3 00	25 00
6 to 7 ft. specimens	50	4 50	
Tatarica rosea (Tartarian Honeysuckle)			
2 to 3 ft	15	1 20	8 00
3 to 4 ft	20	1 50	10 00
4 to 5 ft	25	2 00	18 00
LYCIUM (See Vines)			
MYRICA cerifera (Candleberry) 8 to 12 in	20	1 50	12 00
gale (Bayberry) 2 to 2½ ft	30	2 50	
OXYDENDRON (See Andromeda)			
PAEONIA arborea (Tree Paeonia)	1 25	10 00	
Colors: Pink, red, scarlet, variegated, white.	0	10 00	
PHILADELPHUS (Syringa or Mock Orange)			
coronarius (Mock Orange)			
3 to 4 ft	20	1 50	12 00
4 to 5 ft	$\frac{20}{25}$	2 00	15 00
5 to 6 ft.	30	2 50	20 00
	40	3 50	20 00
6 to 7 ft			10.00
	20	1 20	10 00
4 to 5 ft	25	1 80	15 00
c. follis aurea (Golden Syringa) 12 to 15 in	. 20	1 50	
15 to 18 in	25	2 00	
18 to 24 in	30	2 50	0.00
c. var. nana (Dwarf) 18 to 24 in	15	1 00	8 00
2 to 3 ft	20	1 20	10 00
3 to 4 ft	25	1 50	12 00
Gordonianus 3 to 4 ft.	15	1 20	8 00
4 to 5 ft	20	1 50	12 00
5 to 6 ft	25	2 00	15 00
6 to 8 ft.	50	3 50	25 00
8 to 10 ft. specimens	75	6 00	
grandiflorus (Large flowering Syringa) 3 to 4 ft	20	1 20	8 00
4 to 5 ft	25	1 50	12 00
5 to 6 ft	30	2 00	15 00
Lemoinei 2 to 3 ft.	20	1 50	12 00
3 to 4 ft	25	2 00	18 00
var. Avalanche 2 to 3 ft	20	1 20	8 00
3 to 4 ft	25	1 50	12 00
4 to 5 ft	30	2 50	20 00
ASTA very desirable dwarf shrub.			
Mount Blanc 2 to 3 ft	15	1 00	7 00
3 to 4 ft	20	1 20	10 00
POTENTILLA fruticosa (Cinquefoil) 1½ to 2 ft	15	1 20	
PRUNUS (Plum and Almond)			
maritima (Beach Plum) 2 to 3 ft	25	2 00	
3 to 4 ft	30		
U UU 2 IVI I I I I I I I I I I I I I I I I I	30		

sinensis var. alba plena (Double White Almond)  18 to 24 in	PRUNUS—continued	Each	Per 10	Per 100
2 to 3 ft.		90	1 00	15 00
\$\begin{array}{cccccccccccccccccccccccccccccccccccc				15 00
s. var. rosea plena (Dbl. pink Almond) 1½ to 2 ft. 25				
2 to 3 ft. 35  30  250  20 00 3 to 4 ft. 35  30  25 00 tomentosa 3 to 4 ft. 20  1 50  12 00 4 to 5 ft. 60 triloba (Double fig. Plum) 2 to 3 ft. 25  2 00 3 to 4 ft. 30  2 50 Virginiana (Chokeberry) 3 to 4 ft. 25  2 00 4 to 5 ft. 30  2 50  PTELEA (See Deciduous Trees) PYRUS (Aronia) arbutifolia (Red Chokeberry) 2½ to 3 ft. 25  2 00  15 00 3 to 4 ft. 25  2 00  15 00 4 to 5 ft. 30  2 50  PTELEA (See Deciduous Trees) PYRUS (Aronia) arbutifolia (Red Chokeberry) 2½ to 3 ft. 20  1 50  10 00 3 to 4 ft. 25  2 00  15 00 4 to 5 ft. 30  2 50  FIGURE A (See Deciduous Trees) PYRUS (Aronia) arbutifolia (Red Chokeberry) 2½ to 3 ft. 20  1 50  10 00 3 to 4 ft. 25  1 80  RHAMNUS (Buekthorn) Carolinianus or frangula(Carolina Buckthorn) 2 to 3 ft. 20  1 50  12 00 3 to 4 ft. 25  1 80  RHAMNUS (Buekthorn) Carolinianus or frangula(Carolina Buckthorn) 2 to 3 ft. 20  1 50  12 00 3 to 4 ft. 25  1 80  RHODODENDRON rhodora (Canadian rhodora) 12 to 15 in. bushy 75  RHODOTYPUS kerrioides (White Kerria) 2½ to 3 ft. 20  1 20  8 00 3 to 4 ft. 25  1 50  10 00 4 to 4½ ft. 20  1 50  12 00 2 to 3 ft. 20  1 50  12 00  RHUS aromatica (Fragrant Sumach) 18 to 24 in. 20  1 50  12 00 3 to 4 ft. 25  2 00  18 00 3 to 4 ft. 25  2 00  18 00 3 to 4 ft. 25  2 00  18 00 3 to 4 ft. 25  2 00  18 00 3 to 4 ft. 25  2 00  18 00 3 to 4 ft. 25  2 00  18 00 3 to 4 ft. 25  2 00  18 00 3 to 4 ft. 25  2 00  18 00 3 to 4 ft. 25  2 00  18 00 3 to 4 ft. 25  2 00  18 00 3 to 4 ft. 25  2 00  18 00 3 to 4 ft. 25  2 00  15 01 20 00 2 to 3 ft. 3 to 4 ft. 30 2 00  Cotinus (Purple Fringe) 2 to 3 ft. 20 1 50 12 00 3 to 4 ft. 25 2 00 3 t				15 00
3 to 4 ft				
tomentosa 3 to 4 ft. 20 1 50 12 00 4 to 5 ft. 25 2 00 18 00 6 to 8 ft. 60 triloba (Double fig. Plum) 2 to 3 ft. 25 2 00 3 to 4 ft. 30 2 50  Virginiana (Chokeberry) 3 to 4 ft. 25 2 00 4 to 5 ft. 30 2 50  PTELEA (See Deciduous Trees)  PYRUS (Aronia) arbutifolia (Red Chokeberry) 2½ to 3 ft. 25 2 00 15 00 3 to 4 ft. 25 2 00 15 00 3 to 4 ft. 25 2 0 00 15 00 3 to 4 ft. 25 1 80  RHAMNUS (Buckthorn)  Carolinianus or frangula (Carolina Buckthorn) 2 to 3 ft. 20 1 20 9 00 3 to 4 ft. 25 1 80  RHAMNUS (Buckthorn)  Carolinianus or frangula (Carolina Buckthorn) 2 to 3 ft. 20 1 50 12 00 3 to 4 ft. 25 1 80  RHODODENDRON rhodora (Canadian rhodora) 12 to 15 in. bushy 50 4 00 18 to 24 in. bushy 75  RHODOTYPUS kerrioides (White Kerria) 2½ to 3 ft. 25 2 00 18 00 3 to 4 ft. 25 1 50 10 00 4 to 4½ ft. 30 2 00  RHUS aromatica (Fragrant Sumach) 18 to 24 in. 20 1 50 12 00 3 to 4 ft. 25 2 00 18 00 3 to 4 ft. 25 1 50 10 00 4 to 4½ ft. 30 2 50  RHUS aromatica (Fragrant Sumach) 18 to 24 in. 20 1 50 12 00 3 to 4 ft. 25 2 00 18 00 0 totinus (Purple Fringe) 2 to 3 ft. 20 1 50 12 00 3 to 4 ft. 25 2 00				
4 to 5 ft.				
6 to 8 ft. 60  triloba (Double fig. Plum) 2 to 3 ft. 25 2 00 3 to 4 ft. 30 2 50  Virginiana (Chokeberry) 3 to 4 ft. 25 2 00 4 to 5 ft. 30 2 50  PTELEA (See Deciduous Trees)  PYRUS (Aronia) arbutifolia (Red Chokeberry) 2½ to 3 ft. 25 2 00 15 00 3 to 4 ft. 25 2 00 15 00 4 to 5 ft. 30 2 50  floribunda var. nigra (Black Chokeberry) 2 to 3 ft. 25 1 80  RHAMNUS (Buckthorn)  Carolinianus or frangula(Carolina Buckthorn) 2 to 3 ft. 20 1 50 12 00 3 to 4 ft. 25 1 80  RHAMNUS (Buckthorn)  Carolinianus or frangula(Carolina Buckthorn) 2 to 3 ft. 20 1 50 12 00 3 to 4 ft. 25 1 80  RHODODENDRON rhodora (Canadian rhodora) 12 to 15 in. bushy 50 4 00 18 to 24 in. bushy 50 18 to 24 in. bushy 50 4 to 4½ ft. 30 2 00  RHODOTYPUS kerrioides (White Kerria) 2½ to 3 ft. 25 1 50 10 00 4 to 4½ ft. 30 2 50  RHUS aromatica (Fragrant Sumach) 18 to 24 in. 20 1 50 12 00 2 to 3 ft. 25 2 00 18 00 3 to 4 ft. 25 2 00 18 00 3 to 4 ft. 25 2 00 18 00 3 to 4 ft. 25 2 00 18 00 3 to 4 ft. 25 2 00 18 00 3 to 4 ft. 25 2 00 18 00 3 to 4 ft. 25 2 00 18 00 3 to 4 ft. 25 2 00 18 00 3 to 4 ft. 30 2 50  Copallina (Dwarf Sumach) 1½ to 2 ft. 15 1 20 2 to 2½ ft. 30 4 ft. 20 1 50 12 00 cotinus (Purple Fringe) 2 to 3 ft. 20 1 50 12 00 cotinus (Purple Fringe) 2 to 3 ft. 20 1 20 1 50 3 to 4 ft. 25 2 00 glabra (Smooth Sumach) 2 to 3 ft. 20 1 20 1 20 1 00 var. Jaciniata (Cut leaved Sumac) 15 to 18 in. 15 1 20 2 to 3 ft. 25 2 00				
triloba (Double fig. Plum) 2 to 3 ft.			- 00	20 00
3 to 4 ft.		25	2 00	
Virginiana (Chokeberry) 3 to 4 ft	· · · · · · · · · · · · · · · · · · ·			
### ### ### ### ### ### ### ### ### ##			2 00	
PTELEA (See Deciduous Trees)  PYRUS (Aronia) arbutifolia (Red Chokeberry)  2½ to 3 ft. 20 1 50 10 00  3 to 4 ft. 25 2 00 15 00  4 to 5 ft. 30 2 50  floribunda var. nigra (Black Chokeberry)  2 to 3 ft. 20 1 20 9 00  3 to 4 ft. 25 1 80  RHAMNUS (Buckthorn)  Carolinianus or frangula (Carolina Buckthorn) 2 to 3 ft. 20 1 50 12 00  3 to 4 ft. 25 1 80  RHAMNUS (Common Buckthorn) 2½ to 3 ft. 15 1 20 8 00  3 to 4 ft. 25 1 80  catharticus (Common Buckthorn) 2½ to 3 ft. 15 1 20 8 00  3 to 4 ft. 20 1 50 12 00  RHODODENDRON rhodora (Canadian rhodora)  12 to 15 in. bushy 50 4 00  18 to 24 in. bushy 75  RHODOTYPUS kerrioides (White Kerria)  2½ to 3 ft. 25 1 50 10 00  4 to 4½ ft. 30 2 00  RHUS aromatica (Fragrant Sumach) 18 to 24 in. 20 1 50 12 00  2 to 3 ft. 25 2 00 18 00  3 to 4 ft. 30 2 50  copallina (Dwarf Sumach) 1½ to 2 ft. 25 2 00 15 0 3 to 4 ft. 20 1 50 3 to 4 ft. 20 1 50 3 to 4 ft. 20 1 50 3 to 4 ft. 25 2 00 18 00  3 to 4 ft. 25 2 00 15 0 3 to 4 ft. 20 1 50 3 to 4 ft. 20 1 5				
PYRUS (Aronia) arbutifolia (Red Chokeberry)  2½ to 3 ft				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
3 to 4 ft		20	1 50	10 00
Floribunda var. nigra (Black Chokeberry)   2 to 3 ft.				
Floribunda var. nigra (Black Chokeberry)   2 to 3 ft	4 to 5 ft	30	2 50	
2 to 3 ft. 20 1 20 9 00 3 to 4 ft. 25 1 80  RHAMNUS (Buckthorn)  Carolinianus or frangula (Carolina Buckthorn) 2 to 3 ft. 20 1 50 12 00 3 to 4 ft. 25 1 80  catharticus (Common Buckthorn) 2½ to 3 ft. 15 1 20 8 00 3 to 4 ft. 20 1 50 12 00 5 to 6 ft. 30 2 50  RHODODENDRON rhodora (Canadian rhodora) 12 to 15 in. bushy 50 4 00 18 to 24 in. bushy 75  RHODOTYPUS kerrioides (White Kerria) 2½ to 3 ft. 25 1 50 10 00 4 to 4½ ft. 30 2 00  RHUS aromatica (Fragrant Sumach) 18 to 24 in. 20 1 50 12 00 2 to 3 ft. 25 2 00 18 00 3 to 4 ft. 30 2 50  copallina (Dwarf Sumach) 1½ to 2 ft. 15 1 20 2 to 2½ ft. 30 2 00  cotinus (Purple Fringe) 2 to 3 ft. 25 2 00 glabra (Smooth Sumach) 2 to 3 ft. 20 1 20 10 00 var. laciniata (Cut leaved Sumac) 15 to 18 in. 15 1 20 2 to 3 ft. 25 2 00 glabra (Smooth Sumach) 2 to 3 ft. 20 1 20 10 00 var. laciniata (Cut leaved Sumac) 15 to 18 in. 15 1 20 2 to 3 ft. 20 3 ft. 20 10 00 var. laciniata (Cut leaved Sumac) 15 to 18 in. 15 1 20 2 to 3 ft. 20 3 ft. 20 10 00 var. laciniata (Cut leaved Sumac) 15 to 18 in. 15 1 20 2 to 3 ft. 20 3 ft				
RHAMNUS (Buckthorn)         Carolinianus or frangula (Carolina Buckthorn)       2 to 3 ft.       20       1 50       12 00         3 to 4 ft.       25       1 80         catharticus (Common Buckthorn)       2½ to 3 ft.       15       1 20       8 00         3 to 4 ft.       20       1 50       12 00         5 to 6 ft.       30       2 50         RHODODENDRON rhodora (Canadian rhodora)         12 to 15 in. bushy       50       4 00         18 to 24 in. bushy       75         RHODOTYPUS kerrioides (White Kerria)         2½ to 3 ft.       20       1 20       8 00         3 to 4 ft.       25       1 50       10 00         4 to 4½ ft.       30       2 00         RHUS aromatica (Fragrant Sumach) 18 to 24 in.       20       1 50       12 00         2 to 3 ft.       25       2 00       18 00         3 to 4 ft       30       2 50         copallina (Dwarf Sumach) 1½ to 2 ft.       15       1 20         2 to 2½ ft.       20       1 50         3 to 4 ft.       20       1 50         3 to 4 ft.       20       1 50         3 to 4 f		20	1 20	9 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 to 4 ft	25	1 80	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	RHAMNUS (Buckthorn)			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Carolinianus or frangula (Carolina Buckthorn) 2 to 3 ft	. 20	1 50	12 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 to 4 ft	25	1 80	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	catharticus (Common Buckthorn) 2½ to 3 ft	15	1 20	8 00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 to 4 ft	20	1 50	12 00
12 to 15 in. bushy	5 to 6 ft	30	2 50	
18 to 24 in. bushy       75         RHODOTYPUS kerrioides (White Kerria)       2½ to 3 ft.       20       1 20       8 00         3 to 4 ft.       25       1 50       10 00         4 to 4½ ft.       30       2 00         RHUS aromatica (Fragrant Sumach) 18 to 24 in.       20       1 50       12 00         2 to 3 ft.       25       2 00       18 00         3 to 4 ft       30       2 50         copallina (Dwarf Sumach) 1½ to 2 ft.       15       1 20         2 to 2½ ft.       20       1 50         3 to 4 ft.       20       1 50         3 to 4 ft.       25       2 00         glabra (Smooth Sumach) 2 to 3 ft.       20       1 20         var. laciniata (Cut leaved Sumac) 15 to 18 in.       15       1 20         2 to 3 ft.       25       2 00	RHODODENDRON rhodora (Canadian rhodora)			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	· · · · · · · · · · · · · · · · · · ·	50	4 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		75		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	· · · · · · · · · · · · · · · · · · ·			
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				10 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				10.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	,			
copallina (Dwarf Sumach) 1½ to 2 ft.       15       1 20         2 to 2½ ft.       20       1 50         3 to 4 ft.       30       2 00         cotinus (Purple Fringe) 2 to 3 ft.       20       1 50       12 00         3 to 4 ft.       25       2 00         glabra (Smooth Sumach) 2 to 3 ft.       20       1 20       10 00         var. laciniata (Cut leaved Sumac) 15 to 18 in.       15       1 20         2 to 3 ft.       25       2 00	2 to 3 it			18 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
3 to 4 ft.       30       2 00         cotinus (Purple Fringe) 2 to 3 ft.       20       1 50       12 00         3 to 4 ft.       25       2 00         glabra (Smooth Sumach) 2 to 3 ft.       20       1 20       10 00         var. laciniata (Cut leaved Sumac) 15 to 18 in.       15       1 20         2 to 3 ft.       25       2 00				
3 to 4 ft       25       2 00         glabra (Smooth Sumach) 2 to 3 ft       20       1 20       10 00         var. laciniata (Cut leaved Sumac) 15 to 18 in       15       1 20         2 to 3 ft       25       2 00	·			
3 to 4 ft       25       2 00         glabra (Smooth Sumach) 2 to 3 ft       20       1 20       10 00         var. laciniata (Cut leaved Sumac) 15 to 18 in       15       1 20         2 to 3 ft       25       2 00			1 50	12 00
var. laciniata (Cut leaved Sumac) 15 to 18 in       15       1 20         2 to 3 ft       25       2 00	3 to 4 ft	25	2 00	
2 to 3 ft	glabra (Smooth Sumach) 2 to 3 ft	20	1 20	10 00
		25	2 00	

RHUS—continued	Each	Per 10	Per 100
typhina (Staghorn Sumach) 4 to 5 ft	30	2 00	18 00
5 to 6 ft	35	2 50	
8 to 10 ft	50	4 00	
var. laciniata (Cut leaved) 2 to 3 ft	30	2 50	
4 to 5 ft	50	3 50	
RIBES (Currant)			
aureum (Yellow Flowering Currant) 3 to 4 ft	<b>2</b> 5	2 00	
5 to 6 ft	50		
sanguineum (Red flg. Currant) 2 to 3 ft	2 <b>0</b>	1 50	
ROBINIA hispida (Rose Acacia) 2 to 3 ft	25	2 00	18 00
3 to 4 ft	30	2 50	
ROSA (Rose) blanda 1½ to 2 ft	15	1 20	10 00
2 to 3 ft	20	1 50	
3 to 4 ft	25	2 00	
carolina (Swamp Rose) 2 to 3 ft	20	1 50	12 00
3 to 4 ft	25	2 00	15 00
lucida 12 to 18 in.	15	1 00	8 00
18 to 24 in	20	1 20	10 00
2 to 3 ft	25	1 50	
multiflora 2 to 3 ft	15	1 00	6 00
3 to 4 ft	20	1 20	8 00
4 to 5 ft	25	2 00	
nitida 15 to 18 in	15	1 00	6 00
18 to 24 in	20	1 20	9 00
2 to 2½ ft	25	1 50	12 00
10 to 12 in transplants \$40 per M.			5 00
rubiginosa (Sweet Briar Rose) 18 to 24 in	20	1 20	9 00
2 to 3 ft	25	1 80	
rubrifolia (Red leaved Rose) 18 to 24 in		1 00	7 00
2 to 3 ft	15	1 20	9 00
4 to 5 ft	30		
rugosa (Ramanas Rose) 18 to 24 in	20	1 50	10 00
2 to 2½ ft	25	1 80	12 00
2½ to 3 ft	30	2 20	15 00
3 to 4 ft	30	2 50	
rugosa alba (White Ramanas Rose) 18 to 24 in	20	1 20	8 00
2 to 2½ ft	25	1 50	10 00
2½ to 3 ft	30	2 00	12 00
3 to 3½ ft	35	2 50	18 00
setigera (Prairie Rose) 2 to 3 ft	15	1 20	8 00
3 to 4 ft	20	1 50	10 00
spinosissima (Scotch Rose) 2 to 2½ ft	30	2 50	0.00
Wichuraiana (The Trailing Rose) 2 yrs	15	1 00	6 00
3 yrs	20	1 20	8 00
RUBUS odoratus (Flowering Raspberry)			
2 to 3 ft	15	1 20	10 00
3 to 4 ft	20	1 50	12 00
4 to 5 ft	25	2 00	18 00

SAMBUCUS (Elder)	Each	Per 10	Per 100
Canadensis (Common Elder) 3 to 4 ft.	20	1 50	
nigra (European Elder) 2 to 2½ ft	15	1 20	10 00
nigra var. aurea (Golden Elder) 3 to 4 ft.	30	2 00	20 00
nigra var. aurea variegata 18 to 24 in	15	1 20	10 00
nigra var. laciniata (Cut leaf Elder) 18 to 24 in	25	1 50	10 00
racemosus (Red-berried Elder) 2 to 3 ft	20	1 80	15 00
3 to 4 ft	30	2 50	20 00
SNOWBERRY (See Symphoricarpus)	90	2 00	20 00
SPIRAEA (Meadow Sweet)			
arguta 2 to 2½ ft	15	1 20	10 00
2½ to 3 ft	20	1 50	12 00
Billardi 3 to 4 ft	20	1 20	10 00
4 to 5 ft	25	1 80	15 00
	20 20	1 50	12 00
Bumalda 1½ to 2 ft			12 00
2 to 2½ ft	25	2 00	0 00
B. var. Anthony Waterer 15 to 18 in.	20	1 20	8 00
18 to 24 in	25	1 50	10 00
2 to 2½ ft	30	2 00	<b>=</b> 00
callosa var. alba 15 to 18 in.	15	1 20	7 00
18 to 24 in	20	1 50	10:00
c. var. rosea 3 to 4 ft.	25	1 50	12 00
c. var. superba 15 to 18 in		1 00	7 00
18 to 24 in	15	1 20	9 00
2 to 3 ft	. 20	1 50	
opulifolia (Nine Bark) 3 to 4 ft	20	1 20	
4 to 5 ft	25	1 50	12 00
5 to 6 ft	35	3 00	
o. var. aurea (Golden Spiraea) 3 to 4 ft	20	1 20	
4 to 5 ft	25	1 50	12 00
5 to 7 ft. bushy	50	4 50	
prunifolia flora pleno (Bridal Wreath) 2½ to 3 ft	15	1 20	10 00
3 to 4 ft	20	1 50	12 00
4 to 5 ft	25	2 00	18 00
Reevesii 2 to 3 ft. bushy	20	1 50	12 00
rotundifolia (Round-leaved Spirea) 3 to 4 ft	25	2 00	
5 to 6 ft	40	3 50	
6 to 7 ft. bushy specimens	1 00		
sorbifolia (Ash-leaved Spiraea) 2 to 3 ft	15	1 00	8 00
3 to 4 ft	20	1 20	10 00
4 to 5 ft. bushy	35		
salicifolia (Meadow Sweet) 2 to 3 ft	20	1 20	
Thunbergi 2 to 2½ ft	20	1 20	8 00
2½ to 3 ft	25	1 50	10 00
3 to 4 ft	30	1 80	12 00
4 to 5 ft. bushy		3 00	25 00
Van Houttei (Van Houtte's Spiraea)			
$2\frac{1}{2}$ to 3 ft\$60 per 1000		1 20	8 00
3 to 4 ft	20	1 50	10 00
4 to 5 ft	30	2 00	18 00

	Each	Per 10	Per 100
STEPHANANDRA flexuosa 2½ to 3 ft	25	1 80	15 00
3 to 4 ft	30	2 50	
STYRAX Japonica 5 to 6 ft	75		
SYMPHORICARPUS			
racemosus (Snowberry) 2 to 3 ft	20	1 20	10 00
3 to 3½ ft	25	1 80	
vulgaris (Indian Currant) 2 to 3 ft	15	1 20	7 00
3 to 4 ft	20	1 50	10 00
v. var. glomeratus 2 to 3 ft	20	1 20	9 00
3 to 4 ft	25	1 50	12 00
SYRINGA (Lilac)	20	1 00	12 00
Japonica (See Deciduous Trees)			
Josikaea 4 to 5 ft.	35	3 00	20 00
5 to 6 ft		3 50	25 00
	. 45 75	6 00	25 00
6 to 7 ft. specimens			
Pekinensis (Chinese Lilac) 2 to 3 ft	40	3 00	
3 to 4 ft	60	4 00	10.00
Persica (Persian Lilac) 2 to 3 ft.	25	2 00	18 00
Rothomagensis (Red Persian Lilac) 2 to 3 ft	20	1 50	
3 to 4 ft	25	2 00	
villosa 3 to 4 ft.	40	3 00	
vulgaris (Common Lilac) 2 to 3 ft	20	1 50	10 0 <b>0</b>
3 to 4 ft	<b>2</b> 5	1 80	15 00
4 to 5 ft	50	4 00	
vulgaris var. alba (Common White Lilac)			
2 to 3 ft	20	1 50	10 00
3 to 4 ft	25	1 80	15 <b>00</b>
4 to 5 ft	50	4 00	
v. var. alba grandiflora (Large, Single White)			
2 to 3 ft	30	2 50	20 00
3 to 4 ft	40	3 50	
v. var. Charles X. (Single Reddish Purple)			
2 to 3 ft	25	2 00	18 00
3 to 4 ft	30	2 50	20 00
v. var. Dr. Lindley (Purplish Lilac) 2 to 3 ft	30	2 50	
v. var. Jacques Calot (Single Rose Pink)			
1½ to 2 ft	25	2 00	
v. var. Marie LeGray (Single White) 2 to 3 ft	30	2 50	
v. var. M. Buchner (Dbl. pale lilac)	90	2 00	
	40	3 50	25 00
3 to 4 ft		5 00	20 00
4 to 5 ft	60	9 00	
v. var. Mme. Casimer Perier (Dbl. cream white)	20	0.50	20.00
2 to 3 ft	30	2 50	20 00
3 to 4 ft	40	3 50	25 00
v. var. Mme. Lemoine (Large Dbl. White)	200	0.70	20.00
2 to 3 ft	30	2 50	20 00
3 to 4 ft	40	3 50	00.00
v. var. President Grevy (Blue) 2 to 3 ft	30	2 50	20 00
3 to 4 ft	40	3 50	

SYRINGA—continued v. var. Rubra de Marley (Single Rosy Purple)	Each	Per 10	Per 100
2 to 3 ft	30	2 50	
3 to 4 ft	40	3 50	
v. var. Senateur Volland (Double Red) 2 to 3 ft	30	2 50	
3 to 4 ft	40	3 50	
v. var. S. de L. Spaeth (Single Dark Red)	-		
2 to 3 ft	30	2 50	20 00
3 to 4 ft	40	3 50	-000
Standard 2 to $2\frac{1}{2}$ ft. stems	2 00	17 50	
Half Standard	1 00	9 00	
Varieties: Chas. Dix—single blue. Marie le Gray—s			Lemoine
—dbl. white, S. de L. Spaeth—single dark red.		,	2011101110
TAMARIX (Tamarisk) Africana 2 to 3 ft	20	1 50	12 00
Odessa 2 to 3 ft.	20	1 50	12 00
VACCINIUM corymbosum (Blueberry) 2 to 3 ft	75	6 00	50 00
3 to 4 ft	1 00	8 50	75 00
4 to 5 ft	1 50	12 50	10 00
VIBURNUM (Arrow Root)	1 00	12 00	
acerifolium 2 to 3 ft	30	2 50	20 00
3 to 4 ft	35	3 00	25 00
4 to 5 ft	50	4 00	20 00
Carlesii (Korean Viburnum) NEW See cut and de-	30	-, + 00	
scription Page 42. 15 to 18 in.	40	3 50	30 00
-	50	4 50	40 00
18 to 24 in.  cassinoides (White Rod) 2 to 3 ft.	$\frac{50}{25}$	2 00	15 00
3 to 4 ft	30	$\frac{2}{2} \frac{50}{50}$	20 00
4 to 5 ft	45	3 50	25 00
5 to 6 ft.	75	6 00	20 00
dentatum (Arrow-wood) 3 to 4 ft.	15	1 20	10 00
4 to 5 ft	20	2 00	15 00
5 to 6 ft		3 00	25 00
	35 75		50 00
6 to 8 ft. specimens		6 00	
Lantana (Wayfaring Tree) 3 to 4 ft	20		12 00
4 to 5 ft	25	$\begin{array}{cccc} 2 & 00 \\ 3 & 50 \end{array}$	18 00
5 to 6 ft	$\begin{array}{c} 40 \\ 25 \end{array}$	2 00	15 00
Lentago (Sheep-berry) 2 to 3 ft		$\frac{2}{2} \frac{50}{50}$	20 00
3 to 4 ft. 5 to 6 ft	30 75	2 30	20 00
		1 20	10.00
molle (Soft-leaved Viburnum) 3 to 4 ft	15		10 00
4 to 5 ft	20	1 50	00.00
5 to 6 ft	30	2 50	20 00
6 to 8 ft	50	4 50	35 00
Opulus (High-bush Cranberry) 3 to 4 ft	20	1 50	12 00
4 to 5 ft	25	2 00	18 00
5 to 6 ft	35	3 00	25 00
Opulus var. nanum (Dwarf) 15 to 18 in.	30	2 00	07.00
Opulus var. sterile (Common Snowball) 5 to 6 ft	40	3 00	25 00
6 to 8 ft	50	4 50	
5 to 7 ft. Standards	<b>1 0</b> 0		



## VIBURNUM CARLESII

A Korean shrub, absolutely hardy, more or less wooly, resembling a little in wood and foliage the Viburnum Lantana. Inflorescent terminal, the buds appearing in Autumn. It developes in April, and produces large corymbs of flowers, all fertile and similar, measuring three-fourths of an inch in diameter, with a half inch tube and five rounded lobes. Color rosy white, passing to pure white. Flowers exhale a delicious fragrance, as fine as that of jasmine, and when the plant is freed in a temperate house, the entire atmosphere is perfumed. The bush remains a low clump. See Page 41 for prices.

VIBURNUM—continued	Each	Per 10	Per 100
Sieboldii 2 to 3 ft	50	4 00	35 00
3 to 4 ft	65		
tomentosum (Single Japan Snowball) 2½ to 3 ft	25	1 80	15 00
t. var. plicatum (Japan Snowball) 2 to 3 ft		2 50	20 00
3 to 4 ft	35	3 00	25 00
4 to 5 ft	50	4 00	30 00
WEIGELA (See Diervilla)			
XANTHORRHIZA apifolia 12 to 15 in	20	1 50	12 00
15 to 18 in	25	1 80	15 00
18 to 24 in	30	2 50	

## VINES AND CLIMBING SHRUBS

AOTINIDIA	Each	Per 10	Per 100
ACTINIDIA arguta 3 yrs.		\$2 00	4 7 00
AKEBIA quinata 3 yrs.	$\frac{25}{30}$	$\begin{array}{ccc} 1 & 80 \\ 2 & 00 \end{array}$	15 00
4 yrs. extra	30	2 00	
AMPELOPSIS (Woodbine) quinquefolia (Common Woodbine, Virginia Creeper)			
3 yrs	15	1 20	8 00
4 yrs	20	1 50	
var. Engelmanni 4 yrs	20	1 50	9.00
5 yrs. extra	25	2 00	15 00
Veitchi (Boston Ivy) 2 yrs	15	1 20	8 00
3 yrs	20	1 50	10 00
4 yrs	25	1 80	
ARISTOLOCHIA sipho (Dutchman's Pipe) 3 yrs	40	3 00	
4 yrs	50	4 00	
4 to 5 ft	75	6 00	50 00
BIGNONIA (See Tecoma)			
CELASTRUS (Bitter Sweet)			
articulatus syn. paniculatus, orbiculatus 2 yrs	15	1 20	10 00
3 yrs	20	1 50	12 00
4 yrs	$\frac{25}{20}$	1 80	15 00
5 yrs scandens 2 yrs	$\frac{30}{20}$	$\begin{array}{ccc} 2 & 50 \\ 1 & 50 \end{array}$	12 00
3 yrs.	$\frac{20}{25}$	2 00	12 00
CLEMATIS coccinea (Scarlet) 3 yrs	20	1 50	
crispa 3 yrs	20	1 50	
orientalis or graveolens (yellow flowered) 3 yrs	$\frac{25}{25}$	2 00	15 00
paniculata 2 yrs.	20	1 20	8 00
3 yrs	25	1 50	10 00
4 yrs	30	2 00	
Virginiana 2 yrs	20	1 50	12 00
4 yrs	25	2 00	
vitalba (Traveller's Joy) 3 yrs	. 20	1 50	
Duchess of Edinburg (Double white)	30	2 50	
Henryii (Single white)	30	2 50	
Jackmani (Velvet purple)	30	2 50	
Madame Edouard Andre (Crimson)	30	2 50	
Mme. Baron Veillard (Rose)	30	2 50	
DOLICHOS Japonicus (Kudzu Vine) 2 yrs	25	2 00	18 00
HEDERA Helix (English Ivy) 3 to 4 ft	30	2 50	20 00
HUMULUS lupulus (Hop Vine) Sec under Perennials.			
LONICERA (Honeysuckle)			
Belgica (Monthly Fragrant Honeysuckle) 3 yrs	25	1 80	
brachypoda 2 yrs.	15	1 00	6 00
3 yrs	20	1 50	8 00

LONICERA—continued	Each	Per 10	Per 100
brachypoda var. aurea reticulata (Golden Variegated			
Honeysuckle) 3 yrs	20	1 50	12 00
4 yrs	25	2 00	
b. var. Halleana (Hall's Japan Honeysuckle)			
2 yrs	20	1 20	8 00
3 yrs	25	1 50	10 <b>00</b>
flava 4 yrs. extra	35	2 50	
sempervirens (Red Coral Honeysuckle) 2 yrs	20	1 50	12 00
3 yrs	25	2 00	
LYCIUM (Matrimony Vine)			
Barbarum 2 yrs	15	1 20	8 00
3 yrs	20	1 50	10 00
MENISPERMUM Canadense (Moonseed) 4 yrs	25	2 00	
PERIPLOCA Graeca (Grecian Silk Vine) 4 yrs	25	2 00	
POLYGONUM Baldschuanicum	35		
SCHIZOPHRAGMA hydrangeoides (Climbing Hydrang	gea)		
18 to 24 in	1 00	7 50	
TECOMA (Trumpet Vine)			
radicans or bignonia 3 yrs	20	1 80	15 <b>00</b>
4 yrs	30	2 50	
VITIS (Grape)			
Coignetiae 1 yr.	20	1 50	12 00
cordifolia 2 yrs	25	2 00	
heterophylla 3 yrs	30	2 50	
Labrusca (Fox Grape) 3 yrs.	30	2 50	20,00
4 yrs	35	3 00	
WISTARIA			
Chinensis (Chinese Blue Wistaria) 3 yrs	30	2 50	
4 to 5 ft. extra	60	5 00	40 00
c. var. alba (Chinese White Wistaria) 3 yrs	40	3 00	
4 to 5 ft. extra	75	6 00	50 <b>00</b>
frutescens (American Wistaria) 3 yrs	25	2 00	15 00
f. var. magnifica (Purple) 4 yrs.	30	2 50	20 00
multijuga (Japanese) 2 yrs	50	4 00	
3 yrs	60	5 00	

### HARDY ROSES

The roses we offer are of exceptionally good quality.

Hybrid Perpetual and Other Varieties.

Strong, Field-grown Plants, 25c each; \$2.00 per 10; \$15.00 per 100. Except as otherwise noted.

Alfred Colomb—Large carmine-crimson, full, fragrant.

American Beauty-Large, deep pink, fragrant.

Anne de Diesbach-Large double carmine.

Baron De Bonstettin-Velvety maroon; large and full.

Baroness Rothschild-Bright pink, very large.

HARDY ROSES—continued	Each	Per 10	Per 100
Captain Christy—Delicate flesh color.			
Clio—Large flesh color, shaded rosy pink.			
Crested Moss—Deep pink.			
Fisher Holmes—Brilliant crimson.			
Frau Karl Druschki or Snow Queen-Pure white.			
General Jacqueminot—Bright scarlet crimson.			
Harrison's Yellow	. 25	2 00	18 00
Helen Keller—Rose cerise, large, full.			
John Hopper—Bright rose, carmine centre.			
Louis Van Houtte—Dark velvety red.			
Mme. Gabriel Luizet—Light silvery pink.			
Mme. Plantier—White.			
Magna Charta—Pink and carmine.			
Marchioness of Londonderry—Ivory white.			
Margaret Dickson—White, pale flesh centre, large.			
M. P. Wilder—Cherry carmine.			
Mrs. R. G. Sharman-Crawford—Color, deep rosy p	ink.		
Mrs. John Laing—Large, soft pink; fragrant and s	steady blo	omer.	
Paul Neyron—Deep rose, very large.			
Persian Yellow—Bright yellow.		*	
Prince C. de Rohan—Deep velvety crimson.			
Red Moss.			
Soleil d'Or—Gold and orange, shaded red. Fine.			
Ulrich Brunner—Rich cherry red; one of the best.			
Victor Verdier—Bright rose; carmine center.			
White Moss—Clear white.			

# EVER BLOOMING BEDDING ROSES

Strong, field-grown Plants.			
Annchen Muller—Dwarf—rose color	30	2 50	20 00
Baby Rambler—Dwarf—Flowers crimson	25	2 00	18 00
Baby Dorothy—Dwarf, beautiful pink	25	2 00	
Bessie Brown—Creamy white, large, fragrant	30	2 50	
Etoile de France—Rich, velvety crimson; centre			
ruby red; large and double	30	2 50	20 00
General Mac Arthur—Bright crimson, large	30	2 50	
Glorie de Dijon—Buff with orange center—Double	30	$2\ 50$	
Gruss an Teplitz — Scarlet, shading to velvety crim-			
son	30	$2\ 50$	20 00
Hermosa—Bright rose color, double	30	250	
Hugh Dickson—Intense crimson, shaded scarlet,			
large	30	250	20 00
Jessie—Dwarf, bright cherry-crimson	25	2 00	
J. B. Clark—Rich deep scarlet, large	30	$2 \ 50$	
Jubilee—Pure red, shading to crimson and maroon			
at base of petals. Very dark	30	2 50	
Kaiserin Augusta Victoria—Delicate creamy white.	30	2 50	20 00
Killarney—Deep shell pink	30	2 50	20 00
Killarney White	30	2 50	
La France—Silvery pink, fragrant	30	2 50	
La France White—Pure white, fragrant	30	2 50	
Maman-Cochet—Beautiful pink, fragrant	30	2 50	
Maman-Cochet White—Creamy white, fragrant	30	$\frac{2}{3} \frac{50}{50}$	20.00
Mme. Caroline Testout—Large double silvery rose	30	2 50	20 00
Orleans—Brilliant red, white center	30	2 50	
Rayon d'Or—Yellow, large and full.	30		
Richmond—Brilliant Crimson-scarlet; not very	9.0	9. 70	
double, but beautiful in bud	30	2 50	

### STANDARD ROSES

STANDARD ROSES			
E	Each	Per 10	Per 100
Strong 2 and 3 year heads	60	5 00	45 00
Varieties-Alfred Colomb, Frau Karl Druschki, Gruss a	n Teplit	z, Hugh	Dickson,
Mme. G. Luizet, Mme. C. Testout, Mrs. John Laing, Pa			
HARDY RAMBLERS			
Crimson Rambler Strong plants (on own roots)	30	2 50	20 00
Excelsa	25	2 00	18 00
Mrs. Messman	30	2 50	
Pink Rambler	20	1 50	12 00
White Rambler (Thalia)	20	1 50	12 00
Yellow Rambler (Aglaia)	20	1 50	
,			
CLIMBING ROSES			
American Pillar	30	2 50	
Baltimore Belle, Pale blush	20	1 50	12 00
Dawson, Bright pink, fragrant, semi-double	30	2 50	
Dorothy Perkins, Hardy double pink	20	1 50	12 00
Dorothy Perkins White,	30	2 50	
Dorothy Perkins Red (Excelsa)	25	2 00	18 00
Hiawatha, Beautiful single red	30	2 50	20 00
Queen of Prairie, Flowers double red	20	1 50	
Reine Marie Henriette, Deep cherry red	30	2 50	
Setigera, The Prairie Rose; Single deep rose	20	1 50	10 00
Tausendschon, Pink, large trusses, sweet	30	2 50	20 00
ROSA RUGOSA HYBRID	)S		
	3 <b>0</b>	2 50	20.00
Blanche de Coubert—Pure white, double Conradi Ferd. Meyer, Silvery rose, large, double, fra-			20 00
grant	30	2 50	20 00
Mme. George Bruant, White, semi-double, free bloomer	30	2 50	00.00
Roseraie de l'Hay—Bright scarlet crimson, double	30	2 50	20 00
HYBRID SWEET BRIAR	2S		
Amy Robsart Deep rose	25	2 00	
Flora Mc Ivor Pure white, blushed with rose	25	2 00	
Jeannie Deans Scarlet crimson, large semi-dbl	25	2 00	
Julie Mannering Soft pearly pink	25	2 00	
Lucy Bertram Deep crimson	25	2 00	
Meg Merrilees Gorgeous crimson	25	2 00	
Rose Bradwardine Clear rose	25	2 00	

WICHURAIANA HYBRIDS		
Each	Per 10	Per 100
Evergreen Gem—Double yellow opening white 25	2 00	
Gardenia—Single bright yellow opening cream 25	2 00	18 00
Manda's Triumph—Double pure white, fragrant 25	2 00	
Pink Roamer—Single bright pink, white center, fragrant 25	2 00	18 00
Rubra—Beautiful red	2 00	
South Orange Perfection—Double blush pink, chang-		
ing to white	2 00	18 00
Universal Favorite—Double light pink, fragrant 25	2 00	18 00
FRUIT TREES	_	
STD. APPLES 6 to 7 ft. 1 in. (Varieties marked with a *		
only)50c each	\$4 80	\$30 00
5 to 7 ft. ¾ in30c each	2 50	20 00
VARIETIES: *Alexander, *Baldwin, *Ben Davis, Deli-		
cious, *Duchess, *Early Harvest, Early Strawberry, *Fall-		
awater, *Fall Pippin, *Fameuse, *Gano, *Golden Russet,		
*Golden Sweet, *Gravenstein, Grimes' Golden, *Hub,		
Nonesuch, *Jonathan, *King, *Maiden's Blush, *McIn-		
tosh Red, Newton Pippin, *Northern Spy, Porter, *Pound		
Sweet, Pumpkin Sweet, *Red Astrachan, *Rhode Island		
Greening, *Rox. Russet, Spitzenburg, *Stark, *Stayman's		
Winesap, *Sweet Bough, Talman Sweet, Wagener, Weal-		
thy, *William's Favorite, *Winter Banana, *Wolfe River,		
*Yellow Bellflower, *Yellow Transparent, *York Imperial.		
EXTRA HEAVY selected specimens\$1 00 each	8 00	
CRAB APPLES 5 to 7 ft	3 00	
Hyslop' Martha, Transcendent.		
DWARE ARRIES	4.00	25.00
DWARF APPLES	4 00	35 00
VARIETIES: Baldwin, Duchess, Early Harvest, Graven- stein, Jonathan, McIntosh, Northern Spy, R. I. Greening,		
Red Astrachan, Stayman's Winesap, Stearns, Twenty Oz.,		
Wealthy, Yellow Transparent.		
-		
STANDARD PEARS	0 *0	00.00
First Class 11-16 in. and up. 5 to 7 ft40c each	3 50	30 00
VARIETIES: Bartlett, B. d'Anjou, Clapp's, Duchess,		
Flemish Beauty, Lawrence, Louise Bonne, Seckel, Shel-		
don, Vermont Beauty, Wilder, Worden Seckel.		
Beurre Bosc, Winter Nellis60c each	5 00	45 00
DWARF PEARS 3-4 in	2 50	
VARIETIES: Bartlett, B. de Anjou, Clapp's Favorite,		
Duchess, Louise Bonne, Seckel.		
Beurre Bosc 3 years\$1 00 each		

	Per 10	Per 100
FRUIT TREES—continued	10110	101 100
CHERRIES  First Grade 5 to 6 ft	4 00	
PEACHES 4 to 5 ft. 9-16 in. and up	2 00	15 00
PLUMS First Grade 5 to 7 ft	3 50	30 00
QUINCES 4 to 5 ft	3 50	30 0 <b>0</b>
SMALL FRUITS		
GRAPES, 3 yrs. strong vines	1 50	12 00
		2 00
CURRANTS, 2 yrs. No. 1  Black Champion Cherry, Fay's Prolific, White Grape	75	6 00
Perfection	1 80	15 00
GOOSEBERRIES, Downing, Houghton, 2 and 3 yrs	1 00	7 00
Industry, 2 yrs. selected	1 50	12 00
RASPBERRIES, Columbian, Cuthbert, Gregg, Kansas, Marlboro	50	3 00
Golden Queen (Yellow) Herbert New, red; very hardy St. Regis, Everbearing	60 60	4 00 4 00
BLACKBERRIES: Agawam, Blowers, Eldorado, Erie, Rathbun, Snyder, Wachusetts, Wilson's Early	50	3 00
ASPARAGUS Columbian, Conover's Colossal, Palmetto \$8 00 per M		1 25
RHUBARB Myatt's 3 yrs.	1 50	12 00
Champagne 2 yrs. New, fine variety	1 50	



Silver Medal awarded us by the Massachusetts Horticultural Society for the best display of Herbaceous Flowers.

#### HERBACEOUS DEPARTMENT

The growing of Herbaceous Perennials is one of the important features of our business. We have over fifteen acres devoted exclusively to the growing of Perennials. Our stock and variety of plants was never so large as now, and we feel sure that we can furnish this most popular class of plants from our fields that will be not only second to none, but far superior to much of the seedling pot-grown and divided stock which is being offered at low rates. Field grown stock of the proper size will secure for the planter the best possible results.

## HARDY PERENNIALS, FERNS AND GRASSES

Full descriptions will be found in our General Catalogue.

ELess Than Five at Double the Rate Per Hundred.

	Per 10	Per 100
ACANTHUS mollis—Bear's Breech	\$1 00	\$7 00
var. latifolius	1 20	8 00
ACHILLEA—Milfoil or Yarrow		
Aegyptica	80	5 00
Eupatorium	1 00	
Millefolium	80	6 00
var. roseum—Rosy Milfoil	80	6 00
Ptarmica fl. pl.—"The Pearl"	80	6 00
tomentosa	1 00	7 00
ACONITUM—Monkshood or Helmet Flower		
autumnale	1 20	10 00
Fisherii	1 20	10 00
longigantatum	1 50	10 00
Napellus	1 00	7 00
var. alba	1 20	
var. Sparks	1 00	7 00

Delication	ACONITUM—continued	Per 10	Per 100
uncinatum         1 20           Wilsoni         2 00           ACORUS Calamus—Sweet Flag         80         5 0           var. variegata         1 00         8 0           ACTAEA Japonica—Japanese Baneberry         1 50         12 0           AGROSTEMMA—Mullein Pink         200         6 0           coronaria         1 00         6 0           var. alba         80         5 0           Flos. Jovis         1 00         7 0           AJUGA—Genevensis         80         5 0           metallica var. crispa—Bugle         1 20         roptans           ALSTROEMERIA aurantica var. aurea — Golden Peruvian         1 1 00         8 0           Lily         1 20         7 0           ALTHAEA rosea—Hollyhock         80         7 0           Double varieties—Mixed         80         7 0           Double varieties—Mixed         80         7 0           Single varieties—Mixed         80         7 0           ALYSSUM—Madwort         80         7 0           argenteum         80         6 0           saxatile compactum         80         6 0           AMSONIA salicifolia         1 00           Tabernaemontana <t< td=""><td>var. bicolor</td><td>\$1 00</td><td>\$7 00</td></t<>	var. bicolor	\$1 00	\$7 00
Wilsoni       2 00         ACORUS Calamus—Sweet Flag       80       5 0         var. variegata       1 00       8 0         ACTAEA Japonica—Japanese Baneberry       1 50       12 0         AGROSTEMMA—Mullein Pink       20       1 00       6 0         coronaria       1 00       6 0       6 0         var. alba       80       5 0       5         Flos. Jovis       1 00       7 0         AUIGA—Genevensis       80       5 0         metallica var. crispa—Bugle       1 20       reptans         ALSTROEMERIA aurantica var. aurea — Golden Peruvian       1 1 20       7 0         ALSTROEMERIA aurantica var. aurea — Golden Peruvian       1 20       7 0         ALTHAEA rosea—Hollyhock       0       0       0       8 0         Double varieties—Mixed       80       7 0       0         ALTHAEA rosea—Hollyhock       80       7 0       0       8 0         Double varieties—Mixed       80       7 0       8 0       7 0       8 0       7 0       8 0       7 0       8 0       7 0       8 0       7 0       8 0       7 0       8 0       7 0       8 0       8 0       7 0       8 0       8 0       7 0	pulcheriana	1 20	10 00
ACORUS Calamus—Sweet Flag	uncinatum	1 20	
var. variegata         1 00         8 0           ACTAEA Japonica—Japanese Baneberry         1 50         12 0           AGROSTEMMA—Mullein Pink         1 00         6 0           coronaria         1 00         7 0           var. alba         80         5 0           Fios. Jovis         1 00         7 0           AJUGA—Genevensis         80         5 0           metallica var. crispa—Bugle         1 20           reptans         80         5 0           ALSTROEMERIA aurantica var. aurea — Golden Peruvian         1 19         7 0           Lily         1 20         7 0           ALTHAEA rosea—Hollyhock         1 00         8 0         7 0           Double varieties—All colors separate         1 00         8 0         7 0           ALTHAEA rosea—Mixed         80         7 0         8 0         7 0           ALYSSUM—Madwort         80         7 0         8 0         7 0           Single varieties—Mixed         80         7 0         8 0         7 0           ALYSSUM—Madwort         80         7 0         8 0         8 0           ALYSSUM—Madwort         80         6 0         8 0         8 0         8 0         8 0	Wilsoni	2 00	
var. variegata         1 00         8 0           ACTAEA Japonica—Japanese Baneberry         1 50         12 0           AGROSTEMMA—Mullein Pink         1 00         6 0           coronaria         1 00         7 0           var. alba         80         5 0           Fios. Jovis         1 00         7 0           AJUGA—Genevensis         80         5 0           metallica var. crispa—Bugle         1 20           reptans         80         5 0           ALSTROEMERIA aurantica var. aurea — Golden Peruvian         1 19         7 0           Lily         1 20         7 0           ALTHAEA rosea—Hollyhock         1 00         8 0         7 0           Double varieties—All colors separate         1 00         8 0         7 0           ALTHAEA rosea—Mixed         80         7 0         8 0         7 0           ALYSSUM—Madwort         80         7 0         8 0         7 0           Single varieties—Mixed         80         7 0         8 0         7 0           ALYSSUM—Madwort         80         7 0         8 0         8 0           ALYSSUM—Madwort         80         6 0         8 0         8 0         8 0         8 0	ACORUS Calamus—Sweet Flag	80	5 00
AGROSTEMMA—Mullein Pink coronaria		1 00	8 00
AGROSTEMMA—Mullein Pink coronaria	ACTAEA Japonica—Japanese Baneberry	1 50	12 00
coronaria       1 00       6 0         var. alba       80       5 0         Flos. Jovis       1 00       7 0         AJUGA—Genevensis       80       5 0         metallica var. crispa—Bugle       1 20         reptans       80       5 0         ALSTROEMERIA aurantica var. aurea — Golden Peruvian       1 20       7 0         ALTHAEA rosea—Hollyhock       0       0       80       7 0         ALTHAEA rosea—Hollyhock       0       80       7 0       8 0         Double varieties—All colors separate       1 00       8 0       7 0         Single varieties—Mixed       80       7 0       8 0       7 0         ALYSSUM—Madwort       80       7 0       8 0       8 0       7 0         ALYSSUM—Madwort       80       6 0       8 0       8 0       6 0       8 0       8 0       6 0       8 0       6 0       8 0       6 0       8 0       6 0       8 0       6 0       8 0       6 0       8 0       6 0       8 0       6 0       8 0       6 0       8 0       6 0       8 0       6 0       8 0       6 0       8 0       6 0       8 0       6 0       8 0       6 0       8 0			
var. alba         80         5 0           Flos. Jovis         1 00         7 0           AJUGA—Genevensis         80         5 0           metallica var. crispa—Bugle         1 20           reptans         80         5 0           ALSTROEMERIA aurantica var. aurea — Golden Peruvian         1 19         7 0           ALTHAEA rosea—Hollyhock         Double varieties—All colors separate         1 00         8 0           Double varieties—Mixed         80         7 0           Single varieties—Mixed         80         7 0           Alleghany         1 00         8 0           ALYSSUM—Madwort         80         7 0           argenteum         80         6 0           saxatile compactum         80         6 0           AMSONIA salicifolia         1 00           Tabernaemontana         1 00         8 0           ANCHUSA—Alkanet         80         6 0           Barrelieri         1 20         7 0           Italica         80         6 0           var. Dropmore         1 50         8 0           Mysostidiflora (New)         1 50         8 0           sempervirens         1 20         7 0           v		1.00	6 00
Flos. Jovis			5 00
AJUGA—Genevensis 80 5 0 metallica var. crispa—Bugle 1 20 reptans 80 5 0 ALSTROEMERIA aurantica var. aurea — Golden Peruvian Lily 1 20 7 0 ALTHAEA rosea—Hollyhock Double varieties—All colors separate 1 00 8 0 Double varieties—Mixed 80 7 0 Single varieties—Mixed 80 7 0 Alleghany 1 00 8 0 ALYSSUM—Madwort argenteum 80 6 0 saxatile compactum 80 6 0 AMSONIA salicifolia 1 00 Tabernaemontana 1 00 8 0 ANCHUSA—Alkanet Barrelieri 1 20 7 0 Italica 80 60 Myosotidiflora (New) 150 80 Myosotidiflora (New) 150 80 ANEMONE Japonica rubra—Wind Flower 1 00 7 0 var. Lady Ardilaun 1 00 7 0 var. Prince Heinrich 1 20 8 0 var. Queen Charlotte 1 00 7 0 var. Queen Charlotte 1 00 7 0 var. Whirlwind 1 00 7 0 var. Whirlwind 1 00 7 0 var. alba 1 00 7 0 var. Whirlwind 1 00 7 0 var. User 1 00 7 0 var. alba 1 50 var. rubra 1 50 Sylvestris 1 50 Sylvestris 1 50 SANTHEMIS Kelwayi—Chamomile 80 5 0			7 00
metallica var. crispa—Bugle         1 20           reptans         80         5 0           ALSTROEMERIA aurantica var. aurea — Golden Peruvian Lily         1 20         7 0           ALTHAEA rosea—Hollyhock         1 00         8 0           Double varieties—All colors separate         1 00         8 0           Double varieties—Mixed         80         7 0           Single varieties—Mixed         80         7 0           Single varieties—Mixed         80         7 0           Alleghany         1 00         8 0           ALYSSUM—Madwort         80         6 0           argenteum         80         6 0           saxatile compactum         80         6 0           AMSONIA salicifolia         1 00         8 0           Tabernaemontana         1 00         8 0           ANCHUSA—Alkanet         80         6 0           Barrelieri         1 20         7 0           Italica         80         6 0           var. Dropmore         1 50         8 0           Myosotidiflora (New)         1 50         10           sempervirens         1 20         7 0           ANEMONE Japonica rubra—Wind Flower         1 00         7 0			
Reptans			5 00
ALSTROEMERIA aurantica var. aurea — Golden Peruvian Lily			5.00
Lily.       1 20       7 0         ALTHAEA rosea—Hollyhock       0       8 0         Double varieties—Mixed       80       7 0         Single varieties—Mixed       80       7 0         Single varieties—Mixed       80       7 0         Alleghany       1 00       8 0         ALYSSUM—Madwort       80       6 0         argenteum       80       6 0         Saxatile compactum       80       6 0         AMSONIA salicifolia       1 00       8 0         Tabernaemontana       1 00       8 0         ANCHUSA—Alkanet       80       6 0         Barrelieri       1 20       7 0         Italica       80       6 0         var. Dropmore       1 50       8 0         Myosotidiflora (New)       1 50       10 0         sempervirens       1 20       7 0         ANEMONE Japonica rubra—Wind Flower       1 00       7 0         var. Lady Ardilaun       1 00       7 0         var. Prince Heinrich       1 20       8 0         var. Queen Charlotte       1 00       7 0         var. Whirlwind       1 00       7 0         var. ubra       1 50       <		30	5 00
ALTHAEA rosea—Hollyhock  Double varieties—All colors separate 1 00 8 0  Double varieties—Mixed 80 7 0  Single varieties—All colors separate 1 00 8 0  Single varieties—Mixed 80 7 0  Alleghany 1 00 8 0  ALYSSUM—Madwort 80 6 0  saxatile compactum 80 6 0  AMSONIA salicifolia 1 00  Tabernaemontana 1 00 8 0  ANCHUSA—Alkanet  Barrelieri 1 20 7 0  Italica 80 6 0  var. Dropmore 1 50 8 0  Myosotidiflora (New) 1 50 10 0  sempervirens 1 20 7 0  ANEMONE Japonica rubra—Wind Flower 1 00 7 0  var. alba 1 00 7 0  var. Lady Ardilaun 1 00 7 0  var. Prince Heinrich 1 20 8 0  var. Oueen Charlotte 1 00 7 0  var. Oueen Charlotte 1 00 7 0  var. Whirlwind 1 00 7 0  Pennsylvanica 80 6 0  pulsatilla 1 20 8 0  var. rubra 80 6 0  Sylvestris 1 50  Sylvestris 1 50  ANTHEMIS Kelwayi—Chamomile 80 5 0		1.20	7 00
Double varieties—All colors separate   1 00	·	1 20	, 00
Double varieties—Mixed         80         7 0           Single varieties—All colors separate         1 00         8 0           Single varieties—Mixed         80         7 0           Alleghany         1 00         8 0           ALYSSUM—Madwort         30         6 0           argenteum         80         6 0           saxatile compactum         80         6 0           AMSONIA salicifolia         1 00         8 0           Tabernaemontana         1 00         8 0           ANCHUSA—Alkanet         80         6 0           Barrelieri         1 20         7 0           Italica         80         6 0           var. Dropmore         1 50         8 0           Myosotidiflora (New)         1 50         10 0           sempervirens         1 20         7 0           ANEMONE Japonica rubra—Wind Flower         1 00         7 0           var. alba         1 00         7 0           var. Prince Heinrich         1 20         8 0           var. Queen Charlotte         1 00         7 0           var. Whirlwind         1 00         7 0           var. Whirlwind         1 00         7 0           va	•	1 00	8 00
Single varieties—All colors separate       1 00       8 0         Single varieties—Mixed       80       7 0         Alleghany       1 00       8 0         ALYSSUM—Madwort       80       6 0         argenteum       80       6 0         saxatile compactum       80       6 0         AMSONIA salicifolia       1 00       8 0         Tabernaemontana       1 00       8 0         ANCHUSA—Alkanet       80       6 0         Barrelieri       1 20       7 0         Italica       80       6 0         var. Dropmore       1 50       8 0         Myosotidiflora (New)       1 50       10 0         sempervirens       1 20       7 0         ANEMONE Japonica rubra—Wind Flower       1 00       7 0         var. alba       1 00       7 0         var. Prince Heinrich       1 20       8 0         var. Queen Charlotte       1 00       7 0         var. Whirlwind       1 00       7 0         var. Whirlwind       1 00       7 0         var. alba       1 50         var. rubra       1 50         var. rubra       1 50         Sylvestris			7 00
Single varieties—Mixed       80       7 0         Alleghany       1 00       8 0         ALYSSUM—Madwort       80       6 0         argenteum       80       6 0         saxatile compactum       80       6 0         AMSONIA salicifolia       1 00         Tabernaemontana       1 00       8 0         ANCHUSA—Alkanet       80       6 0         Barrelieri       1 20       7 0         Italica       80       6 0         var. Dropmore       1 50       8 0         Myosotidiflora (New)       1 50       10 0         sempervirens       1 20       7 0         ANEMONE Japonica rubra—Wind Flower       1 00       7 0         var. alba       1 00       7 0         var. Prince Heinrich       1 20       8 0         var. Queen Charlotte       1 00       7 0         var. rosea superba       1 00       7 0         var. Whirlwind       1 00       7 0         var. alba       1 50       8 0         var. alba       1 50       8 0         var. alba       1 50       8 0         var. rubra       1 50       8 0         var. r			8 00
Alleghany 100 8 0  ALYSSUM—Madwort argenteum 80 6 0 saxatile compactum 80 6 0  AMSONIA salicifolia 100  Tabernaemontana 100 8 0  ANCHUSA—Alkanet  Barrelieri 120 7 0  Italica 80 6 0  Myosotidiflora (New) 150 10 0 sempervirens 120 7 0  ANEMONE Japonica rubra—Wind Flower 100 7 0 var. alba 100 7 0 var. Lady Ardilaun 100 7 0 var. Prince Heinrich 120 8 0 var. Queen Charlotte 100 7 0 var. Ovar. Whirlwind 100 7 0 var. Whirlwind 100 7 0 pennsylvanica 80 6 0 pulsatilla 120 8 0 var. alba 150 var. alba 150 var. alba 150 var. Whirlwind 150 Pennsylvanica 80 6 0 pulsatilla 150 var. alba 150 var. alba 150 Sylvestris 150  ANTHEMIS Kelwayi—Chamomile 80 5 0			7 00
ALYSSUM—Madwort argenteum 80 6 0 saxatile compactum 80 6 0 AMSONIA salicifolia 1 00 Tabernaemontana 1 00 8 0 ANCHUSA—Alkanet Barrelieri 1 20 7 0 Italica 80 6 0 var. Dropmore 1 50 8 0 Myosotidiflora (New) 1 50 10 0 sempervirens 1 20 7 0 ANEMONE Japonica rubra—Wind Flower 1 00 7 0 var. alba 1 00 7 0 var. Lady Ardilaun 1 00 7 0 var. Prince Heinrich 1 20 8 0 var. Queen Charlotte 1 00 7 0 var. Whirlwind 1 00 7 0 var. Whirlwind 1 00 7 0 Pennsylvanica 80 6 0 pulsatilla 1 20 8 0 var. rubra 1 50 Sylvestris 1 50     ★★ All the Anemone Japonica are from pots.  ANTHEMIS Kelwayi—Chamomile 80 5 0	-		8 00
saxatile compactum       80       6       0         AMSONIA salicifolia       1       00       8         Tabernaemontana       1       00       8       0         ANCHUSA—Alkanet       80       6       0         Barrelieri       1       20       7       0         Italica       80       6       0         var. Dropmore       1       50       80         Myosotidiflora (New)       1       50       10       0         sempervirens       1       20       7       0         ANEMONE Japonica rubra—Wind Flower       1       00       7       0         var. alba       1       00       7       0         var. Lady Ardilaun       1       00       7       0         var. Prince Heinrich       1       20       8       0         var. Queen Charlotte       1       00       7       0         var. whirlwind       1       00       7       0         Pennsylvanica       80       6       0         pulsatilla       1       50         var. rubra       1       50         xar. rubra       1	ALYSSUM-Madwort		
AMSONIA salicifolia       1 00         Tabernaemontana       1 00       8 0         ANCHUSA—Alkanet       80       6 0         Barrelieri       1 20       7 0         Italica       80       6 0         var. Dropmore       1 50       8 0         Myosotidiflora (New)       1 50       10 0         sempervirens       1 20       7 0         ANEMONE Japonica rubra—Wind Flower       1 00       7 0         var. alba       1 00       7 0         var. Lady Ardilaun       1 00       7 0         var. Prince Heinrich       1 20       8 0         var. Queen Charlotte       1 00       7 0         var. rosea superba       1 00       7 0         var. Whirlwind       1 00       7 0         Pennsylvanica       80       6 0         pulsatilla       1 50         var. rubra       1 50         Sylvestris       1 50         All the Anemone Japonica are from pots.         ANTHEMIS Kelwayi—Chamomile       80       5 0	argenteum	80	6 00
Tabernaemontana       1 00       8 0         ANCHUSA—Alkanet       Barrelieri       1 20       7 0         Italica       80       6 0         var. Dropmore       1 50       8 0         Myosotidiflora (New)       1 50       10 0         sempervirens       1 20       7 0         ANEMONE Japonica rubra—Wind Flower       1 00       7 0         var. alba       1 00       7 0         var. Lady Ardilaun       1 00       7 0         var. Prince Heinrich       1 20       8 0         var. Queen Charlotte       1 00       7 0         var. rosea superba       1 00       7 0         var. Whirlwind       1 00       7 0         Pennsylvanica       80       6 0         pulsatilla       1 50         var. rubra       1 50         Sylvestris       1 50         Sylvestris       1 50         ANTHEMIS Kelwayi—Chamomile       80       5 0	saxatile compactum	80	6 00
ANCHUSA—Alkanet       1 20 7 0         Italica       80 6 0         var. Dropmore       1 50 8 0         Myosotidiflora (New)       1 50 10 0         sempervirens       1 20 7 0         ANEMONE Japonica rubra—Wind Flower       1 00 7 0         var. alba       1 00 7 0         var. Lady Ardilaun       1 00 7 0         var. Prince Heinrich       1 20 8 0         var. Queen Charlotte       1 00 7 0         var. rosea superba       1 00 7 0         var. Whirlwind       1 00 7 0         Pennsylvanica       80 6 0         pulsatilla       1 20 8 0         var. rubra       1 50         Sylvestris       1 50         Sylvestris       1 50         ANTHEMIS Kelwayi—Chamomile       80 5 0	AMSONIA salicifolia	1 00	
Barrelieri       1 20       7 0         Italica       80       6 0         var. Dropmore       1 50       8 0         Myosotidiflora (New)       1 50       10 0         sempervirens       1 20       7 0         ANEMONE Japonica rubra—Wind Flower       1 00       7 0         var. alba       1 00       7 0         var. Lady Ardilaun       1 00       7 0         var. Prince Heinrich       1 20       8 0         var. Queen Charlotte       1 00       7 0         var. rosea superba       1 00       7 0         var. Whirlwind       1 00       7 0         Pennsylvanica       80       6 0         pulsatilla       1 20       8 0         var. alba       1 50       80         var. rubra       1 50       80         Sylvestris       1 50       80         ANTHEMIS Kelwayi—Chamomile       80       5 0	Tabernaemontana	1 00	8 00
Italica       80       6 0         var. Dropmore       1 50       8 0         Myosotidiflora (New)       1 50       10 0         sempervirens       1 20       7 0         ANEMONE Japonica rubra—Wind Flower       1 00       7 0         var. alba       1 00       7 0         var. Lady Ardilaun       1 00       7 0         var. Prince Heinrich       1 20       8 0         var. Queen Charlotte       1 00       7 0         var. rosea superba       1 00       7 0         var. Whirlwind       1 00       7 0         Pennsylvanica       80       6 0         pulsatilla       1 20       8 0         var. alba       1 50       50         var. rubra       1 50       50         Sylvestris       1 50       50         ANTHEMIS Kelwayi—Chamomile       80       5 0	ANCHUSA—Alkanet		
var. Dropmore       1 50       8 0         Myosotidiflora (New)       1 50       10 0         sempervirens       1 20       7 0         ANEMONE Japonica rubra—Wind Flower       1 00       7 0         var. alba       1 00       7 0         var. Lady Ardilaun       1 00       7 0         var. Prince Heinrich       1 20       8 0         var. Queen Charlotte       1 00       7 0         var. rosea superba       1 00       7 0         var. Whirlwind       1 00       7 0         Pennsylvanica       80       6 0         pulsatilla       1 20       8 0         var. alba       1 50       8 0         var. rubra       1 50       50         Sylvestris       1 50       80         ANTHEMIS Kelwayi—Chamomile       80       5 0	Barrelieri	1 20	7 00
Myosotidiflora (New)       1 50       10 0         sempervirens       1 20       7 0         ANEMONE Japonica rubra—Wind Flower       1 00       7 0         var. alba       1 00       7 0         var. Lady Ardilaun       1 00       7 0         var. Prince Heinrich       1 20       8 0         var. Queen Charlotte       1 00       7 0         var. rosea superba       1 00       7 0         var. Whirlwind       1 00       7 0         Pennsylvanica       80       6 0         pulsatilla       1 20       8 0         var. alba       1 50       50         var. rubra       1 50       50         Sylvestris       1 50       50         ANTHEMIS Kelwayi—Chamomile       80       5 0	Italica		6 00
sempervirens       1 20       7 0         ANEMONE Japonica rubra—Wind Flower       1 00       7 0         var. alba       1 00       7 0         var. Lady Ardilaun       1 00       7 0         var. Prince Heinrich       1 20       8 0         var. Queen Charlotte       1 00       7 0         var. rosea superba       1 00       7 0         var. Whirlwind       1 00       7 0         Pennsylvanica       80       6 0         pulsatilla       1 20       8 0         var. alba       1 50       8 0         var. rubra       1 50       5 0         Sylvestris       1 50       5 0         ANTHEMIS Kelwayi—Chamomile       80       5 0	·		8 00
ANEMONE Japonica rubra—Wind Flower       1 00       7 0         var. alba       1 00       7 0         var. Lady Ardilaun       1 00       7 0         var. Prince Heinrich       1 20       8 0         var. Queen Charlotte       1 00       7 0         var. rosea superba       1 00       7 0         var. Whirlwind       1 00       7 0         Pennsylvanica       80       6 0         pulsatilla       1 20       8 0         var. alba       1 50       50         var. rubra       1 50       50         Sylvestris       1 50       50         ANTHEMIS Kelwayi—Chamomile       80       5 0			10 00
var. alba       1 00       7 0         var. Lady Ardilaun       1 00       7 0         var. Prince Heinrich       1 20       8 0         var. Queen Charlotte       1 00       7 0         var. rosea superba       1 00       7 0         var. Whirlwind       1 00       7 0         Pennsylvanica       80       6 0         pulsatilla       1 20       8 0         var. alba       1 50         var. rubra       1 50         Sylvestris       1 50         All the Anemone Japonica are from pots.         ANTHEMIS Kelwayi—Chamomile       80       5 0	·		7 00
var. Lady Ardilaun       1 00       7 0         var. Prince Heinrich       1 20       8 0         var. Queen Charlotte       1 00       7 0         var. rosea superba       1 00       7 0         var. Whirlwind       1 00       7 0         Pennsylvanica       80       6 0         pulsatilla       1 20       8 0         var. alba       1 50         var. rubra       1 50         Sylvestris       1 50         All the Anemone Japonica are from pots.         ANTHEMIS Kelwayi—Chamomile       80       5 0	·		7 00
var. Prince Heinrich       1 20       8 0         var. Queen Charlotte       1 00       7 0         var. rosea superba       1 00       7 0         var. Whirlwind       1 00       7 0         Pennsylvanica       80       6 0         pulsatilla       1 20       8 0         var. alba       1 50         var. rubra       1 50         Sylvestris       1 50         All the Anemone Japonica are from pots.         ANTHEMIS Kelwayi—Chamomile       80       5 0			7 00
var. Queen Charlotte       1 00       7 0         var. rosea superba       1 00       7 0         var. Whirlwind       1 00       7 0         Pennsylvanica       80       6 0         pulsatilla       1 20       8 0         var. alba       1 50         var. rubra       1 50         Sylvestris       1 50         All the Anemone Japonica are from pots.         ANTHEMIS Kelwayi—Chamomile       80       5 0			
var. rosea superba       1 00       7 0         var. Whirlwind       1 00       7 0         Pennsylvanica       80       6 0         pulsatilla       1 20       8 0         var. alba       1 50         var. rubra       1 50         Sylvestris       1 50         All the Anemone Japonica are from pots.         ANTHEMIS Kelwayi—Chamomile       80       5 0			
var. Whirlwind       1 00       7 0         Pennsylvanica       80       6 0         pulsatilla       1 20       8 0         var. alba       1 50         var. rubra       1 50         Sylvestris       1 50         All the Anemone Japonica are from pots.         ANTHEMIS Kelwayi—Chamomile       80       5 0			, ,
Pennsylvanica       80       6 0         pulsatilla       1 20       8 0         var. alba       1 50         var. rubra       1 50         Sylvestris       1 50         If the Anemone Japonica are from pots.         ANTHEMIS Kelwayi—Chamomile       80       5 0	·		
pulsatilla       1 20       8 0         var. alba       1 50         var. rubra       1 50         Sylvestris       1 50			
var. alba       1 50         var. rubra       1 50         Sylvestris       1 50         ஊ All the Anemone Japonica are from pots.       80         ANTHEMIS Kelwayi—Chamomile       80			8 00
var. rubra			0 00
Sylvestris			
All the Anemone Japonica are from pots.  ANTHEMIS Kelwayi—Chamomile			
ANTHEMIS Kelwayi—Chamomile	-3		
		80	5 00
tinctoria80 6 0	tinctoria	80	6 00

AQUILEGIA—Columbine	Per 10	Per 100
coerulea—Rocky Mountain Columbine	<b>\$</b> 1 20	\$8 00
var. alba	1 20	8 00
Californica hybrida	80	6 00
Canadensis	1 00	6 00
chrysantha	80	6 00
flabellata nana	1 00	8 00
var. nana alba	1 00	8 00
nivea grandiflora	80	6 00
Siberica	80	6 00
Skinneri	1 00	8 00
truncata	80	6 00
vulgaris	80	6 00
var. alba	80	6 00
var. flore plena	80	6 00
var. flore plena alba	80	6 00
ARABIS albida	80	6 00
albida fl. pl	2 00	15 00
alpina—Rock Cress	80	6 00
rosea (from pots)	80	6 00
ARENERIA balearica—Sandwort	1 20	7 00
montana	1 20	
ARMERIA—Sea Pink		
cephalotes rubra	1 00	8 00
formosa	80	6 00
Laucheana	80	6 00
var. robusta	1 20	8 00
maritima	80	6 00
var. alba	1 20	8 00
ARRHENATHERUM bulbosum variegata	1 00	6 00
ARTEMISIA—Wormwood		
Dracunculus (Tarragon)	80	6 00
lactiflora	1 20	8 00
pontica	80	5 00
Stellariana—Old Woman	1 00	7 00
ARUNDO DONAX—Strong clumps	1 50	10 00
ASCLEPIAS incarnata—Milkweed	80	6 00
tuberosa	1 00	8 00
ASPERULA odorata—Sweet Woodruff	1 00	8 00
	1 00	- 5 00

		Per 10	Per 100
ASTER	• • • • • • • • • • • • • • • • • • • •	\$ 80	\$6 00
Varieties:			
acris.	ericoides.	multiflorus	
alpinus.	Esma.	Novae-Ang	
var. albus.	longifolia formosissima.	var. roseu	
var. altaicus.	Grace.	Novi-Belgi	
var. Glorie de Orleans.	Isabel.	ptarmicoid	
var. nixe.	John Wood.	pulcherrim	a.
var. rubrus.	Lady Trevellyn.	puniceus.	
Amellus var. Bessarabicus.	laevis.	Tartaricus.	
Combe Fishacre.	var. floribunda.	Top Sawy	
Dumosus.	Madonna.	T. S. War	e.
ASTER			
Beauty of Colwall—New-double l		<b>\$1 0</b> 0	\$8 00
Beauty of Ronsdorf-New, Lilac		1 00	8 00
Climax—New. Color light laven		1 00	8 00
	w center	1 00	8 00
		1 00	8 00
Spectabilis var. Nenco—New.		1 00	8 00
St. Egwyn—New. Bright pink.		1 00	8 00
ASTILBE Chinensis		1 00	8 00
compacta multiflora		1 20	
Davidii		1 20	10 00
Japonica		1 00	6 00
Washington		1 20	
AUBRIETIA deltoides (from pots).		1 00	7 00
graeca (from pots)		1 20	7 00
BAPTISIA Australis (False Indigo)		1 00	7 00
		80	6 00
BELLIS perennis (English Daisy) (	from pots)	80	5 00
BETONICA See STACHYS	nom pots)	00	0 00
BOCCONIA cordata (Plume Poppy		80	6 00
BOLTONIA asteroides (False Char		80	5 00
latisquama		80	6 00
var. nana		1 20	8 00
laevigata		1 00	6 00
BUPHTHALMUM salicifolia—Ox-e		1 20	
CALIMERIS incisa	-	1 00	7 00
CALLIRHOE involucrata—Poppy A		1 00	7 00
CAMPANULA—Bellflower			
Carpatica (Carpathian Hare Bell)		1 00	6 00
var. alba		1 00	6 00
glomerata		1 00	7 00
grandis		1 20	8 00
latifolia		1 00	7 00
var. macrantha		1 00	7 00
media (Pink, Blue, White and Mi	xed)	1 00	6 00
var. calycanthema (Pink, Blue an	d White)	1 20	8 00

CAMPANULA—continued		Per 10	Per 100
persicaefolia grandiflora		\$1 00	\$7 00
var. alba		1 00	6 00
var. alba fl. pl		1 20	8 00
var. humosa fl. pl		2 00	
var. Moerheimi		1 00	7 00
var. The Fairy		1 50	
pulcherrima		80	6 00
pyramidalis (The Chimney Bell F		1 00	7 00
var. alba		1 20	8 00
rotundifolia (Blue Bells of Scotlar	•	1 00	7 00
trachelium (Coventry Bells)		1 20	8 00
Van Houttei		1 50	
CAREX Morrowii variegata (Sedge		1 00	8 00
CASSIA Marylandica (American S		1 20	8 00
CATANANCHE coerulea (Cupid's		80	6 00
var. alba		1 00	7 00
CENTAUREA dealbata (Century)		1 20	8 00
macrocephalus		1 00	7 00
montana (Perennial Corn Flower)		1 00	6 00
var. alba		1 00	7 00
var. rosea		1 20	8 00
Ruthenica		1 50	
CENTRANTHUS albus (Valerian)		1 20	7 00
ruber		1 20	7 00
CEPHALARIA Tatarica		1 20	8 00
CERASTIUM Boisserii (Snow in S	·	1 00	8 00
	•••••	1 00	7 00
CHELONE (Turtle Head)		1 00	6 00
glabra		1 00 80	6 00 5 00
Lyonii		80	5 00
CHRYSANTHEMUM Hardy Pomp		1 00	0 00
ing pink, white, yellow, etc  Named Varieties		1 00 1 00	8 <b>00</b> 8 <b>00</b>
			0 00
Aberdeen.	Flora.	Mignon.	147
Agrippina.	Fred Peel.	Prince of	
Aristatia.	Golden Pheasant.	Ruby Que	
Boston.	Grace Darling.	Seven Oa	
Bridesmaid.	La Vaughe.	Snow Cla	
Bubes Bronze.	Matte Jolivet.	White Qu	
Cottage Pink.	Martinmas.	Yellow Qu	ueen.
latifolium		1 00	8 00
leucanthemum hybridum (Shasta	a Daisy)	1 00	7 00
maximum		80	6 00
var. Arcticum		1 50	
var. King Edward		1 00	6 00
var. Robinsonii		1 00	6 00
var. The Speaker (New)		1 50	10 00
var. Triumph		1 00	6 00
uliginosum		80	5 00

	Per 10	Per 100
CIMICIFUGA Japonica	1 50	12 00
racemosa	1 80	15 00
simplex	1 50	12 00
CLEMATIS Davidiana	1 20	
recta	1 00	8 00
CONOCLINIUM coelestinum (Mist-flower)	1 20	
CONVALLARIA (Lily of the Valley)		
majalis (Strong Pips)	30	2 00
majalis (Clumps)30c each	2 50	20 00
COREOPSIS delphinifolia (Tick Seed)	80	6 00
grandiflora	80	6 00
lanceolata	80	5 00
rosea	1 00	6 00
verticillata	1 00	6 00
CORONELLA varia	1 00	6 00
CYPRIPEDIUM (Lady Slipper)		
acaule	1 00	8 00
DELPHINIUM (Hardy Larkspur)		
Named varieties (Double) (See Catalogue)25c each	2 00	
Mixed hybrids	80	7 00
Belladonna light blue	1 20	8 00
Belladonna dark blue	1 20	8 00
Chinensis	80	5 00
Chinensis azurea	80	6 00
var. alba	80 80	6 00
elatum	1 00	6 00
formosumvar. coelestinum	1 00	7 00
DIANTHUS atro rubens	1 20	8 00
barbatus (Sweet William) Colors: Pink, Red and White	80 1 00	5 00 6 00
barbatus var. Newport Pink	1 00	0 00
deltoides (Maiden Pink)	1 00	5 00
var. alba	1 00	5 00
latifolius atrococcinea fl. pl.	1 00	8 00
plumarius (Scotch or Garden Pink)	1 00	6 00
p. var. semperflorens	1 00	8 00
HARDY GARDEN PINKS Abbotsford—Crimson	1 00	8 00
Carmen—light pink, fragrant	1 00	6 00
Essex Witch—bright pink	1 00	7 00
Her Majesty—large pure white	1 00	8 00
Lord Lyons—pink	1 00	8 00
Louise M. Alcott—large, deep pink	1 00	8 00
Mrs. Sinkins—large white, fragrant	1 00	8 00
Souvenir de Sale—soft pink	1 00	8 00
White Reserve—ever blooming	1 20	

HARDY CARNATIONS   Grenardin's Scarlet   1 00   8 00   Grenardin's White   1 00   8 00   Secondarin's (Bleeding Heart)   15c each   1 20   10 00   Secondarin's (Gas Plant)   1 20   10 00   Secondarin's (Faxinella (Gas Plant)   1 20   10 00   Secondarin's (Foxglove)   Seconda		D 16	D 100
Grenardin's White	HARDY CARNATIONS	Per 10	Per 100
DICENTRA eximia		1 00	8 00
formosa	Grenardin's White	1 00	8 00
formosa	DICENTRA eximia	1 00	8 00
DICTAMNUS fraxinella (Gas Plant)		1 00	8 00
fraxinella alba       1 20       10 00         DIGITALIS (Foxglove)       30       6 00         ambigua or grandiflora (Yellow Foxglove)       1 00       6 00         gloxiniaeflora       1 00       6 00         purpurea (Common Foxglove)       1 00       6 00         var. alba       1 00       6 00         DORONICUM       Totali       1 00       7 00         Clusii       1 00       7 00       80         ECHINACEA purpurea (Purple Cone Flower)       80       6 00         ECHINOPS (Globe Thistle)       Total of 6 00       6 00         EPILOBIUM augustifolium       1 00       6 00         EPILOBIUM (Barren Wort(       alpinum var. rubrum       1 20       6 00         EPIANTHUS Ravennea (Ravenna Grass)       1 20       1 20       1 20         ERICA herbacea carnea       2 50       2 50       2 50       2 50         ERIGERON (Flea-bane)       1 20       8 00       2 50<		1 20	10 00
fraxinella alba       1 20       10 00         DIGITALIS (Foxglove)       30       6 00         ambigua or grandiflora (Yellow Foxglove)       1 00       6 00         gloxiniaeflora       1 00       6 00         purpurea (Common Foxglove)       1 00       6 00         var. alba       1 00       6 00         DORONICUM       Totali       1 00       7 00         Clusii       1 00       7 00       80         ECHINACEA purpurea (Purple Cone Flower)       80       6 00         ECHINOPS (Globe Thistle)       Total of 6 00       6 00         EPILOBIUM augustifolium       1 00       6 00         EPILOBIUM (Barren Wort(       alpinum var. rubrum       1 20       6 00         EPIANTHUS Ravennea (Ravenna Grass)       1 20       1 20       1 20         ERICA herbacea carnea       2 50       2 50       2 50       2 50         ERIGERON (Flea-bane)       1 20       8 00       2 50<	DICTAMNUS fraxinella (Gas Plant)	1 20	10 00
ambigua or grandiflora (Yellow Foxglove)       80       6 00         roseum       1 00       6 00         gloxiniaeflora       1 00       6 00         purpurea (Common Foxglove)       1 00       6 00         var. alba       1 00       6 00         DORONICUM       Caucasicum       1 00       7 00         Clusii       1 00       7 00         plantagineum var. excelsum       1 00       8 00         ECHINACEA purpurea (Purple Cone Flower)       80       6 00         ECHINOPS (Globe Thistle)       pumilum       1 00       6 00         EPILOBIUM augustifolium       1 00       6 00         EPILOBIUM augustifolium       1 00       6 00         EPILOBIUM (Barren Wort(       1 20       0         alpinum var. rubrum       1 20       0         macranthum var. niveum       1 20       0         var. sulphureum       1 20       0         ERIANTHUS Ravennea (Ravenna Grass)       1 50       0         ERIGERON (Flea-bane)       1 20       8 00         auranticus       1 20       8 00         ERYNGIUM (Sea Holly)       1 20       8 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00 <td></td> <td>1 20</td> <td>10 00</td>		1 20	10 00
ambigua or grandiflora (Yellow Foxglove)       80       6 00         roseum       1 00       6 00         gloxiniaeflora       1 00       6 00         purpurea (Common Foxglove)       1 00       6 00         var. alba       1 00       6 00         DORONICUM       Caucasicum       1 00       7 00         Clusii       1 00       7 00         plantagineum var. excelsum       1 00       8 00         ECHINACEA purpurea (Purple Cone Flower)       80       6 00         ECHINOPS (Globe Thistle)       pumilum       1 00       6 00         EPILOBIUM augustifolium       1 00       6 00         EPILOBIUM augustifolium       1 00       6 00         EPILOBIUM (Barren Wort(       1 20       0         alpinum var. rubrum       1 20       0         macranthum var. niveum       1 20       0         var. sulphureum       1 20       0         ERIANTHUS Ravennea (Ravenna Grass)       1 50       0         ERIGERON (Flea-bane)       1 20       8 00         auranticus       1 20       8 00         ERYNGIUM (Sea Holly)       1 20       8 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00 <td></td> <td></td> <td></td>			
roseum		80	6 00
gloxiniaeflora		1 00	6 00
var. alba       1 00       6 00         DORONICUM       2       0         Caucasicum       1 00       7 00         Clusii       1 00       8 00         ECHINACEA purpurea (Purple Cone Flower)       80       6 00         ECHINOPS (Globe Thistle)       6 00       6 00         pumilum       1 00       6 00         ritro       1 00       6 00         EPILOBIUM augustifolium       1 00       6 00         EPIMEDIUM (Barren Wort(       1 20       6 00         alpinum var. rubrum       1 20       6 00         ERIANTHUS Ravennea (Ravenna Grass)       1 50       6 00         ERICA herbacea carnea       2 50       6 00         vagans alba       2 50       6 00         ERIGERON (Flea-bane)       8 00       6 00         auranticus       1 20       7 00         Quakeress (New)       1 20       8 00         SERYNGIUM (Sea Holly)       1 20       8 00         ERYNGIUM (Sea Holly)       1 00       7 00         amethystinum       1 00       7 00         yuccafolium       1 00       7 00         Var. gracillima       1 00       8 00         var. zebr		1 00	6 00
DORONICUM	purpurea (Common Foxglove)	1 00	6 00
Caucasicum       1 00       7 00         Clusii       1 00       8 00         plantagineum var. excelsum       1 00       8 00         ECHINACEA purpurea (Purple Cone Flower)       80       6 00         ECHINOPS (Globe Thistle)       1 00       6 00         pumilum       1 00       6 00         ritro       1 00       6 00         EPILOBIUM augustifolium       1 00       6 00         EPIMEDIUM (Barren Wort(       1 20       1 20         alpinum var. rubrum       1 20       1 20         macranthum var. niveum       1 20       2         var. sulphureum       1 20       1 50         ERICA herbacea carnea       2 50       250         Vagans alba       2 50       250         ERIGERON (Flea-bane)       1 20       8 00         auranticus       1 20       8 00         Quakeress (New)       1 20       8 00         ERYNGIUM (Sea Holly)       1 20       8 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         ERYSIMUM rupestre (Hedge Mustard)       1 00       8 00         var. gracillima       1	var. alba	1 00	6 00
Clusii	DORONICUM		
Plantagineum var. excelsum   1 00   8 00	Caucasicum	1 00	7 00
ECHINACEA purpurea (Purple Cone Flower)       80       6 00         ECHINOPS (Globe Thistle)       1 00       6 00         pumilum       1 00       6 00         ritro       1 00       6 00         EPILOBIUM augustifolium       1 00       6 00         EPIMEDIUM (Barren Wort(       4       4         alpinum var. rubrum       1 20       4         macranthum var. niveum       1 20       4         var. sulphureum       1 20       5         ERICA herbacea carnea       2 50       5         vagans alba       2 50       5         ERIGERON (Flea-bane)       3       2         auranticus       1 20       7 00         Quakeress (New)       1 20       8 00         Speciosus       1 20       8 00         ERYNGIUM (Sea Holly)       31pinum       1 00       7 00         amethystinum       1 00       7 00         amethystinum       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00      <	Clusii	1 00	
ECHINOPS (Globe Thistle)   pumilum	plantagineum var. excelsum	1 00	8 00
ECHINOPS (Globe Thistle)   pumilum	ECHINACEA purpurea (Purple Cone Flower)	80	6 00
pumilum         1 00         6 00           ritro         1 00         6 00           EPILOBIUM augustifolium         1 00         6 00           EPIMEDIUM (Barren Wort(         alpinum var. rubrum         1 20           alpinum var. rubrum         1 20         1 20           macranthum var. niveum         1 20         1 20           var. sulphureum         1 20         1 50           ERIANTHUS Ravennea (Ravenna Grass)         1 50         1 50           ERICA herbacea carnea         2 50         2 50           vagans alba         2 50         2 50           ERIGERON (Flea-bane)         1 20         7 00           quakeress (New)         1 20         8 00           speciosus         1 20         8 00           ERYNGIUM (Sea Holly)         1 00         7 00           amethystinum         1 00         7 00           yuccafolium         1 00         7 00           ERYSIMUM rupestre (Hedge Mustard)         1 20         8 00           EULALIA Japonica         1 00         8 00           var. gracillima         1 00         8 00           var. zebrina         1 00         8 00           var. Zebrina         1 00			
ritro		1 00	6 00
EPIMEDIUM (Barren Wort(       alpinum var. rubrum       1 20         macranthum var. niveum       1 20         var. sulphureum       1 20         ERIANTHUS Ravennea (Ravenna Grass)       1 50         ERICA herbacea carnea       2 50         vagans alba       2 50         ERIGERON (Flea-bane)       1 20       7 00         auranticus       1 20       8 00         speciosus       1 20       8 00         ERYNGIUM (Sea Holly)       1 20       8 00         ERYSIMUM (Sea Holly)       1 00       7 00         amethystinum       1 00       7 00         puccafolium       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       ageratoides       1 00       7 00         coelestinum       1 00       6 00         Frazeri       1 00       6 00		1 00	6 00
alpinum var. rubrum       1 20         macranthum var. niveum       1 20         var. sulphureum       1 20         ERIANTHUS Ravennea (Ravenna Grass)       1 50         ERICA herbacea carnea       2 50         vagans alba       2 50         ERIGERON (Flea-bane)       3 20         auranticus       1 20       7 00         Quakeress (New)       1 20       8 00         speciosus       1 20       8 00         ERYNGIUM (Sea Holly)       3 1 00       7 00         amethystinum       1 00       7 00         yuccafolium       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       ageratoides       1 00       7 00         coelestinum       1 00       6 00         Frazeri       1 00       6 00	EPILOBIUM augustifolium	1 00	6 00
macranthum var. niveum       1 20         var. sulphureum       1 20         ERIANTHUS Ravennea (Ravenna Grass)       1 50         ERICA herbacea carnea       2 50         vagans alba       2 50         ERIGERON (Flea-bane)       2 50         auranticus       1 20       7 00         Quakeress (New)       1 20       8 00         speciosus       1 20       8 00         ERYNGIUM (Sea Holly)       1 00       7 00         amethystinum       1 00       7 00         yuccafolium       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       ageratoides       1 00       7 00         coelestinum       1 00       6 00         Frazeri       1 00       6 00	EPIMEDIUM (Barren Wort(		
var. sulphureum       1 20         ERIANTHUS Ravennea (Ravenna Grass)       1 50         ERICA herbacea carnea       2 50         vagans alba       2 50         ERIGERON (Flea-bane)       2 50         auranticus       1 20       7 00         Quakeress (New)       1 20       8 00         speciosus       1 20       8 00         ERYNGIUM (Sea Holly)       1 00       7 00         amethystinum       1 00       7 00         yuccafolium       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       ageratoides       1 00       7 00         coelestinum       1 00       7 00         Frazeri       1 00       6 00	alpinum var. rubrum	1 20	
ERIANTHUS Ravennea (Ravenna Grass)       1 50         ERICA herbacea carnea       2 50         vagans alba       2 50         ERIGERON (Flea-bane)       1 20         auranticus       1 20       8 00         Quakeress (New)       1 20       8 00         speciosus       1 20       8 00         ERYNGIUM (Sea Holly)       1 00       7 00         amethystinum       1 00       7 00         yuccafolium       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       ageratoides       1 00       7 00         coelestinum       1 00       6 00         Frazeri       1 00       6 00	macranthum var. niveum	1 20	
ERICA herbacea carnea       2 50         vagans alba       2 50         ERIGERON (Flea-bane)       30         auranticus       1 20       7 00         Quakeress (New)       1 20       8 00         speciosus       1 20       8 00         ERYNGIUM (Sea Holly)       3 00       7 00         alpinum       1 00       7 00         amethystinum       1 00       7 00         yuccafolium       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       ageratoides       1 00       7 00         coelestinum       1 00       6 00         Frazeri       1 00       6 00	•		
vagans alba       2 50         ERIGERON (Flea-bane)       30         auranticus       1 20       7 00         Quakeress (New)       1 20       8 00         speciosus       1 20       8 00         ERYNGIUM (Sea Holly)       3 00       7 00         alpinum       1 00       7 00         amethystinum       1 00       7 00         yuccafolium       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       ageratoides       1 00       7 00         coelestinum       1 00       6 00         Frazeri       1 00       6 00	·		
ERIGERON (Flea-bane)       1 20 7 00         Quakeress (New)       1 20 8 00         speciosus       1 20 8 00         ERYNGIUM (Sea Holly)       1 20 7 00         alpinum       1 00 7 00         amethystinum       1 00 7 00         yuccafolium       1 00 7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20 8 00         EULALIA Japonica       1 00 8 00         var. gracillima       1 00 8 00         var. variegata       1 00 8 00         var. Zebrina       1 00 8 00         EUPATORIUM (Thorough-Wort)       ageratoides       1 00 7 00         coelestinum       1 00       7 00         Frazeri       1 00 6 00			
auranticus       1 20       7 00         Quakeress (New)       1 20       8 00         speciosus       1 20       8 00         ERYNGIUM (Sea Holly)       1 20       7 00         alpinum       1 00       7 00         amethystinum       1 00       7 00         yuccafolium       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       ageratoides       1 00       7 00         coelestinum       1 00       Frazeri       1 00       6 00		2 50	
Quakeress (New)       1 20       8 00         speciosus       1 20       8 00         ERYNGIUM (Sea Holly)       30       7 00         alpinum       1 00       7 00         amethystinum       1 00       7 00         yuccafolium       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       30       7 00         coelestinum       1 00       7 00         Frazeri       1 00       6 00		1 00	7 00
speciosus       1 20       8 00         ERYNGIUM (Sea Holly)       1 00       7 00         alpinum       1 00       7 00         amethystinum       1 00       7 00         yuccafolium       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       3 00       7 00         coelestinum       1 00       7 00         Frazeri       1 00       6 00			
ERYNGIUM (Sea Holly)       alpinum       1 00       7 00         amethystinum       1 00       7 00         yuccafolium       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       ageratoides       1 00       7 00         coelestinum       1 00       Frazeri       1 00       6 00			
alpinum       1 00       7 00         amethystinum       1 00       7 00         yuccafolium       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       3 00       7 00         coelestinum       1 00       7 00         Frazeri       1 00       6 00		1 20	8 00
amethystinum       1 00       7 00         yuccafolium       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       3 00       7 00         coelestinum       1 00       7 00         Frazeri       1 00       6 00		1.00	7 00
yuccafolium       1 00       7 00         ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       3 00       7 00         coelestinum       1 00       7 00         Frazeri       1 00       6 00	•		
ERYSIMUM rupestre (Hedge Mustard)       1 20       8 00         EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       3 00       7 00         coelestinum       1 00       7 00         Frazeri       1 00       6 00			
EULALIA Japonica       1 00       8 00         var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       1 00       7 00         coelestinum       1 00       7 00         Frazeri       1 00       6 00			
var. gracillima       1 00       8 00         var. variegata       1 00       8 00         var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       3 00       7 00         coelestinum       1 00       7 00         Frazeri       1 00       6 00			
var. Zebrina       1 00       8 00         EUPATORIUM (Thorough-Wort)       8 00         ageratoides       1 00       7 00         coelestinum       1 00       7 00         Frazeri       1 00       6 00		1 00	8 00
EUPATORIUM (Thorough-Wort)         ageratoides       1 00       7 00         coelestinum       1 00       Frazeri       1 00       6 00	var. variegata	1 00	8 00
ageratoides       1 00       7 00         coelestinum       1 00       Frazeri       1 00       6 00		1 00	8 00
coelestinum       1 00         Frazeri       1 00       6 00	EUPATORIUM (Thorough-Wort)		
Frazeri 1 00 6 00	_	1 00	7 00
purpureum			
	purpureum	80	6 00

	D 10	D-= 100
EUPHORBIA corrollata (Flowering Spurge)	Per 10 1 00	Per 100 7 00
	1 00	, 00
FERNS—(See page 67)	00	~ 00
FESTUCA glauca (Blue Fescue Grass)	80	5 00
FUNKIA (Plantain Lily)	1 00	0.00
coerulea	1 00	8 00
lancifolia	1 00 80	8 00
var. marginataovata	80 80	5 00 6 00
var. Thos. Hogg	80	5 00
subcordata var. grandiflora	1 20	10 00
undulata variegata	1 00	7 00
GAILLARDIA aristata (Blanket Flower)	80	6 00
grandiflorum	80	6 00
maxima	80	6 00
GALEGA (Goat's Rue)	00	0 00
bicolor Hardlandi (New)	1 00	8 00
Heldrichii	1 20	8 00
officinalis	1 00	6 00
var. alba	1 00	6 00
GALIUM boreale (Red Straw)	80	5 00
GERANIUM sanguineum (Crane's Bill)	80	6 00
var. album	1 00	8 00
grandiflorum	1 20	7 00
GEUM atrosanguineum (Avens)	80	7 00
var. Mrs. Bradshaw (New)	2 00	
GILLENIA trifoliata (Bowman's Root)	1 50	10 00
GLYCERIA speciosum (Ribbon Grass)	80	5 00
var. variegata	1 00	8 00
GYPSOPHILA	1 00	6.00
acutifolia	1 00 1 20	6 00 8 00
paniculata (Baby's Breath)	1 50	12 00
repens	1 00	7 00
Steveni	1 50	7 00
HELENIUM autumnale (Sneeze Wort)	1 00	7 00
var. Riverton Beauty	1 20	10 00
var. Riverton Gem	1 20	10 00
var. rubrum	1 50	10 00
var. striatum	1 00	
Hoopesii	1 00	7 00
pumilium	1 00	7 00
var. magnificum	1 00	7 00
HELIANTHEMUM (Sun Rose)		
angustifolium	1 00	8 00
hyssopifolium	80	6 00
vulgaris	80	6 00
var. citrinum	80	6 00
var. flora plena	1 00	8 00

	Per 10	Per 100
HELIANTHUS (Sunflower)		
decapetalus	80	6 00
Maximiliani	1 00	7 00
maximus	1 00	7 00
mollis	80	5 00
multiflorus plenus	1 00	7 00
var. meteor	1 20	8 00
var. Soliel d'Orrigidus	1 00 80	8 00 6 00
var. Miss Mellish	1 00	6 00
var. Woolly Dodd	1 00	6 00
•	1 00	0 00
HELIOPSIS (Ox-eye)	00	0.00
laevis	80	6 00
Pitcheriana	80	6 00
var. semi-plena	1 00	0.00
scabra major	1 20	8 00
HELLEBORUS niger (Christmas Rose)	2 00	15 00
HEMEROCALLIS aurantiaca major (Bay Lily)	1 50	10 00
Apricot	1 00	7 00
flava	1 20	8 00
florum	1 50	
fulva	80	6 00
Gold Dust	1 00	8 00
gracilis	1 00	8 00
Kwanso fl. pl	1 00	7 00
Orange Man	1 00	7 00
Sieboldi	80	6 00
Thunbergiana	1 20	
HEPATICA acutiloba	1 00	
triloba	1 20	
HESPERIS matronalis (Sweet Rocket)	80	6 00
var. alba	80	6 00
HEUCHERA sanguinea (Alum Root)	1 00	7 00
var. alba	1 00	7 00
var. Americana	1 00	7 00
var. Brizoides	1 00	7 00
var. gracilis rosea	1 00	7 00
var. Grenade	1 00	7 00
HIERACIUM Aurantiacum (Hawk-weed)	1 00	7 00
HIBISCUS militaris (Mallow)	80	6 00
Marvel Mallows Red, White and Pink	2 00	2.65
Moscheutos (Swamp Rose Mallow)	1 00	6 00
var. "Crimson Eye"	80	6 00
HUMULUS lupulus (Hop Vine) 2 yrs15c each	1 20	
var. foliis aureis 2 yrs30c each	2 50	
HYSSOPUS officinalis (Hyssop)	80	6 00
HOLLYHOCKS (See Althaea rosea)		

Eclair.

	Per 10	Per 100
IBERIS sempervirens (Evergreen Candytuft) (from pots)	80	6 00
sempervirens fl. pl	1 20	8 00
var. Snowflake	1 20	8 00
corifolia	1 00	7 00
INCARVILLEA Delavayi	1 20	8 00
INULA glandulosa	1 20	
salicana	1 00	8 00

## **IRIS**

We have upwards of one hundred and fifty varieties in our collection, including all classes in both named varities and separate colors. For description see our Catalogue.

IRIS Alpine—A ne	w race of e	arly flowering Iris, Ma	arch to May,	6 to 9 inc	hes
Varieties		• • • • • • • • • • • • • • • • • • • •		\$2 00	\$12 00
Adelaide.	Charmer.	Goethe.	Nimrod.	Sabr	ina.
Alida.	David.	Grandee.	Othello.	Venu	ıs.
Aureole.	Delicata.	Haydn.	Obelisque.	Victo	or.
Atlas.	Diana.	La Perle.	Penelope.	Vest	
Beatrice.	Elfrida.	Mazarin.	Queen.	Virg	
Berlioz.	Ernest.	Meteor.	Rosalie.	Vivia	
Clothilde.	Evelyn.	Milton.	Rosine.	Volta	
Alpine. Mixed Co	olors	• • • • • • • • • • • • • • • • • • • •	• • • • • • •	1 50	10 00
Germanica Varieti	es			1 00	6 <b>00</b>
Ada.		Garrick.		Macaulay.	
Agamemnon.		Gen. Grant.		ne Cherea	u.
Admiral Togo.		Gold Bound.	Oroya.		
Augustina.		Hamlet.	Paulin		
Brooklyn.		Hector.	Pecutu		
Canary Bird. Herant. Queen of May.					
Charlotte Patti. Hokanum. Rebecca.					
Charles Dickens		Horatius.		bert Peel.	
Count de St. Cl	air.	Johan De Witt.	Striata	-	
Darius. Flavescens.		L'Africaine. Leopold.	Ulysse Violett		
Florentina.		Lizzie.	Willian		
Florentina Blue.		LIZZIG.	vviiiiai	11 111.	
				80	5 0 <b>0</b>
Kaempferi Varieti	es			1 20	10 00
Alba plena.		Gold Bound.	Painte	d Lady.	
Alida.		Harlequin.	Parago	n.	
A. L. Sherwood		Helen von Sieboldt.	Prof. (	Georgeson	•
Babylon.		Hyde Park.	Purple	Emperor.	
Beth Hallock.		Koki-no-iro.	Pyram		
Blue Bird.		Mahogany,		1 No. 42.	
Blue Danube.		Navy-Blue.		n No. 46.	
Commodore Per	ry.	Ondine.	Venus.	·	

Oscar.

William Tell.

IRIS—continued	Per 10	Per 100
Kaempferi Mixed Colors	\$1 00	\$ 7 00
·	1 50	\$ 7 00
cristata (Light blue—May		6 00
orientalis Blue (Yale Color)	80	6 00
var. Snow Queen	1 00	6 00
pallida dalmatica	1 50	10 00
var. speciosum	1 20	8 00
pumila (Yellow white,, blue, April and May)	1 20	10 00
pseud-acorus (Water Flag Yellow, May and June)  Siberica-blue (June)	1 00 80	8 00 6 00
var. alba (June)	1 00	7 00
var. leucanthemum	1 00	7 00
LATHYRUS latifolius (Everlasting Pea)	1 00	7 00
var. albus	1 50	7 00
var. Pink Pearl	1 00	7 00
LAVENDULA vera (Lavender)	1 00	6 00
	1 00	0 00
LIATRIS (Blazing Star)	1 00	0.00
odorotissima	1 20 80	8 00 6 00
scariosa	1 20	8 00
spicata	1 00	7 00
LILIUM (Lily)		
Auratum (Gold Band)	1 50	12 00
canadense (Wild or Canada Lily)	1 00	8 00
candidum (Easter Lily)	1 20	10 00
elegans (Deep Maroon)	1 00	
var. umbellatum (Orange Red)	1 50	12 00
giganteum (Delicate creamy white)	1 50	12 00
longiflorum (White)	1 50	10 00
speciosum rubrum (White spotted with crimson)  var. album (White)	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$	12 00 15 00
superbum (Reddish orange)	1 00	8 00
tigrinum splendens (Tiger Lily)	1 20	10 00
tigrinum fl. pl. (Double Tiger Lily)	1 50	12 00
LINARIA Cymbalaria (Kenilworth Ivy)	1 00	
LINUM—Flax		
perenne	80	6 00
flavum	1 00	8 00
LOBELIA Cardinalis—Cardinal Flower	1 00	7 00
syphilitica	1 00	6 00
var. alba	1 20	8 00
LUPINUS polyphyllus—Lupin	1 00	7 00
var. albus	1 00	7 00
var. Moerheimi	1 20	8 00
var. roseum	1 00	8 00

	Per 10	Per 100
LYCHNIS Chalcedonica—Maltese Cross	\$ 80	\$5 00
var. alba	80	6 00
var. rubra plena	2 00	
coronaria	1 00	6 00
Flos-cuculi	1 00	6 00
Haageana	1 00	8 00
plenissima semperflorens	1 00	8 00
viscaria splendens	80	6 00
var. flore plena	1 00	7 00
LYSIMACHIA clethroides—Loosestrife	1 00	
nummularia—Moneywort	80	5 00
LYTHRUM alatum	1 00	7 00
Perry's Variety (New)	1 50	10 00
roseum superbum	1 00	7 00
MALVA alcea—Mallow	1 00	8 00
moschata	80	6 00
var. alba	80	6 00
MELISSA officinalis	1 00	6 00
	1 00	6 00
MENTHA spicata or virides (Spearmint)	1 50	0 00
MONARDA didyma—Bee Balm	1 20	8 00
fistulosa Bergamot	1 00	8 00
var. alba	80	6 00
violacea	1 20	8 00
MYOSOTIS-Forget-Me-Not		
dissitiflora (Early)	1 00	6 00
palustris semperflorens	1 00	5 00
NEPETA Glecoma (Ground Ivy)	80	5 00
Mussini (Catnip)	1 20	8 00
NIEREMBERGIA rivularis (Cup Flower) (from pots)	1 00	8 00
OENOTHERA (Evening Primrose)		
eximea	1 20	8 00
Frazerii	1 20	8 00
fruticosa major	1 20	7 00
var. Youngi	1 00	6 00
Missouriensis	1 20	8 00
speciosa	1 20	8 00
ORIGANUM vulgare (Wild Marjoram)	1 00	8 00
Marjorana	1 00	8 00
PACHYSANDRA terminalis (from pots)	1 20	8 00

### **PAEONIAS**

Per 10 Per 100 Named Varieties ..... \$1 50 \$12 00 Agida, dark red; Amabilis lilacea, lilac; Buckii, yellow; Canary Bird, white, yellow center; Candidessima, white, yellow center; Clarisse, large pink; Compt. de Nippon, brilliant red; Compt de Cussy, light pink; Delachii, fine delicate pink; Denis Heyle, deep pink; Dorchester, dwarf soft cream tinted pink; Duchess de Nemours, creamy white: Duke of Wellington, white cream center: Edulis superba, large deep pink; Eduoard Andre, deep crimson; Festiva, white with pink tinge; Festiva alba, pure white; Francis Ortegal, dark purple crimson; Fulgida, dark crimson; Grandiflora alba, white; Golden Harvest, yellow; Humei carnea, light pink; Humei rosea, deep rose; Isabella Karlitzky, light silvery pink; James Rothschild, light pink; Lady Bramwell, silvery rose; L'Indispensible, delicate cream; Louis Van Houtte, dark velvety purple; Marie Lemoine, blush fading to white; Mad. de Verneville, flesh white; Mad. Crousse, white, center marked carmine; Non plus ultra, dark pink; Norfolk, rose pink, changing white; Prolifera tricolor, pink; Pottsii, light pink; Queen Victoria, blush, white center; Rosea grandiflora, rosy crimson; Rosea superba, dark crimson; Rosea superbissima, large rose; Solfaterre, white, yellow tinge.

We have other varieties than above list in small quantities.

var. Festiva Maxima			\$2 50	\$20	00
var. Felix Crousse			3 50		
Mixed colors			1 00	8	00
Single Varieties: light pink	; dark pink; light red; wh	ite	2 50		
officinalis mutabilis alba			2 00	15	00
var. rosea (pink)			1 50	12	00
var. rubra (crimson)			1 50	12	00
PAPAVER orientale—Orienta			1 00	7	00
orientale hybrids, varieties			1 00	8	00
Blush Queen.	Oriental King.		Scarlet.		
Duke of Teck.	Princezs Ena.	Salmor	n Queen.		
Mahony.	Queen Alexandra.	Semi-p	lenum.		
Mrs. Perry.		Silver	Queen.		
orientale hydrids, NEW: C	Goliath, Mrs. Harkness, I	Perry's			
White			1 50		
nudicaule—Iceland Poppy;	colors, Orange, White and	Yellow	80	5	00
PENSTEMON—Beard Tong	ue				
acuminatus			1 00	8	00
barbatus Torreyii	,		80	5	00
diffusus			80	7	00
digitalis			80	5	00
heterophyllus			1 20		
ovatus			80	6	00
tubiflorus			1 20		
PHALARIS spectabilis arund	inacea—Ribbon Grass		80	5	00
var. variegata			1 20		

#### **PHLOX**

Our collection of Phlox includes the finest sorts to be found in this country and Europe.

Per 10 Per 100

PHLOX paniculata syn. decussata

Annie Cook. Flesh pink.

Atlas. Salmon pink.

August Rivoire. Bright salmon-red.

B. Comte. Brilliant red French purple.

Baron van Dedem. Blood-red.

Boule de Feu. Cherry-red.

Bridesmaid. White, rose center

Coquelicot. Orange-scarlet, crimson center.

Dora Umgella. White, lilac-pink center.

Eclaireur. Carmine, salmon center.

Embrasement. Bright orange-scarlet.

Epopee. Reddish violet, bright center.

Etta's Choice. Pure white.

Eugene Danzanvilliers. Lilac-blue, white center.

Europe. Snow white, carmine center.

F. G. Von Lassburg. Pure white. Ferdinand-Cortez. Purple-red.

Frau Anthony Buckner. The best white.

General Chanzy. Scarlet-pink, tinted salmon.

General van Hentz. Salmon red, white center.

Geo. A. Strohlein. Scarlet—orange, bright crimson eye—Fine

Hector. Fine pink.

Independence. Pure white.

Japonaise. Delicate rose, white center.

James Bennett. Salmon-pink, dark center.

Jeanne d'Arc. Pure white.

Jules Jony. Lilac-rose, white center.

Le Feu du Monde. Bright salmonred.

Le Pole du Nord. White, crimson center.

Le Mahdi. Metallic violet-blue.

Leonardo da Vinci. White, maroon center

L'Esperance. Light lavender-pink, white center.

L'Evenement.. Delicate pink, tinted. salmon.

Le Soleil. Brilliant china-rose, rose center.

Lumineaux. China-rose, tinted carmine, blush center.

Mme. Meuret. Flame color, carmine center.

Mme. P. Langier. Bright red, vermillion center.

Matador. Bright orange-red.

Michael Buckner. Dark purple.

Ornament. Bright pink.

Peach Blow. Delicate pink, rose center.

Pluto. Deep Fuchsia-red.

Pink Beauty. Light pink.

Prof. Schliemann. Bright red, crimson eye.

Queen. Pure white; late.

Richard Wallace. Pure white, violetrose center.

Rosenberg. Bright reddish-violet, with blood-red eye; large truss.

R. P. Struthers. Bright, pinkish salmon, crimson eye.

Rynstrom—New. Bright carmine rose Saison Lierval. White, light pink center.

	Per 10	Per 100
PHLOX—continued		
Elizabeth Campbell—Bright salmon-pink, dark red eye	1 20	8 00
P. Tapis de Blanc—(Dwarf) Very large, pure white	1 50	
P. Von Hochberg. (Tall) Large dark crimson, fine	1 20	8 00
P. amoena	1 00	8 00
P. Caroliniana var. ovata	1 00	7 00
P. divaricata	1 20	
P. Stellaria (Creeping)	1 00	8 00
P. subulata (Moss Pink)	80	6 00
P. var. alba	80	6 00
P. var. The Bride	1 00	
P. suffruticosa—Miss Lingard, white with pink eye	1 00	7 00
PHYSALIS Francheti—Chinese Lanntern Plant	1 00	7 00
PHYSOSTEGIA (False Dragon's Head)	0.0	~ ^^
speciosa	80	5 00
Virginica	80	5 00
var. alba	80	5 00
var. rubra	80	5 00
PINKS. Hardy Garden (See Dianthus)		
PLATYCODON (Chinese Bell Flower) grandiflora	80	6 00
var. album	1 00	7 00
var. Mariesii	1 00	8 00
PLUMBAGO Larpentae	1 20	8 00
POLEMONIUM (Jacob's Ladder)		
coeruleum	1 00	7 00
c. var. album	1 00	6 00
reptans	1 00	6 00
Richardsonii	1 00	6 00
POLYGONATUM (Solomon's Seal)		
giganteum	1 00	6 00
POLYGONUM (Knot Weed)		
cuspidatum	1 20	8 00
Sachalinese	1 50	
Sieboldi	1 50	
variegatum	1 50	
POTENTILLA (Cinquefoil)		
atrosanquinea	1 00	8 00
formosum	1 00	7 00
grandiflora	1 00	8 00
purpurea fl. pl	1 50	10 00
Mixed double varieties	1 50	10 00
PRIMULA (Primrose)	@1 W0	
acaulis (European Primrose)	\$1 50	6.00
officinalis hybrida—Cowslip	1 00	8 00
rosea grandiflora	1 50	0.00
veris—English Cowslip	1 00	6 00
veris superba	1 00	8 00
vulgaris	1 00	6 00

	Per 10	Per 100
PRUNELLA Webbiana (Self-heal)	1 00	
PYRETHRUM (Feverfew) roseum double	2 00	15 00
VARIETIES: Aphrodite (large white), Alfred (bright red),		
red), Henry Murger (purple), Lord Roseberry (fine red),		
Multiflora (deep pink), Non Plus Ultra (Silver rose), Roy (		(scarlet-
pink center), Spectabile (silver pink), Yovonne Caycea (y	ellow).	6 00
roseum (Single, mixed)roseum (Single, red, white and pink)	80	7 00
var. atrosanguineum (Single crimson)	1 00	8 00
uliginosum (Giant Daisy)	80	5 00
RANUNCULUS acris fl. pl. (Bachelor's Button)	80	6 00
repens	80	5 00
RUDBECKIA (Coneflower)		0 00
fulgida	1 00	7 00
Golden Glow	80	6 00
Goldstrahl	1 00	7 00
Newmanii	1 00	7 00
purpurea	1 20	.8 00
Reine de Or (Dwarf Golden Glow)	1 20	7 00
sub-tomentosa	1 00	
tribola	1 00	7 00
RUTA graveolens (Rue)	1 00	6 00
SALVIA azurea grandiflora (Meadow Sage)	1 00	7 00
argentea	1 20	10 00
officinalis	1 00	8 00
pratensis	80	4 00
SANTOLINA incana—Cotton Lavender	1 00	8 00
SAPONARIA ocymoides——Soapwort	1 00	7 00
officinalis fl. pl	1 20	8 00
SAXAFRAGA cordifolia—Rock foil	1 20	10 00
crassifolia	1 20	10 00
SCABIOSA Caucasica	1 00	7 00
var. alba	1 20	
Japonica	1 00	5 00
SEDUM (stone crop)		
acre (Golden Moss)	80	6 00
album	80	6 00
Ewersii	1 00	6 00
Kamtschaticum	1 00 1 00	6 00
Maxamwesii	1 00	6 00
var. atropurpureum	1 20	8 00
Sieboldii	1 00	8 00
spectabile (Brilliant Stone Crop)	80	5 00
var. Brilliant	1 00	7 00
var. atropurpurea	1 00	7 00
stolonifera	80	5 00

	D 10	D 100
SENECIO pulcher (Groundsel)	Per 10 1 00	Per 100
clivorum	1 20	8 00
SHASTA DAISY—See Chrysanthemum leucanthemum	1 20	3 00
SIDALCEA candida—Indian Mallow	1 20	8 00
SILENE maritima—Sea Catchfly	80	7 00
Schafta	1 00	8 00
SILPHIUM perfoliatum—Compass Plant	1 20	8 00
laciniatum	1 50	
SOLIDAGO Canadensis (Golden Rod)	80	6 00
rigidus	80	6 00
rugosa	80	6 00
sempervirens	80	6 00
SPIRAEA astilboides	1 20	8 00
aruncus	1 20	8 00
exinia	1 20	8 00
filipendula	80	5 00
var. flore plena	1 20	8 00
Japonica	1 00	6 00
var. Peach Blossom	1 50	12 00
Kamtschatka	1 20	
multiflora	1 20	8 00
var. compacta	1, 00	8 00
palmata	1 00	8 00
var. alba	1 00	7 00
var. elegans	80	5 00
ulmaria fl. pl	1 00	8 00
STACHYS (Woundwort)		
Betonica superba	80	6 00
lanata	80	6 00
rosa grandiflora	80	6 00
STATICE latifolia (Sea Lavender)	1 00	6 00
tatarica	1 00	6 00
STENANTHIUM robustrum (Mountain Feather-fleece)	2 50	w 00
STOKESIA cyanea—Stokes' Aster	1 00	7 00
var. alba	1 00	7 00
TEUCRIUM Chamaedrys (Wall Germander)	1 20	7 00
THALICTRUM adiantfolia (Meadow Rue)	1 20	8 00
aquilegifolium	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	
var. purpureum	$\frac{1}{1} \frac{50}{20}$	0.00
polygamum	1 00	8 00
sulphurea THERMOPSIS Caroliniana	1 00	
Mollis	1 00	7 00 6 00
THYMUS vulgaris—Thyme	80	5 00
lanuginosus	80	5 00
TIARELLA cordifolia—Mitewort	1 20	8 00
TRADESCANTIA (Spider Wort)	1 20	,
Virginica	80	5 00
var. alba	80	5 00

	Per 10	Per 100
TRILLIUM grandiflora—Wood Lily	80	6 00
TRITOMA corrallina coral—Red Hot Poker	1 20	
nobilis—Immense spikes of orange red flowers 5 to 6 ft	1 20	10 00
Pfitzeri	1 00	6 00
uvaria grandiflora	1 00	6 00
TROLLIUS (Globe Flower)		
Asiaticus	1 50	
Europaeus	1 50	10 00
var. Loddigesii	2 00	10.00
Fortunei fl. pl	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$	10 00
Orange Globe	2 00	
TUNICA saxafraga	1 00	6 00
-		
VALERIANA officinalisvar. alba	1 00 1 00	6 00 7 00
var. rubra	1 00	7 00
VERBASCUM Olympicum	1 00	7 00
pannosum	1 00	6 00
VERNONIA Arkansana (Iron Weed)	1 00	0 00
VERONICA (Speedwell)	1 00	
amethystina	1 00	7 00
gentianoides	80	6 00
longifolia	80	5 00
var. subsessilis	1 00	7 00
rosea	1 00	7 00
incana	1 00	7 00
rupestris	1 00	7 00
var. alba	1 20	8 00
spicatavar. alba	80 1 00	6 00 5 00
VINCA Major	1 20	8 00
minor—Periwinkle or Trailing Myrtle \$40 per M	80	5 00
var. alba	1 50	
var. aurea	1 50	10 00
var. flore plena	1 50	10 00
var. rosea	1 50	10 00
var. variegata	1 00	6 00
VINCETOXICUM Japonicum	1 00	8 00
VIOLA (Violets)		
cornuta (type)	1 00	6 00
var. alba (type)	1 00	7 00
var. atropurpurea (type)	1 00	7 00
Varieties: Admiration, Blue Perfection, Lutea, Mauve		
Queen, Papilio, Purple Queen, White Perfection	80	5 00
c. var. G. Wermig	1 00	7 00
cucullata	1 00	6 00


·		
VIOLA—continued	Per 10	Per 100
Double Russian	<b>\$1 2</b> 0	\$ 7 00
Odorata var. Askania	2 00	
var. Mad. Schwartz	2 00	
var. Single Russian	1 00	5 00
Wellsiana	1 00	8 00
YUCCA filamentosa (Adam's Needle) 2 yrs	1 00	8 00
3 yrs	1 50	12 00
HARDY FERNS	1 00	7 00
A. Goldianum.		
A. marginale.		
A. spinulosum.		
ASPLENIUM angustifolium.		
A. ebeneum.		
A. Filix-foemina (Lady Fern).		
CAMPTOSORUS rhizophyllus (Walking Leaf).		
CRYTOGRAMMA crispa acrostichoides.		
DICKSONIA punctilobula.		
ONOCLEA sensibilis (Sensitive Fern).		
O. Struthiopteris.		
OSMUNDA cinnamomea (Cinnamon Fern).		
O. regalis (Flowering Fern).		
WOODSIA livensis (Rusty Woodsia).		
W. obtusa.		
WOODWARDIA angustfolia (Chain Fern.)		
Dahlias.		
Cactus and Show varieties		50 per 10
Decorative and Pompon varieties	\$1	20 per 10
Gladiolas.		
I	e co	@0.00

Lemoine's Hybrid Mixture	\$	60	\$3 00
Groff's Hybrid Mixture		60	3 00
Named varieties:—	1	00	6 00

Augusta, White with lavender anthers; America, large pink; Independence, Brilliant rose-pink; Mrs. Francis King, Beautiful flame-pink; Brenchleyensis, brilliant vermillionscarlet.

### AUTO-TRUCK DELIVERY

We make deliveries by auto-truck within reasonable distances from the nurseries when desired, and charge according to mileage and size of truck used. We are located 18 miles south of Boston.



# **AUTO-TRUCK DELIVERY**

We make deliveries by auto-truck within reasonable distances from the nurseries when desired, and charge according to mileage and size of truck used. We are located 18 miles south of Boston.

# THE BAY STATE NURSERIES

NORTH ABINGTON.

MASSACHUSETTS.